



N7730164

---

---

**AN INVESTIGATION TO DETERMINE THE STATIC  
PRESSURE DISTRIBUTION OF THE 0.00548 SCALE  
SHUTTLE SOLID ROCKET BOOSTER (MSFC MODEL  
NUMBER 468) DURING REENTRY IN THE  
NASA/MSFC 14 INCH TRISONIC WIND TUNNEL  
(SA28F)**

**CHRYSLER CORP.  
NEW ORLEANS, LA**

**MAY 1977**



May 1977

DMS-DR-2244

NASA CR-151,082

AN INVESTIGATION TO DETERMINE THE  
STATIC PRESSURE DISTRIBUTION OF THE  
0.00548 SCALE SPACE SHUTTLE SOLID  
ROCKET BOOSTER (MSFC MODEL NUMBER 468)  
DURING REENTRY IN THE NASA/MSFC 14 INCH  
TRISONIC WIND TUNNEL (SA28F)

by

W. F. Braddock, NSI  
G. D. Streby, NSI

Prepared under NASA Contract Number NAS9-13247

by

Data Management Services  
Chrysler Corporation Michoud Defense - Space Division  
New Orleans, La. 70189

for

Engineering Analysis Division

Johnson Space Center  
National Aeronautics and Space Administration  
Houston, Texas

WIND TUNNEL TEST SPECIFICS:

Test Number: MSFC TWT 603  
NASA Series Number: SA28F  
Model Number: MSFC 468  
Test Dates: March 17 - April 10, 1975  
Occupancy Hours: 126

FACILITY COORDINATOR:

Dale Andrews  
Marshall Space Flight Center  
Mail Stop ED32  
Huntsville, Alabama 35801

Phone: (205) 453-3166

PROJECT ENGINEERS:

J. D. Johnson  
Marshall Space Flight Center  
Mail Stop ED32  
Huntsville, Alabama 35801

Phone: (205) 453-3166

W. F. Braddock  
G. D. Streby  
Northrop Services, Inc.  
6025 Technology Drive  
Huntsville, Alabama 35807

Phone: (205) 837-0580

DATA MANAGEMENT SERVICES:

Prepared by: Liaison--V. W. Sparks  
Operations--Maurice Moser, Jr.

Reviewed by: G. G. McDonald

Approved: J. L. Glynn  
J. L. Glynn, Manager  
Data Operations

Concurrence: N. D. Kemp  
N. D. Kemp, Manager  
Data Management Services

Chrysler Corporation Michoud Defense - Space Division assumes no responsibility for the data presented other than display characteristics.

AN INVESTIGATION TO DETERMINE THE  
STATIC PRESSURE DISTRIBUTION OF THE  
0.00548 SCALE SPACE SHUTTLE SOLID  
ROCKET BOOSTER (MSFC MODEL NUMBER 468)  
DURING REENTRY IN THE NASA/MSFC 14 INCH  
TRISONIC WIND TUNNEL (SA28F)

by

W. F. Braddock, NSI

G. D. Streby, NSI

ABSTRACT

This document presents the results of MSFC TWT 603, a pressure test of a .00548-scale 146 inch Space Shuttle Solid Rocket Booster (SRB) with and without protuberances, conducted in the NASA MSFC 14 x 14 inch Trisonic Wind Tunnel. The objective of this test was to obtain static pressure distributions for the SRB at reentry attitudes and flight conditions. Local longitudinal and ring pressure distributions are presented in tabulated form in the Appendix. Integration of the pressure data has been performed and is available from DATAMAN or NASA/MSFC upon request. Comparisons of the integrated values of the force and moment coefficients can be made with the results from force test TWT 604, Reference 1.

The test was conducted at Mach numbers of 0.40 to 4.45 over an angle of attack range from 60 to 185 degrees. Roll angles of 0, 45, 90 and 315 degrees were investigated. Reynolds numbers per foot varied for selected Mach numbers. The Reynolds number per foot varied from  $3.0 \times 10^6$  to  $5.3 \times 10^6$  at Mach 0.40 and from  $3.5 \times 10^6$  to  $8.1 \times 10^6$  at

Mach 3.76. The total Reynolds number range tested was from  $2.96 \times 10^6$  to  $8.62 \times 10^6$  per foot.

The SRB model configuration was a 0.00548 scale representation of a 146 inch diameter Space Shuttle SRB and included all major protuberances. The model was tested with and without external protuberances. The designation MSFC #468 was assigned to the model and its support hardware.

The test program consisted of 355 runs and required 126 hours to complete. The test was conducted by Northrop Services, Inc., for ED32/Aerodynamics Analysis Branch of NASA-Marshall Space Flight Center. The test was conducted during the months of March and April of 1975. The NASA series number of the test is SA28F.

The photographic coverage of this test consisted of installation photos of the test model and support hardware, along with schlieren photos of selected supersonic test runs.

## TABLE OF CONTENTS

|  | PAGE |
|--|------|
| ABSTRACT   | iii  |
| INDEX OF MODEL FIGURES   | 2    |
| NOMENCLATURE   | 3    |
| INTRODUCTION   | 7    |
| MODEL DESCRIPTION AND TEST HARDWARE  | 8    |
| CONFIGURATIONS INVESTIGATED  | 10   |
| TEST FACILITY DESCRIPTION  | 11   |
| INSTRUMENTATION  | 13   |
| TEST PROCEDURE   | 14   |
| DATA REDUCTION AND PRESENTATION  | 15   |
| REFERENCES   | 17   |
| TABLES   |      |
| I. TEST CONDITIONS   | 18   |
| II. DATA SET/RUN NUMBER COLLATION SUMMARY                                    | 19   |
| III. MODEL DIMENSIONAL DATA  | 25   |
| IV. CORRELATION BETWEEN TUBE/ORIFICE NUMBER AND<br>ORIFICE LOCATION ON MODEL | 28   |
| V. 0.00548 SCALE 146-INCH DIAMETER SRB<br>REFERENCE DIMENSIONS               | 29   |
| FIGURES - MODEL  | 30   |
| APPENDIX - TABULATED SOURCE DATA   | 45   |

## INDEX OF MODEL FIGURES

| FIGURE | DESCRIPTION  | PAGE |
|--------|--|------|
| 1.     | <b>Body and Missile Axis Systems</b>   | 30   |
| 2.     | <b>General Arrangement of SRB</b>  | 31   |
| 3.     | <b>Pressure Orifice Locations</b>  | 33   |
| 4.     | <b>SRB Model, With Protuberances, at<br/>Lowest Angle of Attack Sting<br/>Configuration (Shown at <math>\alpha = 70^\circ</math>)</b>    | 36   |
| 5.     | <b>SRB Model, Clean Configuration, at<br/>Highest Angle of Attack Sting<br/>Configuration (Shown at <math>\alpha = 180^\circ</math>)</b> | 37   |
| 6.     | <b>SRB Model Sting Arrangement and Positioning</b>   | 38   |
| 7.     | <b>Sting Adapter Rotation and Model Positioning</b>  | 39   |
| 8.     | <b>Protuberance Dimensions</b>   | 40   |
| 9.     | <b>Protuberance Radial Locations</b>   | 43   |

## NOMENCLATURE

| <u>PLOT SYMBOL</u> | <u>MNEMONIC</u> | <u>DEFINITION</u>   | <u>UNITS</u> |
|--------------------|-----------------|---|--------------|
| $b_{ref}$          | BREF            | reference span (diameter of the cylindrical section of the model)   | in.          |
| $C_{A_m}$          | CA              | total axial force coefficient in the missile axis system  |              |
| $C_{\lambda_m}$    | CBL             | rolling moment coefficient in the missile axis system   |              |
| $C_{m_m}$          | CLMM            | pitching moment coefficient in the missile axis system  |              |
| $C_{N_m}$          | CNM             | normal force coefficient in the missile axis system   |              |
| $C_{N_m}'$         | DCN/DX          | local normal force coefficient in the missile axis system;<br>$\partial C_{N_m} / \partial (x/\lambda_{ref})$ |              |
| $C_{n_m}$          | CYNM            | yawing moment coefficient in the missile axis system  |              |
| $C_p$              | CP              | pressure coefficient;<br>$(P - P_\infty) / q_\infty$  |              |
| $C_{Y_m}$          | CYM             | side force coefficient in the missile axis system   |              |
| $C_{Y_m}'$         | DCY/DX          | local side force coefficient in the missile axis system;<br>$\partial C_{Y_m} / \partial (x/\lambda_{ref})$   |              |
| $F_N$              |                 | normal force, positive in the negative direction of $Z_m$   | lb           |
| $F_Y$              |                 | side force, positive in the positive direction of $Y_m$   | lb           |

NOMENCLATURE (continued)

| <u>PLOT SYMBOL</u> | <u>MNEMONIC</u> | <u>DEFINITION</u>  | <u>UNITS</u>     |
|--------------------|-----------------|--|------------------|
| $l_B$              | LBODY           | overall length of SRB  | in.              |
| $l_{ref}$          | LREF            | reference length (diameter of the cylindrical section of the model)  | in.              |
| $M_y$              |                 | pitching moment; a moment about the $Y_m$ -axis<br>(a positive pitching moment tends to rotate the positive $Z_m$ -axis toward the positive $X_m$ -axis) | in.-lb           |
| $M_z$              |                 | yawing moment; a moment about the $Z_m$ -axis (a positive yawing moment tends to rotate the positive $X_m$ -axis toward the positive $Y_m$ -axis)        | in.-lb           |
| MRP                | MRP             | Moment Reference Point<br>(see "Data Reduction and Presentation" of text)  | in.              |
| P                  |                 | pressure   | psi              |
| $P_T$              | PO              | free stream total pressure   | psi              |
| $P_\infty$         | P               | free stream static pressure  | psi              |
| $q_\infty$         | Q(PSI)          | free stream dynamic pressure   | psi              |
| $S_{ref}$          | SREF            | reference area; cross-sectional area of the cylindrical section of the model   | in. <sup>2</sup> |
| M                  | MACH            | Mach number  |                  |

NOMENCLATURE (continued)

| <u>PLOT SYMBOL</u>   | <u>MNEMONIC</u>      | <u>DEFINITION</u>  | <u>UNITS</u> |
|----------------------|----------------------|--|--------------|
| SRB                  |                      | abbreviation for solid rocket booster  |              |
| $T_T$                |                      | free stream total temperature  | °F           |
| X                    |                      | distance from nose of SRB,<br>positive in the negative $X_m$<br>direction  | in.          |
| $X_m, Y_m, Z_m$      |                      | missile axes (see text)  |              |
| XMRP<br>YMRP<br>ZMRP | XMRP<br>YMRP<br>ZMRP | location of the Moment Reference Point, measured from the centerline of the SRB at the nose, parallel to the missile axis system and positive in the negative $X_m$ , positive $Y_m$ and negative $Z_m$ directions   | in.          |
| $\alpha_T$           | ALPHA                | total angle of attack  | deg          |
| $\beta$              | BETA                 | angle of sideslip  | deg          |
| $\theta$             | THETA                | circumferential location see Figure 3  | deg          |
| $\phi$               | PHI                  | roll angle; i.e., angle between the missile $Y_m$ -axis and the body Y-axis (from a pilot's viewpoint in an airplane, a positive roll angle is a clockwise rotation). The plot symbol describes the specific protuberance angular location in degrees, see Figure 1. | deg          |
| RN/Ft                | RN/L                 | Reynolds number per foot   |              |

NOMENCLATURE (Concluded)

| <u>PLOT SYMBOL</u> | <u>MNEMONIC</u> | <u>DEFINITION</u>  |
|--------------------|-----------------|--|
| X/ $\ell_B$        | X/L             | ratio of distance from nose to tap divided by length of body |
| R-SCH              | RN-SCH          | Reynolds number schedule                                     |

Body-Axis System

|          |     |  |
|----------|-----|--|
| $C_N$    | CN  | normal-force coefficient; $\frac{\text{normal force}}{qS}$                         |
| $C_A$    | CA  | axial-force coefficient; $\frac{\text{axial force}}{qS}$                           |
| $C_Y$    | CY  | side-force coefficient; $\frac{\text{side force}}{qS}$                             |
| $C_m$    | CLM | pitching-moment coefficient; $\frac{\text{pitching moment}}{qS \ell_{\text{REF}}}$ |
| $C_n$    | CYN | yawing-moment coefficient; $\frac{\text{yawing moment}}{qS_b}$                     |
| $C_\ell$ | CBL | rolling-moment coefficient; $\frac{\text{rolling moment}}{qS_b}$                   |

SUBSCRIPTS

|          |                        |
|----------|------------------------|
| m        | missile axis system    |
| ref      | reference conditions   |
| t        | total conditions       |
| $\infty$ | free stream conditions |

## INTRODUCTION

After separation of the Solid Rocket Boosters from the Space Shuttle, the SRB will reenter the earth's atmosphere at high angles of attack and at high supersonic Mach numbers. It is desirable that the local pressure distributions and local aerodynamic loads in such an environment be determined. A pressure test of the SRB at reentry attitudes and Mach numbers was conducted to determine local pressure and airload distributions.

The model configuration was a 0.00548-scale representation of a 146 inch diameter Space Shuttle SRB. The SRB model included all major protuberances and was tested with and without protuberances. A drawing of the general arrangement of protuberances is shown in Figure 2.

There were 143 pressure orifices on the model to allow the determination of longitudinal local pressure distributions and circumferential ring pressure distributions, which can be integrated to determine local airload distributions.

Tests were conducted at Mach numbers of .4, .6, .9, 1.2, 1.96, 2.74, 3.48, 3.76 and 4.45 over an angle of attack range from 60 to 185 degrees. The model with all protuberances was tested at roll angles of 0, 45, 90 and 315 degrees.

## MODEL DESCRIPTION AND TEST HARDWARE

The model was a 0.00548-scale representation of a 146 inch diameter Space Shuttle Solid Rocket Booster. The general arrangement of the model is shown in Figure 2. The model was designed and fabricated by NASA according to the configuration specified by MSFC drawing 10A00319 and Reference 3. All parts of the model were machined from stainless steel. The model designation number is MSFC #468.

There were 143 pressure orifices located on the model. The location of the pressure orifices is shown in Figure 3 and Table IV. Annealed stainless steel tubing of 0.032 inch O.D. was routed from the pressure orifices out the side of the model (see Figure 4) and connected to 4.5-foot lengths of 0.050 inch O.D. tubing. These tubes were routed along the sting and sting adapter, down the model support mechanism, through the tunnel floor, and out the side of the tunnel. Tygon tubing was used to connect the pressure orifice tubing to quick disconnects which were tubed to scanivalves.

The model was installed in the test facility in a side mount configuration. The center section of the model body has an integral side mount which attaches to a 20-degree offset sting. Model installation photographs showing a low angle of attack mounting and a high angle of attack mounting are presented in Figures 4 and 5.

To allow optimum vertical positioning of the model in the test section, the sting adapter was designed with four vertical positions for sting mounting (see Figures 6 and 7) which, coupled with a 180 degrees sting rotation capability, provided a total of 7 vertical sting adapter positions. The model support sting is rotated to the 180 degree position in the model support mechanism in Figure 7. Horizontal adjustments of the distance from the sting adapter to the sting were provided to allow positioning of the model at the center of rotation of the model support mechanism.

#### MODEL DESCRIPTION AND TEST HARDWARE (concluded)

The SRB model was tested with and without protuberances. There were six different types of protuberances used on the SRB protuberance model. These were:

1. Data capsule
2. External Tank (ET) attachment structure
3. Electrical tunnel
4. External Tank (ET) attachment ring
5. Aft ring
6. Hold down struts

The SRB nose, body, and engine nozzle are described in the Model Dimensional Data, Table III, and the SRB protuberances are illustrated in the Protuberance Dimension Sheets, Figure 8. Eight equally spaced attachment positions were provided around the model for each protuberance, allowing model roll angles to be simulated in 45-degree increments. By positioning each protuberance at its proper position, model roll angles of 0, 45, 90 and 315 degrees were simulated. Radial protuberance locations for a model roll angle of 0 degrees are shown in Figure 9.

## CONFIGURATIONS INVESTIGATED

Three SRB configurations were tested. They are identified as follows:

|  |   |
|--|---|
| SRB - All protuberances                | SRB with all protuberances.   |
| SRB - "Clean" attach and aft rings     | SRB with the only protuberance being a "Clean" attach ring (no projections past the 0.888 inch diameter) (see Figure 8), and an aft ring. |
| SRB - "Clean" attach ring, no aft ring | SRB with the only protuberance being a "Clean" attach ring.   |

Each of the above configurations consists of the following model components.

SRB - All protuberances = NBE+DC+ETAS+ELT+ETAR+AR+TDS+CETAR

SRB - "Clean" attach and aft rings = NBE+CETAR+AR

SRB - "Clean" attach ring, no aft ring = NBE+CETAR

Brief descriptions of each component are presented below:

|       |                                     |
|-------|-------------------------------------|
| NBE   | Nose, body and engine of SRB        |
| DC    | Data capsule                        |
| ETAS  | External Tank attachment structure  |
| ELT   | Electrical Tunnel                   |
| CETAR | Clean External Tank attachment ring |
| ETAR  | External Tank attachment ring       |
| AR    | Aft ring                            |
| TDS   | Tie down structure                  |

Refer to the Model Dimension Data, Table III, and Figures 2, 8, and 9, for dimensions and locations of protuberances.

## TEST FACILITY DESCRIPTION

The Marshall Space Flight Center 14 x 14 inch Trisonic Wind Tunnel is an intermittent blowdown tunnel which operates by high pressure air flowing from storage to either vacuum or atmospheric conditions. A Mach number range from .2 to 5.00 is covered by utilizing two interchangeable test sections. The transonic section permits testing at Mach 0.20 through 2.50 and the supersonic section permits testing at Mach 2.74 through 5.00. Mach numbers between .2 and .9 are obtained by using a controllable diffuser. The range from .95 to 1.3 is achieved through the use of plenum suction and perforated walls. Mach numbers of 1.46, 1.96 and 2.50 are produced by interchangeable sets of fixed contour nozzle blocks. Above Mach 2.50 a set of fixed contour nozzle blocks are tilted and translated automatically to produce any desired Mach number in .25 increment.

Air is supplied to a 6000-cubic foot storage tank at approximately -40 degrees Fahrenheit dew point and 500 pounds per square inch absolute. The compressor is a three-stage reciprocating unit driven by a 1500 horsepower motor.

The tunnel flow is established and controlled with a servo-actuated gate valve. The controlled air flows through the valve diffuser into the stilling chamber and heat exchanger where the air temperature can be controlled from ambient to approximately 200 degrees Fahrenheit. The air then passes through the test section which contains the nozzle blocks and test region.

Downstream of the test section is a hydraulically controlled pitch sector that provides a total angle of attack range of 20 degrees ( $\pm 10$  degrees). Sting offsets are available for obtaining various maximum angles of attack up to 90 degrees.

#### TEST FACILITY DESCRIPTION (concluded)

The variable diffuser section has movable floor and ceiling panels, which are the primary means of controlling the subsonic Mach numbers and permit more efficient running at supersonic Mach numbers. The sector assembly and diffuser telescope to allow easy access to the model and test section.

Tunnel flow is exhausted through an acoustically damped tower to atmosphere or into the vacuum field of 42,000 cubic feet. The vacuum tanks are evacuated by vacuum pumps driven by electric motors rated at a total of 500 horsepower.

Data are recorded by a solid-state digital data acquisition system. The digital data are transferred to punched cards during the run to be reduced later by a computer to proper coefficient form.

Additional information concerning the test facility can be obtained from Reference 2.

## INSTRUMENTATION

Eight scanivalves equipped with 50 psia pressure transducers were used to monitor the 143 pressure orifices on the model. The location of these orifices is shown in Figure 3. Tubes from the orifices were tagged and numbered from 1 to 143 according to the relationship between orifice number and model location depicted in Table IV. A strip chart recorder was utilized on initial test runs to monitor pressure levels to selected scanivalves. This was used to insure that sufficient scanivalve response time was being provided in the data acquisition system.

No corrections were made to the model angle of attack due to support hardware deflections under model airloads. The model angle of attack accuracy is within the range of typical force model tests.

#### TEST PROCEDURE

The configuration SRB - "Clean" attach and aft rings consisted of the SRB with the clean ET attach ring and the aft ring. The configuration is axisymmetric and thus was tested at only one roll position. The configuration was tested at angles of attack from 60 to 185 degrees in increments of 5 or 10 degrees. Pressure data were obtained at Mach numbers of 0.4, 0.6, 0.9, 1.2, 1.96, 2.74, 3.48 and 4.45. Reynolds number variation tests of this configuration were conducted at angles of attack of 70, 90, and 110 degrees at Mach numbers 0.4 and 0.6.

The configuration SRB - "Clean" attach ring and no aft ring was tested to obtain Reynolds number effects. The configuration was tested at an angle of attack range of 60 to 180 degrees in increments of 10, 15, and 20, (in one case 9 degrees) at a Mach number of 3.76, at two Reynolds numbers.

The final configuration tested, SRB-all protuberances, consisted of the SRB with all six different types of protuberances. Pressure data were obtained at an angle of attack range from 70 to 180 degrees in increments of 10 and 20 degrees, and at model roll positions of 0, 45, 90 and 315 degrees. Tests were conducted at Mach numbers of 0.6, 0.9, 1.2, 1.96, 2.74 and 3.48.

A list of average test conditions is given in Table I. The run schedule is presented in Table II.

## DATA REDUCTION AND PRESENTATION

The parameters that were measured and recorded during this test are:

- o Wind tunnel conditions ( $P_\infty$ ,  $P_T$ ,  $T_T$ )
- o Nominal model attitude and support mechanism rotation
- o 143 local pressures

Tunnel conditions were used to calculate the Mach number, the dynamic pressure and the Reynolds number. The nominal model attitude and model support mechanism rotation was used to calculate the model angle of attack.

The pressure data were reduced to coefficient form and are tabulated along with wind tunnel parameters, configuration, and run number in the Appendix of this report. The location of each pressure orifice and the numbering system are presented in Table IV. Special identification of blocked or inoperative pressure orifices are noted in Table IV. Figure 3 presents the orifices as located on the model in reference to the previously mentioned table. The pressure coefficients were integrated to obtain the following missile axis force and moment coefficients:

$$\begin{aligned} C_{N_m}' &= \frac{\partial C_{N_m}}{\partial (X/l_{ref})} && \text{local normal force coefficient} \\ C_{Y_m}' &= \frac{\partial C_{Y_m}}{\partial (X/l_{ref})} && \text{local side force coefficient} \\ C_{N_m} &= F_N/q_\infty S_{ref} && \text{normal force coefficient} \\ C_{Y_m} &= F_Y/q_\infty S_{ref} && \text{side force coefficient} \\ C_{m_m} &= M_Y/q_\infty S_{ref} l_{ref} && \text{pitching moment coefficient} \\ C_{n_m} &= M_Z/q_\infty S_{ref} l_{ref} && \text{yawing moment coefficient} \end{aligned}$$

#### DATA REDUCTION AND PRESENTATION (Concluded)

The force and moment coefficients obtained from the integration of the pressure data are available from MSFC and DATAMAN for comparison with the results from the force test, TWT 604 (Reference 1). Model reference dimensions used in the data reduction are presented in Table V.

The integration force and moment coefficients were calculated in the missile axis system. A schematic of this axis system is presented in Figure 1. The missile axis system ( $X_m$ ,  $Y_m$ ,  $Z_m$ ) is a non-rolling body axis system that is frequently used in wind tunnel tests and studies of missile flight dynamics. It is a system of axes that rotates with a missile or wind tunnel model through angles of sideslip and angles of attack but never through angles of roll; i.e., it never rotates about the missile or model longitudinal axis. The missile axis system is identical with the body axis system at zero roll angle.

The Moment Reference Point (MRP) is taken to be the SRB's burn out center of gravity and its location is measured from the nose of the SRB along the centerline. For the full scale SRB, the center of gravity is located at  $X = 1044$  inches. Thus, the MRP for the 0.00548 scale SRB model is 5.721 inches from the model nose, on the centerline (refer to Figure 2).

#### REFERENCES

1. NASA CR 141, 549, DMS-DR-2223 "Reentry Static Stability Characteristics of a 0.005479 Scale Model 146 Inch Solid Rocket Booster tested in the MSFC 14 x 14 Inch TWT (SA8F)," Johnson, J. D., Praharaj, S. C., Braddock, W. F.; July 1975.
2. NASA TMX-64624, "The George C. Marshall Space Flight Center's 14 x 14 Inch Trisonic Wind Tunnel Technical Handbook," Simon, Erwin; November 1971.
3. Horton, W. P., "SRB Baseline" MSFC Memo S&E-SRR (74-193), June 6, 1974.

#### REFERENCE DRAWINGS

1. 10A00319, 6-13-74; SRB External Contour; Marshall Space Flight Center.

Table I.

M-9230-75-416

| TEST: TWT-603         |                               | DATE: MARCH AND<br>APRIL 1975        |  |   |
|-----------------------|-------------------------------|--------------------------------------|--|---|
| TEST CONDITIONS       |                               |                                      |  |   |
| MACH NUMBER           | REYNOLDS NUMBER<br>(per foot) | DYNAMIC PRESSURE<br>(pounds/sq.inch) | STAGNATION TEMPERATURE<br>(degrees Fahrenheit) | STAGNATION PRESSURE<br>(pounds/sq.inch) |
| 0.40                  | $2.96 \times 10^6$            | 1/FT.                                | 100  | 18                                      |
|                       | $5.27 \times 10^6$            |                                      | 100  | 32                                      |
| 0.60                  | $4.09 \times 10^6$            |                                      | 100  | 18                                      |
|                       | $8.62 \times 10^6$            |                                      | 100  | 38                                      |
| 0.90                  | $6.27 \times 10^6$            |                                      | 100  | 22                                      |
| 1.20                  | $6.68 \times 10^6$            |                                      | 100  | 22                                      |
| 1.96                  | $7.57 \times 10^6$            |                                      | 100  | 30                                      |
| 2.74                  | $5.20 \times 10^6$            |                                      | 100  | 30                                      |
| 3.48                  | $7.12 \times 10^6$            |                                      | 100  | 60                                      |
| 3.76                  | $3.52 \times 10^6$            |                                      | 100  | 34                                      |
|                       | $8.17 \times 10^6$            |                                      | 100  | 79                                      |
| 4.45                  | $6.03 \times 10^6$            |                                      | 100  | 80                                      |
|                       |                               |                                      |  |   |
|                       |                               |                                      |  |   |
|                       |                               |                                      |  |   |
|                       |                               |                                      |  |   |
|                       |                               |                                      |  |   |
| BALANCE UTILIZED: N/A |                               |                                      |  |   |
| CAPACITY:             |                               | ACCURACY:                            | COEFFICIENT<br>TOLERANCE:                      |   |
| NF                    | _____                         | _____                                | _____  |   |
| SF                    | _____                         | _____                                | _____  |   |
| AF                    | _____                         | _____                                | _____  |   |
| PM                    | _____                         | _____                                | _____  |   |
| RM                    | _____                         | _____                                | _____  |   |
| YM                    | _____                         | _____                                | _____  |   |
| COMMENTS:             |                               |                                      |  |   |

Table II.

SCHEDULES

R-SCHEDULE: 1 IS FOR LOWEST REYNOLDS NUMBER, 2 IS FOR HIGHEST REYNOLDS NUMBER AT MACH NUMBERS TESTED AT DIFFERENT REYNOLDS NUMBERS (REFER TO TABLE III).

Table II. (Continued)

R-SCHEDULE: 1 IS FOR LOWEST REYNOLDS NUMBER, 2 IS FOR HIGHEST REYNOLDS NUMBER AT MACH NUMBERS TESTED AT DIFFERENT REYNOLDS NUMBERS (REFER TO TABLE III).

Table II. (Continued)

SCHEDULES

R-SCHEDULE: 1 IS FOR LOWEST REYNOLDS NUMBER, 2 IS FOR HIGHEST REYNOLDS NUMBER  
AT MACH NUMBERS TESTED AT DIFFERENT REYNOLDS NUMBERS (REFER TO TABLE III).

Table II. (Continued)

| TEST : MSFC TWT-603(SA28F) |               | DATA SET RUN NUMBER COLLATION SUMMARY |                   |                    |  |     |     |     |      |      |      | DATE : MARCH AND APRIL 1975 |    |  |
|----------------------------|---------------|---------------------------------------|-------------------|--------------------|--|-----|-----|-----|------|------|------|-----------------------------|----|--|
| DATA SET IDENTIFIER        | CONFIGURATION | SCHD.                                 | PARAMETERS/VALUES | NO. OF RUNS        | MACH NUMBERS (OR ALTERNATE INDEPENDENT VARIABLE) |     |     |     |      |      |      |                             |    |  |
|                            |               | $\alpha$                              | $\beta$           | $R$ - $\delta\phi$ |  | 0.6 | 0.9 | 1.2 | 1.96 | 2.75 | 3.48 |                             |    |  |
| RI202                      | JRD - ALL     | 70                                    | 0                 | /                  | 0  |     |     |     |      |      |      |                             |    |  |
| 53                         | MOTU/URANCES  | 70                                    | 1                 | 2                  |  |     |     |     |      |      |      |                             |    |  |
| 54                         |               | 90                                    | 1                 |                    |  |     |     |     |      |      |      |                             |    |  |
| 55                         |               | 90                                    | 2                 |                    |  |     |     |     |      |      |      |                             |    |  |
| 56                         |               | 110                                   | 1                 |                    |  |     |     |     |      |      |      |                             |    |  |
| 57                         |               | 110                                   | 2                 |                    |  |     |     |     |      |      |      |                             |    |  |
| 58                         |               | 110                                   | 1                 |                    |  |     |     |     |      |      |      |                             |    |  |
| 59                         |               | 150                                   |                   |                    |  |     |     |     |      |      |      |                             |    |  |
| 60                         |               | 170                                   |                   |                    |  |     |     |     |      |      |      |                             |    |  |
| 61                         |               | 190                                   |                   |                    |  |     |     |     |      |      |      |                             |    |  |
| 62                         |               | 70                                    | 1                 | 15                 |  |     |     |     |      |      |      |                             |    |  |
| 63                         |               | 70                                    | 2                 | 1                  |  |     |     |     |      |      |      |                             |    |  |
| 64                         |               | 90                                    | 1                 |                    |  |     |     |     |      |      |      |                             |    |  |
| 65                         |               | 90                                    | 2                 |                    |  |     |     |     |      |      |      |                             |    |  |
| 66                         |               | 110                                   | 1                 |                    |  |     |     |     |      |      |      |                             |    |  |
| 67                         |               | 110                                   | 2                 |                    |  |     |     |     |      |      |      |                             |    |  |
| 68                         |               | 110                                   | 2                 |                    |  |     |     |     |      |      |      |                             |    |  |
| 69                         |               | 110                                   | 2                 |                    |  |     |     |     |      |      |      |                             |    |  |
|                            |               | 13                                    | 19                | 25                 | 31   | 37  | 43  | 49  | 55   | 61   | 67   | 75                          | 76 |  |

 $\alpha$  OR  $\beta$ 

SCHEDULES

MSFC Form 163-3 (Rev. May 1973) R-SCHEDULE: 1 IS FOR LOWEST REYNOLDS NUMBER, 2 IS FOR HIGHEST REYNOLDS NUMBER

AT MACH NUMBERS TESTED AT DIFFERENT REYNOLDS NUMBERS (REFER TO TABLE III).

1(DVAR(1)) 1(DVAR(2)) NOV

Table II. (Continued)

| TEST : MSFC TWT-603(SA28F) |               | DATA SET RUN NUMBER COLLATION SUMMARY |         |              |   |    |     |     |      |      |            | DATE : MARCH AND APRIL 1975 |       |
|----------------------------|---------------|---------------------------------------|---------|--------------|---|----|-----|-----|------|------|------------|-----------------------------|-------|
| DATA SET IDENTIFIER        | CONFIGURATION | SCHED. PARAMETERS/VALUES              |         |              | NO. MACH NUMBERS FOR ALTERNATE INDEPENDENT VARIABLE |    |     |     |      |      | (OVAR (1)) | (OVAR (2))                  | NDV   |
|                            |               | $\alpha$                              | $\beta$ | $R_{\infty}$ | $\Phi$  | AC | 0.9 | 1.2 | 1.96 | 2.74 |            |                             |       |
| P/TO70                     | 3RD - 111     | 170                                   | 0       | 2            | 45  |    | 175 | 173 | 171  | 290  | 292        | 294                         |       |
| P/TO71                     | PROTUBERANCES | 170                                   |         | 2            | 45  |    | 176 | 174 | 172  | 291  | 293        | 295                         |       |
| 72                         |               | 70                                    |         | 1            | 90  |    | 196 |     |      |      |            |                             |       |
| 73                         |               | 70                                    |         | 2            |   |    | 197 | 193 | 294  | 265  | 269        |                             |       |
| 74                         |               | 90                                    |         | 1            |   |    | 201 |     |      |      |            |                             |       |
| 75                         |               | 90                                    |         | 2            |   |    | 202 | 200 | 199  | 293  | 266        | 267                         |       |
| 76                         |               | 110                                   |         | 1            |   |    | 204 |     |      |      |            |                             |       |
| 77                         |               | 110                                   |         | 2            |   |    | 203 | 205 | 206  | 292  | 269        | 268                         |       |
| 78                         |               | 130                                   |         | 2            |   |    | 211 | 209 | 207  | 280  | 270        | 272                         |       |
| 79                         |               | 150                                   |         | 2            |   |    | 212 | 210 | 208  | 281  | 271        | 273                         |       |
| 80                         |               | 170                                   |         | 2            |   |    | 213 | 215 | 217  | 278  | 276        | 274                         |       |
| 81                         |               | 110                                   |         | 2            | ↓   |    | 214 | 216 | 218  | 279  | 277        | 275                         |       |
| 82                         |               | 70                                    |         | 1            | 315   |    | 241 |     |      |      |            |                             |       |
| 83                         |               | 70                                    |         | 2            |   |    | 242 | 240 | 239  | 291  | 262        | 263                         |       |
| 84                         |               | 70                                    |         | 2            |   |    | 240 |     |      |      |            |                             |       |
| 85                         |               | 90                                    |         | 1            |   |    | 236 |     |      |      |            |                             |       |
| 86                         |               | 70                                    |         | 2            |   |    | 235 | 237 | 239  | 244  | 261        | 260                         |       |
| 87                         |               | 110                                   |         | 1            | ↓   |    | 233 |     |      |      |            |                             |       |
|                            |               | 7                                     |         | 13           | 19  | 25 | 31  | 37  | 43   | 49   | 55         | 61                          | 67    |
|                            |               |                                       |         |              |   |    |     |     |      |      |            |                             | 75 76 |

$\alpha$  OR  $\beta$   
SCHEDULES

MSFC-Form 263-3 (Rev. May 1973) R-SCHEDULE: 1 IS FOR LOWEST REYNOLDS NUMBER, 2 IS FOR HIGHEST REYNOLDS NUMBER  
AT MACH NUMBERS TESTED AT DIFFERENT REYNOLDS NUMBERS (REFER TO TABLE III).

Table II. (Concluded)

R-SCHEDULE: 1 IS FOR LOWEST REYNOLDS NUMBER, 2 IS FOR HIGHEST REYNOLDS NUMBER AT MACH NUMBERS TESTED AT DIFFERENT REYNOLDS NUMBERS (REFER TO TABLE III).

**NORTHROP SERVICES, INC.**

**Table III.**  
**MODEL DIMENSIONAL DATA**

MODEL COMPONENT: NOSEGENERAL DESCRIPTION: 146-INCH SRB NOSE, CONE ANGLE OF 18° WITH A SPHERICAL  
RADIUS NOSE CAP.DRAWING NUMBER: 80M42712

| <u>DIMENSIONS:</u>   | <u>FULL-SCALE</u>             | <u>MODEL SCALE</u>           |
|----------------------|-------------------------------|------------------------------|
| Length               | <u>195.00 in.</u>             | <u>1.068 in.</u>             |
| Max. Width           | <u>146 in.</u>                | <u>0.800 in.</u>             |
| Max. Depth           | <u>146 in.</u>                | <u>0.800 in.</u>             |
| Fineness Ratio       | _____                         | _____                        |
| Area                 |                               |                              |
| Max. Cross-Sectional | <u>116.26 ft.<sup>2</sup></u> | <u>0.503 in.<sup>2</sup></u> |
| Planform             | _____                         | _____                        |
| Wetted               | _____                         | _____                        |
| Base                 | _____                         | _____                        |

Table III. (Continued)

MODEL COMPONENT: BODYGENERAL DESCRIPTION: 146-INCH DIAMETER SRB BODY80M4271280M42711DRAWING NUMBER: 80M51373

| <u>DIMENSIONS:</u>   | <u>FULL-SCALE</u>             | <u>MODEL SCALE</u>           |
|----------------------|-------------------------------|------------------------------|
| Length               | <u>1438.7 in.</u>             | <u>7.884 in.</u>             |
| Max. Width           | <u>146 in.</u>                | <u>0.800 in.</u>             |
| Max. Depth           | <u>146 in.</u>                | <u>0.800 in.</u>             |
| Fineness Ratio       | _____                         | _____                        |
| Area                 |                               |                              |
| Max. Cross-Sectional | <u>116.26 ft.<sup>2</sup></u> | <u>0.503 in.<sup>2</sup></u> |
| Planform             | _____                         | _____                        |
| Wetted               | _____                         | _____                        |
| Base                 | _____                         | _____                        |

**NORTHROP SERVICES, INC.**

Table III. (Concluded)

MODEL COMPONENT: ENGINE SHROUD/NOZZLEGENERAL DESCRIPTION: 142-INCH DIAMETER SRB ENGINE SHROUD/NOZZLE COMBINATIONDRAWING NUMBER: 80M51373THEORETICAL

| <u>DIMENSIONS:</u> | <u>FULL-SCALE</u>              | <u>MODEL SCALE</u>           |
|--------------------|--------------------------------|------------------------------|
| Engine Shroud      |                                |                              |
| Flare Angle        | <u>18° 47'</u>                 | <u>18° 47'</u>               |
| Length             | <u>91.5 in.</u>                | <u>.501 in.</u>              |
| Max. Dia.          | <u>208.2 in.</u>               | <u>1.141 in.</u>             |
| Base Area          | <u>236.42 ft.<sup>2</sup></u>  | <u>1.022 in.<sup>2</sup></u> |
| Engine Nozzle      |                                |                              |
| Length             | <u>N/A</u>                     | <u>.353 in.</u>              |
| Max. Dia.          | <u>147.644 in.</u>             | <u>0.809 in.</u>             |
| Base Area          | <u>118.893 ft.<sup>2</sup></u> | <u>0.514 in.<sup>2</sup></u> |

Table IV. CORRELATION BETWEEN TUBE/ORIFICE NUMBER AND ORIFICE LOCATION ON MODEL

| RADIAL LOCATION<br>/ RADIAL ROW<br>LONGITUDINAL<br>LONG. STA. X<br>X/B | STA.  | 0° 22 1/2° 45° 67 1/2° 90° 112 1/2° 135° 157 1/2° 180° 225° 270° 315° |    |    |    |    |    |    |     |     |     |     |     |
|--|-------|---|----|----|----|----|----|----|-----|-----|-----|-----|-----|
|  |       | A   | B  | C  | D  | E  | F  | G  | H   | I   | J   | K   | L   |
| .027   | 0.262 | 1   | 1  | 30 | 52 | 52 | 82 | 82 | 104 |     |     |     |     |
| .050   | 0.489 | 2   | 2  | 31 | 53 | 53 | 83 | 83 | 105 |     |     |     |     |
| .074   | 0.725 | 3   | 3  | 32 | 54 | 54 | 84 | 84 | 106 |     |     |     |     |
| .098   | 0.961 | 4   | 4  | 33 | 55 | 55 | 85 | 85 | 107 |     |     |     |     |
| .111   | 1.084 | 5   | 5  | 21 | 43 | 56 | 73 | 86 | 95  | 108 | 125 | 128 | 141 |
| .139   | 1.360 | 6   | 6  | 22 | 35 | 44 | 74 | 87 | 96  | 109 | 126 | 129 | 142 |
| .168   | 1.650 | 7   | 7  | 23 | 36 | 45 | 75 | 88 | 97  | 110 | 127 | 130 | 143 |
| .191   | 1.871 | 8   | 8  | 24 | 46 | 59 | 76 | 98 | 111 | 111 | 127 | 130 | 131 |
| .255   | 2.500 | 9   | 9  | 37 | 60 | 60 | 89 | 89 | 112 |     |     |     |     |
| .344   | 3.373 | 10  | 10 | 25 | 47 | 61 | 77 | 99 | 99  | 113 |     |     | 132 |
| .392   | 3.840 | 11  |    |    |    | 62 |    |    |     | 114 |     |     | 133 |
| .667   | 6.541 | 12  | 11 | 38 |    | 63 |    | 90 | 100 |     | 115 |     | 134 |
| .702   | 6.883 | 13  | 12 | 26 |    | 64 |    | 78 |     |     | 116 |     | 135 |
| .724   | 7.099 | 14  | 13 | 27 |    | 49 |    | 79 |     | 101 | 117 |     | 136 |
| .744   | 7.294 | 15  | 14 | 28 |    | 50 |    | 80 |     | 102 | 118 |     | 137 |
| .755   | 7.402 | 16  | 15 | 29 |    | 51 |    | 81 |     | 103 |     | 119 |     |
| .869   | 8.519 | 17  | 16 | 39 |    | 68 |    | 91 |     |     | 120 |     |     |
| .902   | 8.844 | 18  | 17 | 40 |    | 69 |    | 92 |     |     | 121 |     |     |
| .923   | 9.055 | 19  | 18 | 41 |    | 70 |    | 93 |     |     | 122 |     | 139 |
| .945   | 9.263 | 20  | 19 | 42 |    | 71 |    | 94 |     |     | 123 |     | 140 |
| .982   | 9.630 | 21  | 20 | 21 |    | 72 |    |    |     |     | 124 |     |     |

PRESSURE PORTS COVERED BY PROTUBERANCES

| MODEL                                      | PRESSURE PORT NUMBERS |
|--|-----------------------|
| ROLL POSITION                              |                       |
| 0°   | 58 through 69, 129    |
| 45°  | 88 through 92, 142    |
| 90°  | 110 through 121, 6    |
| 315°                                       | 36 through 40, 126    |
| BLOCKED OR LEAKING PORTS - 11, 17, 29, 136 |                       |

**NORTHROP SERVICES, INC.**

Table V. 0.00548-SCALE 146-INCH DIAMETER SRB REFERENCE DIMENSIONS

| DIMENSION  | FULL SCALE             | MODEL SCALE            |
|--|------------------------|------------------------|
| Reference Area, $S_{ref}$<br>(cross sectional area of<br>cylindrical body) | 116.26 ft <sup>2</sup> | 0.503 in. <sup>2</sup> |
| Reference Length, $l_{ref}$<br>(diameter of cylindrical body)              | 146 in.                | 0.800 in.              |
| Reference Span, $b_{ref}$<br>(diameter of cylindrical body)                | 146 in.                | 0.800 in.              |
| Moment Reference Point, MRP<br>(burn out c.g.)                             |                        |                        |
| XMRP (from nose)   | 1044 in.               | 5.721 in.              |
| YMRP (from center line)  | 0                      | 0                      |
| ZMRP (from center line)  | 0                      | 0                      |




Figure 1. - Body and Missile Axis Systems

NORTHROP SERVICES, INC.




Figure 2. GENERAL ARRANGEMENT OF SRB





Figure 2. (Concluded)


NORTHROP SERVICES, INC.



ET ATTACH RING      AFT RING  
SIDE VIEW  
PROTUBERANCE LOCATIONS SHOWN FOR CLARITY  
"LONGITUDINAL STATION"

\* Numbers refer to listing  
in Table IV

Figure 3. PRESSURE ORIFICE LOCATIONS



\* Letters refer to  
"Radial Row" in  
Table IV

SECTIONS A-A

Figure 3. (Continued)

NORTHROP SERVICES, INC.




Figure 3. (Concluded)




Figure 4. SRB MODEL, WITH PROTUBERANCES, AT LOWEST ANGLE OF ATTACK  
STING CONFIGURATION (SHOWN AT  $\alpha = 70^\circ$ )




Figure 5. SRB MODEL, CLEAN CONFIGURATION, AT HIGHEST ANGLE OF ATTACK STING CONFIGURATION (SHOWN AT  $\alpha = 180^\circ$ )




Figure 6. SRB MODEL STING ARRANGEMENT AND POSITIONING




Figure 7. STING ADAPTER ROTATION AND MODEL POSITIONING







Figure 8. PROTUBERANCE DIMENSIONS

NORTHROP SERVICES, INC.




ET ATTACH RING

ALL DIMENSIONS IN INCHES




AFT RING

Figure 8. (Continued)



## ELECTRICAL TUNNEL

ALL DIMENSIONS IN INCHES



## LAUNCH HOLD-DOWN STRUTS

Figure 8.(Concluded)

NORTHROP SERVICES, INC.




Figure 9. PROTUBERANCE RADIAL LOCATIONS



APPENDIX  
TABULATED SOURCE DATA

Note: The value of 999.999 is incorporated into the source data to indicate where data do not exist or where data are questionable.

Tabulations of plotted data are available on request from Data Management Services.



DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

PAGE 1

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING

1R10011 1 22 AUG 75 1

## REFERENCE DATA

|         |          |        |        |           |     |
|---------|----------|--------|--------|-----------|-----|
| SREF =  | 116.2600 | SQ.FT. | XMRP = | 1044.0000 | IN. |
| LREF =  | 146.0000 | IN.    | YMRP = | .0000     | IN. |
| BREF =  | 146.0000 | IN.    | ZMRP = | .0000     | IN. |
| SCALE = | .0055    |        |        |           |     |

MACH ( 1 ) = .397 ALPHA ( 1 ) = 60.120 QIPSF1 = 3.1600 P0 = 32.010 P = 28.720 RN/L = 5.3000

## SECTION 1 11SRB DEPENDENT VARIABLE CP

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

X/L .027 -.3453 -.6681 -.9372 -.4040 1.0722

.050 -.4318 -.9237 -.9714 -.3532 1.0738

.074 -.3405 -.5253 -.8654 -.2867 1.0777

.098 -.2692 -.4419 -.7306 -.2309 1.0393

.111 -.3078 -.9488 -.5568 -.1.3135 -.5527 1.2509 -1.3849 -.8730

.139 -.3215 -.2201 -.3156 -.1.0909 -.1.8792 -.1.4768 -.4276 1.4941 -.8649 -1.5946 -.4468

.168 -.2515 -.3627 -.5862 -.9233 -.9025 -.1.5367 -.5067 1.4613 -.8577 -.4121 -1.6612 -.3824

.191 -.2840 -.6150 -.7462 -.8968 -.6832 -.1.5875 -.4427 1.4275 -.8375 -.4121 -1.5993

.255 -.3109 -.2882 -.2809 -.2809 -.1.3767 -.1.4012 -.5576 1.4257 -.8194 -.8275 -.4257

.344 -.1362 -.1704 -.1.040 -.1.040 -.1.040 -.1.040 1.8105 -.7982 -.8194 -.8194 -.8194

.392 -.667 999.9999 -.3595 -.3595 -.1.748 -.1.748 -.5349 1.4244 -.8143 -.8143 -.8143

.702 -.3614 -.3518 -.3569 -.3569 -.2915 -.1.2849 -.6101 1.9999 999.9999

.724 -.1151 -.1256 -.5334 -.5334 -.6888 -.1.2391 -.6308 1.9680 1.9680

.744 -.4673 -.4594 -.6098 -.6098 -.6888 -.1.2251 1.8276 1.8276

.756 -.32.2999.9399 -.1.6265 -.1.6265 -.1.5947 1.4327 1.8276

.869 -.4564 -.4392 -.1.7818 -.1.7818 -.5486 1.8933

.902 999.9999 -.3772 -.5398 -.5398 -.5669 -.5007 1.9900

.923 -.3227 -.3227 -.1.2662 -.1.2662 -.3433 1.1000

.945 -.3373 -.3373 -.1.2335 -.1.2335 -.2335 1.8749

.982 -.4025 -.4025 -.1.7940 -.1.7940 -.2335 -.0680 1.2867

MACH ( 2 ) = .596 ALPHA ( 1 ) = 60.100 QIPSF1 = 7.4400 P0 = 38.000 P = 29.680 RN/L = 8.7000

## SECTION 1 11SRB DEPENDENT VARIABLE CP

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

X/L .027 -.6944 -.2.2092 -.1.7583 -.1.1540 1.0960

.050 -.5610 -.1.4703 -.1.4579 -.1.187 1.1092

.074 -.4305 -.1.0223 -.1.4070 -.0.933 1.0989

.098 -.3728 -.7641 -.1.4675 -.0.723 1.0671

.111 -.1.8618 -.1.3088 -.7302 -.9993 1.6622

-.1.6817 -.5424 -.5610 -.6847 -.1.3213 -.5565 1.6281

.139 -.5343 -.5424 -.6379 -.7763 -.1.9444 -.1.4283 -.3252 1.5404

.168 -.4476 -.5614 -.6379 -.6549 -.1.8022 -.1.4304 -.3252 1.8741

.191 -.4261 -.6136 -.3091 -.3785 -.3683 -.0680 1.2773

.255 -.3717 -.4025 -.1.7940 -.1.7940 -.2335 1.7419

REPRODUCIBILITY OF THE  
ORIGINAL PAGE IS POOR

MSFC TWT 603 (SA287) SRB - CLEAN ATTACH AFT RING  
(R11001)

MACH ( 2 ) = .596 ALPHA ( 1 ) = 60.100

SECTION ( 1 ) SRB DEPENDENT VARIABLE CP

THEA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .344 | -.2422         | -.2343 | -.3284 | -1.1061 | -1.3157  | .4992  | .8379  | -.6131   |
|-----|------|----------------|--------|--------|---------|----------|--------|--------|----------|
|     | .392 |                |        |        | -.7145  |          |        | .8314  | -.7197   |
|     | .667 | 999.9999       |        | -.5489 | -.5727  |          | .4092  | .7988  | -.3474   |
|     | .702 | -.4404         | -.5151 |        | .4858   | -1.4467  | -.4802 | .8276  | -.3711   |
|     | .724 | -.2321         | -.3081 |        | -.5359  | -.8165   | -.6538 | .9971  | 999.9999 |
|     | .744 | -.5442         | -.5530 |        | -.7034  | -.8562   | -.6977 | 1.0490 | -.9997   |
|     | .755 | -.4105999.9999 |        |        | -.6223  | -1.4153  | -.4963 | .8467  | -.5120   |
|     | .869 | -.5142         |        | -.4166 |         | -.5669   |        |        |          |
|     | .902 | 999.9999       |        | -.3393 |         | -.1.0981 |        |        |          |
|     | .923 | -.3797         |        | -.5422 |         | -.3437   |        |        |          |
|     | .345 | -.3916         |        | -.4051 |         | -.1.0566 |        |        |          |
|     | .982 | -.4066         |        |        |         | -.1.376  |        |        |          |
|     |      |                |        |        |         | -.1918   |        |        |          |
|     |      |                |        |        |         | -.6971   |        |        |          |
|     |      |                |        |        |         |          | -.4950 |        |          |

MACH ( 3 ) = .904 ALPHA ( 1 ) = 60.100 Q(IPSF) = 7.4200 P0 = 22.010 P = 12.950 RW/L = 6.3000

SECTION ( 1 ) SRB DEPENDENT VARIABLE CP

THEA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .027 | -1.2111        | -1.2104  | -1.1235  | .3539  | 1.2285 |  |  |  |
|-----|------|----------------|----------|----------|--------|--------|--|--|--|
|     | .050 | -.1.0636       | -.1.1734 | -.1.0981 | .3586  |        |  |  |  |
|     | .074 | -.9212         | -.9890   | -.1.0781 | .3512  |        |  |  |  |
|     | .098 | -.8289         |          | -.9212   |        |        |  |  |  |
|     | .111 | -.1.0681       | -.1.0340 | -.9812   | .9535  |        |  |  |  |
|     | .139 | -.8285         | -.8609   | -.8521   | .9134  |        |  |  |  |
|     | .168 | -.7387         | -.6761   | -.7623   | .8391  |        |  |  |  |
|     | .191 | -.6792         | -.6981   | -.6767   | .7677  |        |  |  |  |
|     | .255 | -.5404         |          | -.5593   | -.6908 |        |  |  |  |
|     | .344 | -.3703         | -.3830   |          | -.4021 |        |  |  |  |
|     | .392 |                |          |          | -.4506 |        |  |  |  |
|     | .667 | 999.9999       |          |          | -.5639 |        |  |  |  |
|     | .702 | -.6477         | -.7042   | -.6970   | -.3485 |        |  |  |  |
|     | .724 | -.4296         | -.5059   |          | -.6749 |        |  |  |  |
|     | .744 | -.6996         | -.6993   |          | -.7144 |        |  |  |  |
|     | .755 | -.5923999.9999 |          |          | -.5861 |        |  |  |  |
|     | .869 | -.4805         |          |          | -.6381 |        |  |  |  |
|     | .902 | 999.9999       |          |          | -.7385 |        |  |  |  |
|     | .923 | -.4073         |          |          | -.8946 |        |  |  |  |
|     | .945 | -.3957         |          |          | -.8798 |        |  |  |  |
|     | .982 | -.4021         |          |          | -.8474 |        |  |  |  |
|     |      |                |          |          | -.7082 |        |  |  |  |
|     |      |                |          |          | -.5450 |        |  |  |  |
|     |      |                |          |          | -.4922 |        |  |  |  |
|     |      |                |          |          | -.4931 |        |  |  |  |
|     |      |                |          |          | -.4222 |        |  |  |  |
|     |      |                |          |          | -.4357 |        |  |  |  |
|     |      |                |          |          | -.4080 |        |  |  |  |
|     |      |                |          |          | -.4350 |        |  |  |  |

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSCFC TWT 503 (SA2EF)

PAGE 3

MACH (4) = 1.203 ALPHA (1) = 60.500 Q(PSF) = 9.1600 PO = 22.010 P = 9.0400 RN/L = 6.7000

## SECTION (1)SRB DEPENDENT VARIABLE CP

THE1A .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .027 | -.6473         | .8181  | -.5176 | .6802  | 1.4010 |
|-----|------|----------------|--------|--------|--------|--------|
|     | .050 | -.6095         | -.7835 | -.4950 | .6794  | 1.4081 |
|     | .074 | -.6064         | -.7674 | -.4886 | .6633  | 1.3739 |
|     | .098 | -.5768         | -.7447 | -.4998 | .5636  | 1.0493 |
|     | .111 | -.7156         | -.7529 | -.5141 | .0304  | .2429  |
|     | .139 | -.5718         | -.6109 | -.6851 | .5511  | .0866  |
|     | .168 | -.5323         | -.6286 | -.6065 | .5689  | .1277  |
|     | .191 | -.5212         | -.5585 | -.5107 | .5156  | -.1413 |
|     | .255 | -.4390         | -.4407 | -.4106 | .4272  | .4272  |
|     | .314 | -.3143         | -.3179 | -.3173 | .1851  | .9144  |
|     | .392 |                |        | -.2633 |        |        |
|     | .667 | 999.9999       | -.5734 | -.5600 | .3891  | .9133  |
|     | .702 | -.4849         | -.5070 | -.4509 | -.4433 | -.1851 |
|     | .724 | -.3698         | -.3974 | -.3788 | -.4870 | -.0963 |
|     | .744 | -.4974         | -.4938 | -.6915 | -.6860 | -.2875 |
|     | .755 | -.4674999.9999 |        | -.6470 | -.6333 | -.1838 |
|     | .869 | -.4173         |        | -.4360 | -.4308 | .4301  |
|     | .902 | 999.9999       |        | -.3919 | -.4577 | .5073  |
|     | .923 | -.3855         |        | -.4020 | -.4745 | .5411  |
|     | .945 | -.3704         |        | -.3958 | -.3929 | .4498  |
|     | .982 | -.3815         |        |        | -.5296 | .0271  |

MACH (5) = 1.962 ALPHA (1) = 60.100 Q(PSF) = 10.970 PO = 30.010 P = 4.0700 RN/L = 7.3000

## SECTION (1)SRB DEPENDENT VARIABLE CP

THE1A .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .027 | -.2596        | -.3001 | -.0571 | .9637   | 1.6489 |
|-----|------|---------------|--------|--------|---------|--------|
|     | .050 | -.2619        | -.2919 | -.0441 | .9428   | 1.6189 |
|     | .074 | -.2543        | -.2827 | -.0534 | .9105   | .6196  |
|     | .098 | -.2085        | -.2737 | -.0738 | .6433   | .5558  |
|     | .111 | -.2991        | -.2705 | -.2755 | .1464   | .6517  |
|     | .139 | -.2835        | -.2788 | -.2716 | .1708   | .0979  |
|     | .168 | -.2545        | -.2584 | -.2489 | .1745   | .6585  |
|     | .191 | -.2257        | -.2374 | -.2235 | .1517   | .6445  |
|     | .255 | -.2143        |        | -.2092 | .1585   | .1593  |
|     | .314 | -.1880        |        | -.1827 | .1536   | .6216  |
|     | .392 |               |        |        | .1572   | 1.0691 |
|     | .667 | 999.9999      |        |        |         | .2622  |
|     | .702 | -.2473        | -.2515 | -.2746 | -.1474  | .2416  |
|     | .724 | -.2747        | -.2310 | -.2499 | -.1182  | .2163  |
|     | .744 | -.2806        | -.2811 | -.2419 | -.05615 | .3578  |
|     | .755 | -.273999.9999 |        | -.2254 | -.0285  | -.1338 |





DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC TWT 603 (SA285)

PAGE 6

MSFC TWT 603 (SA285) SRB - CLEAN ATTACH AFT RING (R11001)

| MACH ( 8 ) =     | 4.450  | ALPHA ( 11 ) = | 62.000  |       |       |       |
|------------------|--------|----------------|---|-------|-------|-------|
| SECTION ( 1 )SRB |        |                | DEPENDENT VARIABLE CP   |       |       |       |
| THE1A            | .00000 | 22.5000        | 45.0000 67.5000 90.0000 12.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000 |       |       |       |
| X/L              | .869   | .0008          | .0027   | .0662 | .7602 | .4466 |
|                  | .902   | .999           | .9999   | .0027 | .2568 | .5563 |
|                  | .923   |                |   |       | .1582 | .9230 |
|                  |        | .0093          |   |       | .0141 | .1087 |
|                  |        |                | .0084   |       | .018  | .6890 |
|                  | .945   |                |   |       |       | .1127 |
|                  |        |                |   |       |       | .9223 |
|                  | .982   |                |   |       |       |       |
|                  |        | .0084          |   | .0008 |       | .2341 |

DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

PAGE 7

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING

(R11002) (22 AUG 75)

## REFERENCE DATA

| SCRF  | 116.2500 SQ.FT. | XMRP | 1044.0000 IN. | RH-SCH | 1.000 | PHI | .000 |
|-------|-----------------|------|---------------|--------|-------|-----|------|
| LREF  | 146.0000 IN.    | YMRP | .0000 IN.     |        |       |     |      |
| BREF  | 146.0000 IN.    | ZMRP | .0000 IN.     |        |       |     |      |
| SCALE | .0055           |      |               |        |       |     |      |

| MACH | .11 | .395 | ALPHA (1) | 69.980 | QIPSF1 | 1.7700 | PO | 17.990 | P | 16.150 | RNL | 2.9000 |
|------|-----|------|-----------|--------|--------|--------|----|--------|---|--------|-----|--------|
|------|-----|------|-----------|--------|--------|--------|----|--------|---|--------|-----|--------|

## SECTION 11)SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .027    | -.4934   | -2.2339               | -2.4444   | -.6228   | 1.0500  |        |        |        |        |        |  |
|-----|---------|----------|-----------------------|-----------|----------|---|--------|--------|--------|--------|--------|--|
|     | .050    | -.5399   | -1.7392               | -.9359    | -.5427   | 1.0838  |        |        |        |        |        |  |
|     | .074    | -.3678   | -1.3964               | -.6262    | -.4182   | 1.1021  |        |        |        |        |        |  |
|     | .098    | -.3192   | -1.1059               | -.2643    | -.2655   | 1.2251  |        |        |        |        |        |  |
|     | .111    | -.17140  | -.6296                | -.2671    | -.1040   | 1.2243  | 1.1547 | -.1662 | -.1260 | 1.9411 | 1.2684 |  |
|     | .139    | -.6362   | -.9130                | -.8210    | -.8764   | 1.1735  | 1.2421 | -.3115 | -.6805 | 1.2334 | 1.387  |  |
|     | .168    | -.5588   | -.7730                | -.6700    | -.6937   | 1.1856  | 1.2615 | -.2969 | -.6649 | 1.0527 | 1.2890 |  |
|     | .191    | -.5082   | -.6488                | -.6089    | -.8009   | 1.0986  | 1.1905 | -.6496 | 1.0374 | 1.1062 |        |  |
|     | .255    | -.5018   | -.6021                | -.6021    | -.6188   | -.2230  |        | -.2230 | 1.0310 |        |        |  |
|     | .344    | -.3846   | -.3616                | -.6094    | -.7415   | -.9588  | -.6312 | 1.0188 | 1.6106 |        |        |  |
|     | .392    |          |                       |           | -.1.0193 |   |        |        |        | 1.4210 |        |  |
|     | .667    | 999.9999 |                       |           | -.6502   | -.5936  | -.8728 | 1.2150 | -.3568 | 1.9961 | 1.6217 |  |
|     | .702    | -.4605   | -.5734                |           |          | -.7904  | -.7499 | -.7387 | 1.5713 | 1.0078 | 1.5053 |  |
|     | .724    | -.3214   | -.4658                |           |          | -.8236  | -.7499 | -.7387 | 1.7216 | 1.0782 |        |  |
|     | .744    | -.4126   | -.3761                |           |          | -.8090  | 1.4734 | 1.2586 | 1.6889 | 1.0880 | 1.0591 |  |
|     | .755    |          | -.3730999.9999        |           |          | -.7553  | -.7551 | 1.3789 | 1.5944 | 1.0875 | 1.4230 |  |
|     | .869    | -.5455   |                       |           |          | -.4607  | -.5908 | -.3192 | 1.3391 | 1.0782 |        |  |
|     | .902    | 999.9999 |                       |           |          | -.3757  | -.9750 | -.2722 | 1.0824 | 1.0972 |        |  |
|     | .923    | -.4069   |                       |           |          | -.3701  | 1.0750 | 1.1597 | 1.0084 | 1.1041 |        |  |
|     | .945    | -.3532   |                       |           |          |   | -.9020 |        | 1.7761 |        |        |  |
|     | .982    | -.3081   |                       |           |          |   |        |        |        |        |        |  |
|     | MACH    | .21      | .608                  | ALPHA (1) | 70.000   | QIPSF1  | 3.6300 | PO     | 18.030 | P      | 14.050 |  |
|     | SECTION | 11)SRB   | DEPENDENT VARIABLE CP |           |          |   |        |        |        |        |        |  |
|     | THETA   | .0000    | 22.5000               | 45.0000   | 67.5000  | 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 |        |        |        |        |        |  |

| X/L | .027 | -1.3384 | -.8160 | -.7715  | -.2807   | 1.0291 |        |        |        |        |        |
|-----|------|---------|--------|---------|----------|--------|--------|--------|--------|--------|--------|
|     | .050 | -.7760  | -.5428 | -.4384  | -.2141   | 1.0759 |        |        |        |        |        |
|     | .074 | -.6908  | -.2760 | -.1.335 | -.1557   | 1.109  |        |        |        |        |        |
|     | .098 | -.6513  | -.3039 | -.9571  | -.1003   | 1.1325 |        |        |        |        |        |
|     | .111 | -.2647  | -.2106 | -.9048  | -.9976   | 1.1197 |        |        |        |        |        |
|     | .139 | -.7913  | -.8294 | -.7784  | -.1.0511 | 1.1405 |        |        |        |        |        |
|     | .168 | -.6529  | -.7189 | -.6834  | -.7577   | 1.0238 | 1.1340 | -.1773 | 1.1221 | 1.1221 | 1.0510 |
|     | .191 | -.5843  | -.6427 | -.5108  | -.7503   | 1.0530 | 1.0254 | -.1189 | 1.1197 | 1.1502 | 1.0890 |
|     | .255 | -.4597  |        |         |          |        |        |        |        | 1.0506 | 1.0712 |
|     |      |         |        |         |          |        |        |        |        | 1.0288 |        |

REPRODUCIBILITY OF THE  
ORIGINAL PAGE IS POOR



DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

PAGE 9

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING

## REFERENCE DATA

|       |          |        |      |               |
|-------|----------|--------|------|---------------|
| SREF  | 116.2600 | SO.FT. | XMRP | 1044.0000 IN. |
| LREF  | 146.0000 | IN.    | YMRP | .0000 IN.     |
| BREF  | 146.0000 | IN.    | ZMRP | .0000 IN.     |
| SCALE | .0055    |        |      |               |

MACH (1) = .396 ALPHA (1) = 70.000 Q(PSF) = 3.1500

SECTION 1 1)SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

X/L .027 -.5871 -2.3230 -2.3258 -.7333 .9922

.050 -.5908 -1.6039 -2.0521 -.6083 .1.0279

.074 -.4326 -.1.629 -1.872 -.5019 .1.0470

.098 -.4468 -.7304 -.1.0044 -.3772 .1.046

.111 -.4827 -.2653 -.8776 -.1.4522 .6549 -.1.1308 -.7264

.139 -.5510 -.5968 -.6067 -.1.1674 -.2.1527 -.1.7034 .5686 .1.0498 -.3087 -.1.3199 -.3976 .1.6065 .4167

.168 -.4750 -.2835 -.6130 -.7818 -.2.0787 -.1.7554 .5719 .5401 .9822 -.3976 .1.6065 .4167

.191 -.4590 -.5162 -.4277 -.6108 -.8595 -.1.7381 .5893 .5212 .9720 -.1.7745

.255 -.4933 -.3736 -.5319 -.6610 -.6610 -.1.4716 .5893 .5212 .9720 -.1.7745

.344 -.3437 -.3736 -.5319 -.3489 -.3489 -.1.4716 .5893 .5212 .9720 -.1.7745

.392 .667 999.9999 -.4009 -.4009 -.4009 -.1.4689 .5635 .5635 .9491 .1.3988

.702 -.3917 -.3917 -.5608 -.5608 -.5608 -.1.4689 .4975 .4975 .9494 .1.4957

.724 -.3203 -.3641 -.5410 -.5410 -.5410 -.1.4689 .4975 .4975 .9494 .1.4957

.744 -.3630 -.3635 -.8638 -.8638 -.8638 -.1.4689 .4975 .4975 .9494 .1.4957

.755 -.3346999.9999 -.9224 -.9224 -.9224 -.1.4689 .4975 .4975 .9494 .1.4957

.869 .5098 -.4800 -.4800 -.4800 -.1.4689 .4975 .4975 .9494 .1.4957

.902 999.9999 -.4.68 -.4.68 -.4.68 -.1.4689 .4975 .4975 .9494 .1.4957

.923 -.3819 -.5418 -.5418 -.5418 -.1.4689 .4975 .4975 .9494 .1.4957

.945 -.3409 -.4258 -.4258 -.4258 -.1.4689 .4975 .4975 .9494 .1.4957

.982 -.3168 -.8310 -.8310 -.8310 -.1.4689 .4975 .4975 .9494 .1.4957

MACH (2) = .598 ALPHA (1) = 70.020 Q(PSF) = 7.4700

SECTION 1 1)SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

X/L .027 -.1.1906 -.1.7901 -.1.7603 -.3308 .1.0066

.050 -.7666 -.1.4438 -.1.4743 -.2641 .1.0530

.074 -.6955 -.1.1388 -.1.2505 -.2047 .1.1057

.098 -.6358 -.8436 -.8436 -.1.2747 .1.1160

.111 -.1.0052 -.9278 -.7871 -.1.0791 -.1.1877 .0934 .7554 .0918 .0531 .1.0125

.139 -.6590 -.7188 -.8045 -.9452 -.7919 -.1.3988 .6886 .1.0493 .1.1834 .1.6369 .6209

.168 -.6035 -.7153 -.7261 -.7951 -.1.3014 -.1.4297 .6677 .1.0213 .1.2432 .1.6097 .6765

.191 -.5690 -.6455 -.7402 -.9195 -.1.3598 .6448 .1.0073 .1.0433 .1.9226

.255 -.4735 -.4641 -.4641 -.1.2045 -.3115 .9926

RN-SCH = 2.000 PHI = .000

PO = 31.990 P = 28.720 RN/L = 5.3000

DEPENDENT VARIABLE CP

(R11003) ( 22 AUG 75 )

PARAMETRIC DATA

.000

.000

.000

.000

(P11003)

MSFC TWT 603 (SA28F) SR8 - CLEAN ATTACH AFT RING

MARCH 1 2011 598 118A 1 11 ■ 70-570

DEBENTURE WARRANTS 59

卷之三

|      |           |         |         |         |         |         |         |         |
|------|-----------|---------|---------|---------|---------|---------|---------|---------|
| .344 | - .4270   | - .4730 | - .5004 | - .5197 | - .5374 | - .6108 | - .9835 | - .5703 |
| .392 | - .5363   | - .6654 | - .6309 | - .8312 | - .3228 | - .3794 | - .9655 | - .8249 |
| .657 | .9999     | .9999   | .9999   | .9999   | .9999   | .9999   | .9999   | .9999   |
| .702 | - .4609   | - .5108 | - .5390 | - .7111 | - .4209 | - .6712 | - .9532 | - .2227 |
| .724 | - .4549   | - .4370 | - .8496 | - .5249 | - .4728 | - .6809 | - .097  | .999    |
| .744 | - .4312   | - .4370 | - .9128 | - .8381 | - .4929 | - .5825 | - .9774 | - .2681 |
| .755 | - .410999 | .9999   | - .6337 | - .9530 | - .3629 | - .9743 | - .6622 | - .9508 |
| .869 | - .5109   | - .4555 | - .4555 | - .1715 | - .4055 | - .0555 | - .0000 | - .1193 |
| .922 | .999      | .9999   | - .4943 | - .7304 | - .2094 | - .093  | - .0000 | - .0000 |
| .945 | - .3753   | - .4546 | - .4546 | - .9858 | - .1794 | - .0000 | - .0000 | - .0000 |

• **7000** E 7000

卷之三

ДЕСЯТИЧНАЯ АРИФМЕТИКА

1/X  
1/X<sup>2</sup>  
1/X<sup>3</sup>  
1/X<sup>4</sup>  
1/X<sup>5</sup>

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

PAGE 11

MACH ( 4 ) = 1.200 ALPHA ( 1 ) = 70.020 Q(PSF) = 9.1500 PO = 22.010 P = 9.0800 RN/L = 6.7000

SECTION ( 1 )SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027  | .7130         | - .7253 | .5869 | .5913 | .3337 |
|------|-------|---------------|---------|-------|-------|-------|
| .050 | .7084 | - .7049       | - .5579 | .6157 | .3727 |       |
| .074 | .6338 | - .6753       | - .5396 | .6251 | .3901 |       |
| .098 | .6056 | - .6430       | - .4948 | .6611 | .4084 |       |
| .111 | .6029 | - .6255       | - .5929 | .6256 | .4983 | .5770 |
| .139 | .5424 | - .5698       | - .5555 | .6053 | .6052 | .5593 |
| .168 | .5047 | - .5096       | - .5068 | .6025 | .6057 | .5387 |
| .191 | .4796 | - .4888       | - .4564 | .5063 | .5727 | .5170 |
| .255 | .4496 | - .3747       | - .3792 | .5052 | .5337 | .5280 |
| .392 | .392  | .999.9999     | .5385   | .5282 | .5337 |       |
| .667 | .702  | .4875         | .4847   | .5200 | .5337 |       |
| .724 | .724  | .4703         | .4525   | .5126 | .5337 |       |
| .745 | .745  | .4804         | .4834   | .5165 | .5337 |       |
| .755 | .755  | .4777999.9999 | .4586   | .5063 | .5337 |       |
| .869 | .869  | .4380         | .4236   | .4975 | .5337 |       |
| .902 | .902  | .999.9999     | .4236   | .4975 | .5337 |       |
| .923 | .923  | .4149         | .4109   | .4975 | .5337 |       |
| .931 | .931  | .4030         | .4208   | .4975 | .5337 |       |
| .982 | .982  | .3569         | .4723   | .4975 | .5337 |       |

MACH ( 5 ) = 1.959 ALPHA ( 1 ) = 70.000 Q(PSF) = 10.980 PO = 30.010 P = 4.0900 RN/L = 7.3000

SECTION ( 1 )SRB DEPENDENT VARIABLE CP

| X/L  | .027          | .2807     | - .3158 | .9967 | .9215 | .6241 |
|------|---------------|-----------|---------|-------|-------|-------|
| .050 | .2938         | - .3033   | - .0835 | .9240 | .6356 |       |
| .074 | .2705         | - .2833   | - .0895 | .9088 | .6704 |       |
| .098 | .2838         | - .2700   | - .0871 | .8925 | .6500 |       |
| .111 | .2898         | - .2707   | - .2630 | .8995 | .8563 | .3735 |
| .139 | .2744         | - .2661   | - .2605 | .8995 | .8563 | .8525 |
| .168 | .2668         | - .2653   | - .2619 | .8995 | .8563 | .0979 |
| .191 | .2612         | - .2559   | - .2508 | .8995 | .8563 | .2698 |
| .255 | .2398         | - .2155   | - .2376 | .8995 | .8563 |       |
| .344 | .2142         | - .2155   | - .2161 | .8995 | .8563 |       |
| .392 | .667          | .999.9999 | .2155   | .8995 | .8563 |       |
| .702 | .2623         | - .2581   | - .2635 | .8995 | .8563 |       |
| .724 | .2598         | - .2618   | - .2697 | .8995 | .8563 |       |
| .744 | .2577         | - .2696   | - .2691 | .8995 | .8563 |       |
| .755 | .2612999.9999 | .2696     | .2639   | .8995 | .8563 |       |

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA2EF)

PAGE 12

(R110031)

MSFC TWT 603 (SA2EF) SRB - CLEAN ATTACH AFT RING

MACH ( 5 ) = 1.959 ALPHA ( 1 ) = 70.000

SECTION 11SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

X/L .869 -.2551 -.2542 -.1162 .8077 1.5099  
.902 .999 .9999 -.2517 -.0686 .8950 1.6876  
.923 -.2549 -.2519 -.0783 .9331 1.6998 -.1035  
.945 -.2579 -.2570 -.0898 .8215 1.5381 -.0682  
.982 -.2391 -.2391 -.2735 -.7428

MACH ( 6 ) = 2.740 ALPHA ( 1 ) = 70.000 Q(P(SF)) = 6.3800 PO = 30.040 P = 1.2100 RN/L = 5.0000

SECTION 11SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027           | -.0610   | -.1277 | .0512  | .0299  | 1.7714  |
|------|----------------|----------|--------|--------|--------|---------|
| .050 | -.1065         | -.1253   | .0597  | 1.0117 | 1.7704 |         |
| .074 | -.0416         | -.1205   | .0505  | .9838  | 1.7698 |         |
| .098 | -.1071         | -.1095   | .0427  | .9668  | 1.7583 |         |
| .122 | -.1180         | -.1102   | .1029  | .3673  | 1.4492 | .9098   |
| .139 | -.1108         | -.1047   | -.1168 | .0536  | .9122  | 1.6701  |
| .154 | -.1047         | -.1047   | -.1047 | .0044  | .3248  | .4092   |
| .168 | -.1071         | -.1047   | -.1114 | -.0088 | .3103  | .6355   |
| .181 | -.1053         | -.1010   | -.1083 | -.0100 | .3139  | .8746   |
| .205 | -.1023         | -.1017   | -.1047 | -.0021 | .3272  | .3812   |
| .314 | -.0980         | -.0962   | -.1047 | .0032  | .0075  | .6033   |
| .392 | -.667          | 999.9999 | -.1138 | .0135  | .3570  | .3819   |
| .402 | -.1138         | -.0713   | -.1089 | .0178  | .8382  | .5639   |
| .724 | -.1132         | -.1151   | -.0985 | .0772  | .3764  | .5918   |
| .744 | -.1205         | -.1217   | -.1217 | -.0592 | .4675  | .6485   |
| .755 | -.1180999.9999 | -.1134   | -.1134 | -.0021 | .1849  | .8527   |
| .869 | -.1174         | -.1144   | -.1144 | .0330  | .3576  | .1.4321 |
| .902 | .999.9999      | -.1151   | -.1027 | .0651  | .9207  | .6622   |
| .923 | -.1168         | -.1023   | -.1023 | .0590  | .0615  | .9025   |
| .945 | -.1156         | -.1144   | -.1144 | -.1114 | .0754  | .9007   |
| .982 | -.0950         | -.1114   | -.1114 | -.1114 | .9619  | .7559   |

DATE 07 MAR 77

## TABULATED SOURCE DATA. MSFC TWT 603 (SA2BF)

PAGE 13

MSFC TWT 603 (SA2BF) SRB - CLEAN ATTACH AFT RING (R11003)

MACH ( 7) = 3.480 ALPHA ( 1) = 70.020 Q(PSF) = 6.8600 P0 = 60.030 P = .81000 RN/L = 6.8000

SECTION ( 1)SRB

## DEPENDENT VARIABLE CP

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | MACH ( 7)      | ALPHA ( 1) | Q(PSF) | P0     | P      | RN/L   |
|------|----------------|------------|--------|--------|--------|--------|
| .027 | -.0108         | -.0554     | .0950  | .0393  | 1.7954 |        |
| .050 | -.0526         | -.0565     | .1000  | .0268  | 1.8103 |        |
| .074 | .0020          | .0548      | .0911  | .9981  | .9803  |        |
| .098 | -.0497         | -.0542     | .0793  | .9744  | .7999  |        |
| .111 | -.0531         | -.0514     | -.0537 | .0821  | .4597  | .0555  |
| .139 | -.0531         | -.0508     | -.0514 | .0599  | .4264  | -.0542 |
| .168 | -.0508         | -.0486     | -.0497 | -.0570 | .423   | -.0520 |
| .191 | -.0492         | -.0469     | -.0486 | -.0542 | .4032  | -.0496 |
| .255 | -.0486         | -.0441     | -.0486 | -.0477 | .3894  | .0392  |
| .344 | -.0486         | -.0441     | -.0548 | -.0532 | .3532  | .0522  |
| .392 | -.0441         |            |        | .0561  | .3886  | .0538  |
| .667 | 999.9999       |            | -.0576 | .0578  | .8573  | .0640  |
| .702 | -.0576         | -.0249     | -.0509 | .0586  | .3868  | .4253  |
| .724 | -.0582         | -.0593     | .0020  | .1289  | .5155  | .7283  |
| .744 | -.0627         | -.0644     | .0061  | -.0062 | .1954  | .8816  |
| .755 | -.0633999.9999 |            | -.0582 | -.0717 | .3862  | .5143  |
| .869 | .0593          |            | -.0576 | .0741  | .9169  | .6739  |
| .902 | 999.9999       |            | -.0576 | .1565  | .1221  | .9779  |
| .923 | -.0599         |            | -.0481 | .0911  | .0724  | .9920  |
| .945 | -.0599         |            | -.0576 | .1034  | .9535  | .7376  |
| .982 | -.0430         |            |        | -.0565 |        | .8934  |

MACH ( 8) = 4.450 ALPHA ( 1) = 70.020 Q(PSF) = 4.0800 P0 = .80.020 P = .29600 RN/L = 5.8000

## SECTION ( 1)SRB

## DEPENDENT VARIABLE CP

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | MACH ( 7)      | ALPHA ( 1) | Q(PSF) | P0     | P      | RN/L      |
|------|----------------|------------|--------|--------|--------|-----------|
| .027 | .1079          | .0065      | .1269  | .9954  | 1.7330 |           |
| .050 | .0160          | .0055      | .1316  | .9925  | .7510  |           |
| .074 | -.1402         | .0027      | .1231  | .9691  | .7548  |           |
| .098 | .0188          | .0008      | .1089  | .9394  | .7368  |           |
| .111 | .0075          | .0055      | .0027  | .1857  | .3860  | .6088     |
| .139 | -.0065         | .0084      | .0046  | .0823  | .3383  | .8437     |
| .168 | -.0046         | .0103      | .0046  | .0027  | .0701  | .3765     |
| .191 | .0046          | .0132      |        | .0055  | .0700  | .6012     |
| .255 | .0046          |            | .0084  | .0785  | .8465  | .3750     |
| .344 | .0036          | .0169      | .0198  | .0833  | .3762  | .3717     |
| .392 | 999.9999       |            | .0000  | .0880  | .8553  | .5908     |
| .667 | 999.9999       |            |        |        |        | .0861     |
| .702 | -.0067         | .0814      |        | .0169  |        | .0890     |
| .724 | -.0057         | -.0095     |        | .1364  |        | .0994     |
| .744 | -.0095         | -.0105     |        | -.0133 |        | .1174     |
| .755 | -.0086999.9999 |            |        | -.0124 |        | .999.9999 |

DATE 07 MAR 77

TABULATED SOURCE DATA. MSFC TWT 603 (SA28F)

(R110031

PAGE 14

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING

MACH ( 8 ) = 4.450 ALPHA ( 11 ) = 70.020  
SECTION 11SRB DEPENDENT VARIABLE CP  
TETIA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000223.0000270.0000315.0000

| X/L  | .869   | -.0057 | -.0038 | .1051  | .9043  | 1.6675 |
|------|--------|--------|--------|--------|--------|--------|
| .902 | .999   | .999   | -.0048 | .1857  | 1.1328 | .9852  |
| .923 | -.0038 | .0122  | .0122  | .1326  | 1.0797 | .9930  |
| .945 | -.0019 | .0008  | .0008  | .1392  | .9394  | 1.7159 |
| .982 | .0046  | -.0038 | -.0038 | -.0038 | .9356  | .1459  |

DATE 07 MAR 77

## TABULATED SOURCE DATA. MSFC TWT 603 (SA28F)

PAGE 15

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING

(R1104) (22 AUG 75)

## REFERENCE DATA

| SREF  | 116.2600 | 50. FT. | XMRP | 1044.0000 | IN. | RN-SCH | 2.000 | PHI | .000 |
|-------|----------|---------|------|-----------|-----|--------|-------|-----|------|
| LREF  | 146.0000 | IN.     | YMRP | .0000     | IN. |        |       |     |      |
| BREF  | 146.0000 | IN.     | ZMRP | .0000     | IN. |        |       |     |      |
| SCALE | .0055    |         |      |           |     |        |       |     |      |

MACH (1) = .397 ALPHA (1) = 80.080 QIPSF1 = 3.1700 PO = 32.000 P = 28.710 RN/L = 5.3000

## SECTION 11(SRB) DEPENDENT VARIABLE CP

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .027   | -.9102         | -.9242   | -.9608   | -.5620   | .8668    |          |          |       |  |
|-----|--|----------------|----------|----------|----------|----------|----------|----------|-------|--|
|     | .050   | -.8739         | -.8541   | -.2608   | -.5054   | .9282    |          |          |       |  |
|     | .074   | -.8345         | -.8792   | -.9312   | -.4780   | .9833    |          |          |       |  |
|     | .098   | -.6349         | -.8734   | -.1.6065 | -.4198   | .1.0382  |          |          |       |  |
|     | .111   | -.5642         | -.7316   | -.8409   | -.0560   | -.1.4529 | -.3554   |          |       |  |
|     | .139   | -.6024         | -.6854   | -.6837   | -.2.1552 | -.1.8043 | -.5532   | .5958    |       |  |
|     | .168   | -.6315         | -.6543   | -.6733   | -.7334   | -.2.0577 | -.1.8769 | .5806    |       |  |
|     | .191   | -.6025         | -.6114   | -.6006   | -.1.9978 | -.1.8754 | -.6189   | .5806    |       |  |
|     | .255   | -.5561         | -.5442   | -.5579   | -.6410   | -.1.5266 | -.1.9790 | .5676    |       |  |
|     | .344   | -.5442         | -.507    | -.5347   | -.6271   | -.1.4545 | -.1.1658 | .5291    |       |  |
|     | .392   | -.667          | 999.9999 | -.5382   | -.8299   | -.1.6707 | -.5835   | .6305    |       |  |
|     | .702   | -.4876         | -.4935   | -.4908   | -.9087   | -.1.6248 | -.1.6412 | .5729    |       |  |
|     | .724   | -.5401         | -.5705   | -.5634   | -.6534   | -.1.9317 | -.1.4517 | .5999    |       |  |
|     | .755   | -.5898999.9999 | -.5603   | -.5700   | -.5942   | -.1.2943 | -.1.2383 | .5611    |       |  |
|     | .869   | -.902          | 999.9999 | -.5560   | -.5809   | -.1.3609 | -.1.9653 | .6235    |       |  |
|     | .923   | -.4180         | -.5035   | -.5809   | -.5909   | -.6.386  | -.1.1697 | .6987    |       |  |
|     | .945   | -.5136         | -.5136   | -.5909   | -.1.7065 | -.2.763  | -.2.763  | .9157    |       |  |
|     | .982   |                |          |          |          |          |          | .9802    |       |  |
|     | MACH (2) = .601 ALPHA (1) = 80.120 QIPSF1 = 7.5300 PO = 38.000 P = 29.760 RN/L = 8.8000              |                |          |          |          |          |          |          |       |  |
|     | SECTION 11(SRB) DEPENDENT VARIABLE CP  |                |          |          |          |          |          |          |       |  |
|     | THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 |                |          |          |          |          |          |          |       |  |
|     | X/L  | .027           | -.8928   | -.9392   | -.9162   | -.4116   | .8692    |          |       |  |
|     |  | .050           | -.8656   | -.8449   | -.8573   | -.3444   | .9349    |          |       |  |
|     |  | .074           | -.8408   | -.8633   | -.8856   | -.3000   | .9916    |          |       |  |
|     |  | .098           | -.6971   | -.8934   | -.1.5194 | -.1981   | .0.930   |          |       |  |
|     |  | .111           | -.6712   | -.7796   | -.9554   | -.1.3012 | -.1.992  | .7511    |       |  |
|     |  | .119           | -.6688   | -.7255   | -.8075   | -.9212   | -.1.5190 | .7268    |       |  |
|     |  | .168           | -.6771   | -.7015   | -.7165   | -.7732   | -.1.4744 | -.1.3982 | .7242 |  |
|     |  | .191           | -.6743   | -.6826   | -.6748   | -.6748   | -.1.6895 | -.1.9790 | .7120 |  |
|     |  | .235           | -.5836   | -.6710   | -.1.1767 | -.1.1767 | -.2.432  | -.1.0839 |       |  |

DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC TWT 603 (SA285)

PAGE 16

MSFC TWT 603 (SA285) SRB - CLEAN ATTACH AFT RING (R11004)

MACH ( 21 = .601 ALPHA ( 1 ) = 80.120

SECTION 1 1 SRB

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | - .5225         | - .5585 | - .7293 | - .9358 | - 1.1446 | .7024 | 1.0752   | - .6799 |
|------|-----------------|---------|---------|---------|----------|-------|----------|---------|
| .344 |                 |         |         |         |          | .4712 |          |         |
| .392 |                 |         |         |         |          | .8817 |          |         |
| .667 | 999.9999        |         | .6322   |         |          | .6507 | - 1.0244 |         |
| .702 | - .5266         | - .5609 |         |         |          | .5823 | - 1.3424 |         |
| .724 | - .5221         | - .5376 |         |         |          | .6466 | - 1.3636 |         |
| .744 | - .5274         | - .5262 |         |         |          | .6261 | - 1.2237 |         |
| .869 | - .5531999.9999 | - .4934 |         |         |          | .9492 | - .3302  |         |
| .902 | 999.9999        | - .5127 |         |         |          | .9348 | - .4458  |         |
| .923 | - .5352         | - .5714 |         |         |          | .2468 | - .3498  |         |
| .945 | - .5545         | - .5947 |         |         |          | .3560 | - .2217  |         |
| .982 | - .6079         |         |         |         |          | .6627 |          |         |

MACH ( 31 = .900 ALPHA ( 1 ) = 80.100 OIPSF = 7.3800 PO = 22.010 P = 13.010 RN/L = 6.3000

SECTION 1 1 SRB

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | - .6655         | - .6703 | - .6732 | - .6732 | .0793 | .9826 |
|------|-----------------|---------|---------|---------|-------|-------|
| .027 |                 |         |         |         |       |       |
| .050 | - .6764         | - .6731 | - .6637 | - .6623 | .1325 | .0595 |
| .074 | - .6797         | - .6792 | - .6623 | - .6623 |       |       |
| .098 | - .6812         | - .6865 | - .6730 | - .6526 | .2496 |       |
| .111 | - .6866         | - .6899 | - .6814 | - .6677 | .3100 | .9628 |
| .139 | - .6514         | - .6697 | - .6793 | - .6594 | .4914 | .1738 |
| .168 | - .6345         | - .6399 | - .6412 | - .6480 | .5904 | .2166 |
| .191 | - .6113         | - .6256 | - .6189 | - .6202 | .2569 | .3301 |
| .255 | - .5863         | - .5212 | - .6188 | - .7104 | .9605 | .6653 |
| .344 | - .5110         | - .5212 | - .5212 | - .5158 | .2163 | .6813 |
| .392 |                 |         |         |         | .2338 | .6602 |
| .667 | 999.9999        |         | .4876   |         | .2128 | .6584 |
| .702 | - .4418         | - .4605 | - .5003 | - .5136 | .9607 | .6413 |
| .724 | - .4226         | - .4636 | - .5091 | - .5442 | .2315 | .2573 |
| .744 | - .4364         | - .5055 | - .5246 | - .5130 | .2285 | .2285 |
| .755 | - .4401999.9999 |         | - .5700 | - .5246 | .9508 | .6141 |
| .869 | - .4106         | - .4449 | - .5518 | - .5194 |       |       |
| .902 | 999.9999        | - .4439 | - .5194 | - .5194 |       |       |
| .923 | - .4340         | - .4377 | - .7628 | - .7628 |       |       |
| .945 | - .4430         | - .4520 | - .7138 | - .7138 |       |       |
| .982 | - .4936         |         | - .7389 | - .7389 |       |       |

DATE 07 MAR 77 TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING

MACH 1 (1) = 1.195 ALPHA 1 (1) = 80.100 Q(PSF) = 9.1300 PO = 22.000 P = 9.1300 RN/L = 0.7000

SECTION 1 (1)SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L   | .027          | -.5928        | -.5776   | -.6346 | -.4615 | -.2004 |
|---|---------------|---------------|----------|--------|--------|--------|
| .050  | -.5969        | -.5930        | -.6212   | .5048  | .2595  |        |
| .074  | -.5944        | -.5902        | -.5974   | .5333  | .3091  |        |
| .098  | -.5706        | -.5652        | -.5533   | .5545  | .3551  |        |
| .111  | -.5546        | -.5633        | -.5567   | .5166  | .3012  |        |
| .139  | -.5290        | -.5359        | -.5392   | .5378  | .3778  | .5661  |
| .168  | -.5046        | -.5060        | -.5084   | .5041  | .4035  | .5471  |
| .191  | -.4808        | -.4883        | -.4883   | .4981  | .4035  | .5131  |
| .255  | -.4569        | -.4636        | -.4636   | .4706  | .4035  | .5600  |
| .344  | -.4105        | -.4132        | -.4110   | .4046  | .4035  |        |
| .392  | 999.9999      | 999.9999      | 4.909    | .3714  | .3750  |        |
| .667  | 999.9999      | 999.9999      | 999.9999 | .4791  | .3959  |        |
| .702  | 4.701         | 4.793         | 4.713    | .4682  | .3959  |        |
| .724  | 4.689         | 4.699         | 4.650    | .4663  | .3959  |        |
| .744  | 4.651         | 4.645         | 4.656    | .4673  | .3959  |        |
| .755  | 4.691999.9999 | 4.691999.9999 | 4.6909   | .4816  | .3959  |        |
| .669  | 4.373         | 4.503         | 4.503    | .4302  | .3502  |        |
| .902  | 999.9999      | 999.9999      | 4.914    | .4329  | .3502  |        |
| .923  | 4.926         | 4.926         | 4.914    | .4878  | .3502  |        |
| .945  | 4.970         | 5.363         | 5.363    | .5778  | .3502  |        |
| .982  | 4.558         |               |          | .5784  | .3502  |        |
| MACH 1 (1) = 1.956 ALPHA 1 (1) = 80.100 Q(PSF) = 11.000 PO = 30.010 P = 4.1100 RN/L = 7.3000        |               |               |          |        |        |        |
| SECTION 1 (1)SRB DEPENDENT VARIABLE CP  |               |               |          |        |        |        |
| THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 |               |               |          |        |        |        |

| X/L  | .027          | -.2642        | -.2674   | -.1385 | .8179 | 1.4951 |
|------|---------------|---------------|----------|--------|-------|--------|
| .050 | -.2680        | -.2692        | -.1228   | .8427  | .5566 |        |
| .074 | -.2709        | -.2720        | -.1147   | .8433  | .5766 |        |
| .098 | -.2715        | -.2761        | -.1012   | .8836  | .6305 |        |
| .111 | -.2714        | -.2744        | -.0746   | .3233  | .4441 |        |
| .139 | -.2674        | -.2656        | -.1255   | .2569  | .4256 |        |
| .168 | -.2513        | -.2534        | -.2506   | .1342  | .2463 | .8764  |
| .191 | -.2431        | -.2435        | -.2432   | .1360  | .2486 | .8590  |
| .255 | -.2346        | -.2341        | -.2365   | .1244  | .8399 | .6193  |
| .344 | -.2353        | -.2353        | -.2365   | .1192  | .2701 | .5939  |
| .392 | 999.9999      | 999.9999      | 999.9999 | .1189  | .3758 | .5891  |
| .667 | 999.9999      | 999.9999      | 999.9999 | .1196  | .8469 | .6041  |
| .702 | 2.479         | 2.476         | 2.492    | .1157  | .2662 | .3734  |
| .724 | 2.452         | 2.459         | 2.487    | .1223  | .2836 | .4303  |
| .744 | 2.552         | 2.556         | 2.533    | .1386  | .2690 | .4358  |
| .755 | 2.538999.9999 | 2.538999.9999 | 2.558    | .1311  | .2570 | .43733 |

.0998 -.0989  
999.9999 -.0989  
.1126 -.1045.5661 -.5471  
.5129 -.5131.4186 -.3870  
.4959 -.5378

.5017

.9999.9999

.4973

.5699

MSFC 1WT 603 (SA2BF) SRB - CLEAN ATTACH AFT RING

(RI1004)

MACH (5) = 1.956 ALPHA (11) = 80.100

SECTION 1 11SRB

DEPENDENT VARIABLE CP

THETA .00000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .869     | -.2418 | -2.389 | .1169 | .8330  | 1.5887 |
|------|----------|--------|--------|-------|--------|--------|
| .902 | 999.9999 | -.2195 | -.1202 | .8107 | .6508  |        |
| .923 | -.2545   | -.2564 | -.0985 | .8340 | 1.6467 | 1.1205 |
| .945 | -.2586   | -.2573 | -.1157 | .8108 | .6073  | -.1107 |
| .982 | -.1946   |        | -.2208 |       | 1.3052 |        |

MACH (6) = 2.740 ALPHA (11) = 80.100 QIPSF1 = 6.3700 PO = 30.030 P = 1.2100 RFL = 5.0000

SECTION 1 11SRB

DEPENDENT VARIABLE CP

THETA .00000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027           | -.0938 | -.0980 | .0161 | .9462  | 1.6852 |
|------|----------------|--------|--------|-------|--------|--------|
| .050 | -.0962         | -.0979 | .0238  | .9474 | .7150  |        |
| .074 | -.0956         | -.0998 | .0202  | .9316 | .7380  |        |
| .098 | -.0968         | -.1010 | .0275  | .9783 | 1.7779 | .9844  |
| .111 | -.0980         | -.0992 | -.1070 | .9001 | .7617  | .0402  |
| .139 | -.0985         | -.0968 | -.1023 | .9477 | .7532  | .0117  |
| .168 | -.1004         | -.0967 | -.1041 | .9097 | .7380  | -.0992 |
| .191 | -.1017         | -.0950 | -.1058 | .9059 | .9322  | -.1023 |
| .255 | -.0992         | -.0932 | -.1017 | .0116 | .7295  |        |
| .344 | -.0992         |        | -.1035 | .0154 | .4929  | .0087  |
| .392 |                |        |        | .3643 | 1.4832 |        |
| .667 | 999.9999       |        | -.1102 | .0180 | .7065  |        |
| .702 | -.1114         | -.1053 | -.1150 | .0075 | .9146  |        |
| .724 | -.1102         | -.1089 | -.1120 | .0154 | 1.4710 | .7107  |
| .744 | -.1120         | -.1120 | -.1223 | .0232 | .3782  | .5348  |
| .755 |                |        |        | .0052 | .3527  |        |
| .869 | -.1114999.9999 |        | -.1229 | .0008 | .3424  | 1.4674 |
| .902 | 999.9999       |        | -.1083 | .0209 | .9346  |        |
| .923 | -.1095         | -.1023 | -.1089 | .0287 | .9207  | .7229  |
| .945 | -.1126         | -.1102 | -.1102 | .0556 | .9419  | .7860  |
| .982 |                |        |        | .0251 | .9274  | 1.8042 |
|      |                |        |        | .0695 |        | .0245  |
|      |                |        |        |       |        | .0305  |
|      |                |        |        |       |        | 1.4395 |

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

PAGE 19

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING  
MACH ( 7) = 3.480 ALPHA ( 1) = 80.090 QPSF = 6.8600 PO = 60.000 P = .81000 RM/L = 6.8000

SECTION ( 1)5RB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .027 | -.0207         | -.0311 | .0601  | .9445 | 1.6987 |
|-----|------|----------------|--------|--------|-------|--------|
|     | .050 | -.0659         | -.0316 | .0646  | .9484 | .7291  |
|     | .074 | -.0235         | -.0340 | .0600  | .9295 | .7595  |
|     | .098 | -.0886         | -.0373 | .0629  | .9490 | .7917  |
|     | .111 | -.0322         | -.0345 | .0742  | .9065 | .5628  |
|     | .139 | -.0368         | -.0424 | .0430  | .9795 | .0725  |
|     | .168 | -.0362         | -.0294 | .0390  | .3619 | .0356  |
|     | .191 | -.0384         | -.0277 | .0441  | .9372 | .0499  |
|     | .255 | -.0379         | -.0430 | .0384  | .0455 | .0379  |
|     | .314 | -.0407         | -.0269 | .0362  | .3613 | .0396  |
|     | .392 |                |        | .0362  | .9326 | .5263  |
|     | .657 | 999.9999       | -.0537 | .0533  | .9422 | .7712  |
|     | .702 | -.0548         | -.0382 | .0634  | .9318 | .9428  |
|     | .724 | -.0542         | -.0559 | .0725  | .9056 | .0505  |
|     | .744 | -.0570         | -.0576 | .0598  | .9392 | .0494  |
|     | .755 | -.0571999.9999 | -.0649 | .0623  | .9566 | .0505  |
|     | .869 | -.0537         | -.0542 | .0652  | .9443 | .7528  |
|     | .902 | 999.9999       | -.0537 | .0651  | .945  | .0616  |
|     | .923 | -.0526         | -.0446 | .0626  | .945  | .0645  |
|     | .945 | -.0548         | -.0320 | .0652  | .948  | .0686  |
|     | .982 | -.0182         |        | -.0255 | .9281 | .0725  |

MACH ( 8) = 4.450 ALPHA ( 1) = 82.000 QPSF = 4.0800 PO = .80.020 P = .29000 RM/L = 5.8000

SECTION ( 1)5RB DEPENDENT VARIABLE CP

| X/L | .027 | .0805       | .0558 | .0965  | .8721 | .6063     |
|-----|------|-------------|-------|--------|-------|-----------|
|     | .050 | .0643       | .0530 | .0985  | .8863 | .6433     |
|     | .074 | .0758       | .0482 | .0937  | .8778 | .6638     |
|     | .098 | .0624       | .0425 | .0956  | .8957 | .6950     |
|     | .111 | .0629       | .0454 | .1308  | .9271 | .7277     |
|     | .139 | .0520       | .0482 | .0482  | .3555 | .4903     |
|     | .168 | .0435       | .0558 | .0330  | .0994 | .4760     |
|     | .191 | .0416       | .0605 | .0511  | .1004 | .7254     |
|     | .255 | .0387       |       | .0321  | .3715 | .9116     |
|     | .344 | .0330       | .0596 | .0520  | .1051 | .0947     |
|     | .392 |             |       | .1070  | .3935 | .7453     |
|     | .667 | 999.9999    | .0112 | .1098  | .7424 | .1051     |
|     | .702 | .0103       | .0483 | .0947  | .9309 | .1079     |
|     | .724 | -.0112      |       | .0359  | .4960 | .1107     |
|     | .744 | .0046       | .0036 | .0483  | .7485 | .999.9999 |
|     | .755 | 046999.9999 |       | -.0019 | .4056 | .0947     |
|     |      |             |       | .0890  | .5433 | .0956     |
|     |      |             |       |        | .3752 | .1032     |

MACH ( 8) = 4.450    ALPHA ( 1) = 82.000  
 SECTION ( 1)SRB    THEA .0000 22.5000 45.0000 67.5000 90.0001112.5000135.0000157.5000180.0000225.0000270.0000315.0000  
 MSFC THT 603 (SA2BF) SRB - CLEAN ATTACH AFT RING  
 DEPENDENT VARIABLE CP  
 X/L .869 .0384 .0093 .1032 .9309 1.7379  
 .902 .999 .9999 .0103 .079 .9031 .7567  
 .923 .0169 .0255 .158 .9176 .7557 .1070  
 .945 .0150 .0207 .0975 .8911 .7978 .1098  
 .982 .0340 .0340 .0340 .0340 1.4277

DATE 07 MAR 77

TABULATED SOURCE DATA. MSFC TWT 603 (SA28F)

PAGE 21

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING

(111003) (22 AUG 75)

## REFERENCE DATA

| SREF  | 116.2600 SQ.FT. | XMRP | 1044.0000 IN. |
|-------|-----------------|------|---------------|
| LREF  | 146.0000 IN.    | YMRP | .0000 IN.     |
| BREF  | 146.0000 IN.    | ZMRP | .0000 IN.     |
| SCALE | .0055           |      |               |

MACH (1) = .400 ALPHA (1) = 90.000 QPSF = 1.8100 PO = 18.020 P = 16.140 RN/L = 3.0000

## SECTION (1)SRB DEPENDENT VARIABLE CP

| THETA | .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 |
|-------|---|
|-------|---|

| X/L | .027 -.5870 -.5860 -.5905 -.4122 .7217<br>.050 -.6137 -.6079 -.5841 -.3685 .8033<br>.074 -.5621 -.6005 -.5557 -.3176 .8805<br>.098 -.5595 -.5795 -.5861 -.2967 .9496<br>.111 -.5117 -.5912 -.6016 -.6313 -.6540 1.0158<br>.139 -.6106 -.6501 -.6441 -.8964 -.3132 .2027<br>.168 -.6033 -.6271 -.7787 -.8541 -.3132 -.7237<br>.191 -.5952 -.5741 -.8138 -.8138 -.3132 -.6145<br>.255 -.4712 -.5260 -.6897 -.6897 -.3132 -.6025<br>.344 -.5932 -.6248 -.8860 -.8860 -.3132 -.6220<br>.392 999.9999 -.6482 -.7242 -.8934 1.0146<br>.667 999.9999 -.5870 -.7200 -.8915 1.0146<br>.702 -.5144 -.5870 -.7200 -.8915 1.0146<br>.724 -.4979 -.5254 -.5637 -.5669 -.8238 1.0146<br>.744 -.4929 -.5037 -.5637 -.5669 -.8238 1.0146<br>.755 -.5266999.9999 -.7870 -.5525 -.5888 -.7935<br>.869 -.5879 -.7942 -.7942 -.7942 -.7942<br>.902 999.3939 -.7942 -.7942 -.7942 -.7942<br>.923 -.6810 -.7162 -.7162 -.7162 -.7162<br>.945 -.6866 -.7374 -.7374 -.7374 -.7374<br>.982 -.6741 -.6660 -.6660 -.6660 -.6660 |  |  |  |  |  |
|-----|--|--|--|--|--|--|
|-----|--|--|--|--|--|--|

MACH (2) = .597 ALPHA (1) = 90.000 QPSF = 3.5300 PO = 18.000 P = 14.150 RN/L = 4.1000

## SECTION (1)SRB DEPENDENT VARIABLE CP

| THETA | .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 |
|-------|---|
|-------|---|

| X/L | .027 -.5612 -.5700 -.5700 -.3614 .7092<br>.050 -.5694 -.5782 -.5813 -.3433 .7905<br>.074 -.5852 -.6122 -.6206 -.3321 .8606<br>.098 -.6061 -.6507 -.6859 -.2451 .9322<br>.111 -.6238 -.5187 -.7131 -.7868 -.9819 1.0031<br>.139 -.6234 -.5201 -.7283 -.8789 -.1.0603 1.1320<br>.168 -.6122 -.5242 -.7126 -.8020 -.1.2616 -.2155 1.0450<br>.191 -.5898 -.6313 -.5411 -.7352 -.1.0617 1.1443<br>.255 999.9999 -.6313 -.5411 -.6008 -.1.1665 1.1343 |  |  |  |  |  |
|-----|---|--|--|--|--|--|
|-----|---|--|--|--|--|--|

REPRODUCIBILITY OF THE  
ORIGINAL PAGE IS POOR

MSFC THT 603 (SA28F) SRB - CLEAN ATTACH AFT RING (R11005)

| MACH ( 2 ) = .597   | ALPHA ( 1 ) = 90.000 | SECTION 11SRB          | DEPENDENT VARIABLE CP |
|---|----------------------|------------------------|-----------------------|
| THEIA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 |                      |                        |                       |
| X,L   | .6838 -.5934         | - .6578 -.8307 -.9432  | .7678 1.1336 -.6998   |
| .392  | .7250 -.5838         | - .6313 -.6371 -.8694  | 1.1324 -.10213        |
| .667  | .6984 -.5501         | - .5543 -.6715 -.8846  | 1.133 -.5646          |
| .702  | .6437 -.5286         | - .5544 -.6957 -.1.427 | 1.1308 -.5343         |
| .724  | .6603 -.6503999 9999 | - .5286 -.5569 -.5824  | 1.1363 .999999        |
| .744  | .6503999 9999        | - .5983 -.6942 -.6448  | 1.136 -.0236          |
| .755  | .6503999 9999        | - .6942 -.6933 -.8954  | 1.1321 -.0051         |
| .869  | .5076 -.5756         | - .7042 -.6614 -.4597  | 1.1294 -.4288         |
| .902  | .5756 -.7621         | - .7621 -.1519         | 1.1303 -.4058         |
| .923  | .999 9999            | - .982 -.5317          | 1.1307 -.4288         |
| .945  | .999 9999            | - .9413                | 1.1308 -.4288         |
| .982  |                      |                        | 1.0997                |



| REFERENCE DATA   |                       |             |          |           |   |        |          |     |          | PARAMETRIC DATA |          |  |          |
|------------------|-----------------------|-------------|----------|-----------|---|--------|----------|-----|----------|-----------------|----------|--|----------|
| SREF             | 116.2600              | SQ_F1.      | XMRP     | 1044.0000 | IN.   | RN-SCH | 2.000    | PHI | - .000   |                 |          |  |          |
| LREF             | 146.0000              | IN.         | YMRP     | .0000     | IN.   |        |          |     |          |                 |          |  |          |
| BREF             | 146.0000              | IN.         | ZMRP     | .0000     | IN.   |        |          |     |          |                 |          |  |          |
| SCALE            | .0055                 |             |          |           |   |        |          |     |          |                 |          |  |          |
| MACH ( 1 )       | * .398                | ALPHA ( 1 ) | = 90.000 | Q(PSF)    | = 3.1800  | PO     | - 32.000 | P   | = 28.700 | RNL             | = 5.3000 |  |          |
| SECTION ( 1 )SRB | DEPENDENT VARIABLE CP |             |          |           |   |        |          |     |          |                 |          |  |          |
| THTA             | .0000                 | 22.5000     | 45.0000  | 67.5000   | 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 |        |          |     |          |                 |          |  |          |
| X/L              |                       |             |          |           |   |        |          |     |          |                 |          |  |          |
| .027             | -.6846                |             | -.9010   |           | -.8588  |        | -.6019   |     | .6998    |                 |          |  |          |
| .050             | -.6813                |             | -.6165   |           | -.5783  |        | -.4742   |     | .7756    |                 |          |  |          |
| .074             | -.5593                |             | -.6583   |           | -.5554  |        | -.5009   |     | .8334    |                 |          |  |          |
| .098             | -.5692                |             | -.6661   |           | -.4939  |        | -.4684   |     | .9103    |                 |          |  |          |
| .111             | -.6747                |             | -.7019   |           | -.8286  |        | -.1.4934 |     | .5638    |                 | -.7050   |  | -.6669   |
| .135             | -.6826                |             | -.7172   |           | -.7497  |        | -.1.0025 |     | .5947    |                 | -.3270   |  | -.5735   |
| .168             | -.6751                |             | -.6763   |           | -.7696  |        | -.2.1654 |     | .5790    |                 | -.3421   |  | -.9355   |
| .191             | -.6314                |             | -.6658   |           | -.7903  |        | -.2.1037 |     | .6397    |                 | -.0677   |  | -.6657   |
| .225             | -.6181                |             | -.6868   |           | -.7098  |        | -.2.0098 |     | .1.9383  |                 | .0754    |  | -.7717   |
| .344             | -.6147                |             | -.5997   |           | -.7602  |        | -.1.4648 |     | .4982    |                 | .0707    |  |          |
| .392             | 999.9999              |             | -.6581   |           | -.8321  |        | -.6441   |     | .6284    |                 | .0747    |  | -.1.0932 |
| .667             | 999.9999              |             | -.6529   |           | -.1.1358  |        | -.2.1345 |     | .5850    |                 | .0723    |  | -.1.5220 |
| .702             | -.6580                |             | -.6179   |           | -.6211  |        | -.1.8542 |     | .7620    |                 | .0724    |  | -.8639   |
| .724             | -.6522                |             | -.6179   |           | -.5512  |        | -.7324   |     | .1.3329  |                 | .0686    |  | -.9999   |
| .744             | -.5748                |             | -.5167   |           | -.5418  |        | -.6125   |     | .1.0345  |                 | .0684    |  | -.9444   |
| .755             | -.576199.9999         |             | -.6398   |           | -.6237  |        | -.6738   |     | .5906    |                 | .0770    |  | -.7998   |
| .809             | -.6172                |             | -.5879   |           | -.6242  |        | -.7512   |     | .0817    |                 | .0746    |  |          |
| .902             | 999.9999              |             | -.6915   |           | -.9343  |        | -.5629   |     | .0722    |                 | .0722    |  | -.1.3863 |
| .923             | -.5906                |             | -.6079   |           | -.2613  |        | -.3030   |     | .1.0653  |                 | .0746    |  | -.1.5144 |
| .945             | -.6251                |             | -.6579   |           | -.1.6594  |        |          |     |          |                 |          |  |          |
| .982             | -.6588                |             |          |           |   |        |          |     |          |                 |          |  |          |
| MACH ( 2 )       | * .602                | ALPHA ( 1 ) | = 90.000 | Q(PSF)    | = 7.5600  | PO     | - 38.030 | P   | = 29.750 | RNL             | = 8.8000 |  |          |
| SECTION ( 1 )SRB | DEPENDENT VARIABLE CP |             |          |           |   |        |          |     |          |                 |          |  |          |
| THTA             | .0000                 | 22.5000     | 45.0000  | 67.5000   | 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 |        |          |     |          |                 |          |  |          |
| X/L              |                       |             |          |           |   |        |          |     |          |                 |          |  |          |
| .027             | -.6938                |             | -.9076   |           | -.7236  |        | -.4893   |     | .6871    |                 |          |  |          |
| .050             | -.6480                |             | -.6245   |           | -.1.1141  |        | -.4623   |     | .7677    |                 |          |  |          |
| .074             | -.6087                |             | -.6406   |           | -.6443  |        | -.3915   |     | .8420    |                 |          |  |          |
| .098             | -.6573                |             | -.6501   |           | -.6546  |        | -.3030   |     | .9136    |                 |          |  |          |
| .111             | -.6761                |             | -.6623   |           | -.6577  |        | -.1.5252 |     | .6365    |                 | .1.566   |  | -.7361   |
| .139             | -.6385                |             | -.6305   |           | -.7831  |        | -.1.4435 |     | .7126    |                 | .0759    |  | -.6215   |
| .168             | -.6232                |             | -.6425   |           | -.6762  |        | -.1.2922 |     | .2431    |                 | .0967    |  | -.7062   |
| .191             | -.6139                |             | -.6648   |           | -.7350  |        | -.1.3873 |     | .1.4093  |                 | .7237    |  | -.6773   |
| .255             | -.6110                |             | -.5699   |           | -.7350  |        | -.1.1919 |     | .1.0831  |                 | .7208    |  | -.7532   |
|                  |                       |             |          |           |   |        | -.2252   |     | .1.0919  |                 |          |  |          |

(R110071 1 22 AUG 75)

DATE 07 MAR 77

TABULATED SOURCE DATA. NSFC TWT 603 (SA2BF)

NSFC TWT 603 (SA2BF) SRB - CLEAN ATTACH ATT RING

PAGE 25

MACH ( 21 ) = .602 ALPHA ( 11 ) = 90.000

SECTION ( 1 )SRB

DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .344  | -.5800   | -.5873 | -.5607 | -.9272 | -1.1750 | .734   | 1.1002 | -.9701 |
|------|-------|----------|--------|--------|--------|---------|--------|--------|--------|
| .392 | .392  | -.7322   |        |        |        |         |        | .1025  | -.8587 |
| .667 | .999  | .9999    | -.7427 | -.9763 | -.1155 | -.11462 | -.3214 | .6958  | -.9158 |
| .702 | .6155 | -.6499   |        |        |        |         |        | .1010  | -.3235 |
| .724 | .5609 | -.5815   |        |        |        |         |        | .6957  | .0996  |
| .744 | .5204 | -.5138   |        |        |        |         |        | .6981  | .1052  |
| .755 | .5243 | 999.9999 |        |        |        |         |        | .6894  | .1004  |
| .863 | .6174 |          |        |        |        |         |        |        | .6515  |
| .902 | .999  | .9999    |        |        |        |         |        |        |        |
| .923 | .6842 |          |        |        |        |         |        |        |        |
| .945 | .7222 |          |        |        |        |         |        |        |        |
| .982 | .6239 |          |        |        |        |         |        |        |        |

MACH ( 31 ) = .896 ALPHA ( 11 ) = 90.020 Q(P,S,F) = 7.3500 P0 = 22.010 P = 13.060 RN/L = 6.3000

SECTION ( 1 )SRB

DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027  | -.5769   | -.5755 | -.5749 | -.0850 | .7822 |       |
|------|-------|----------|--------|--------|--------|-------|-------|
| .050 | .5850 |          |        |        |        |       | .8715 |
| .074 | .5857 |          |        |        |        |       |       |
| .098 | .5925 |          |        |        |        |       |       |
| .111 | .6040 | -.6184   | -.5993 | -.5857 | -.5844 | .1997 | .0199 |
| .139 | .5837 | -.6035   | -.6286 | -.6641 | -.6236 | .194  | .0198 |
| .168 | .5619 | -.5769   | -.5714 | -.5749 | -.6299 | .2257 | .0202 |
| .191 | .5449 | -.5619   | -.5844 | -.5871 | -.6109 | .2166 | .0223 |
| .255 | .5238 |          |        |        |        | .2166 | .0224 |
| .344 | .5422 | -.5565   | -.5469 | -.5490 | -.6054 | .2257 | .0227 |
| .392 |       |          |        |        |        | .2257 | .0227 |
| .667 | .999  | .9999    | -.5626 | -.5755 | -.6177 | .2197 | .0198 |
| .702 | .5265 | -.5415   | -.5510 | -.5422 | -.6490 | .9459 | .2335 |
| .724 | .5102 | -.5211   | -.5415 | -.5633 | -.6674 | .9339 | .2343 |
| .744 | .5320 | -.5470   | -.6681 | -.8510 | -.6499 | .9285 | .2352 |
| .755 | .5401 | 999.9999 |        |        |        |       |       |
| .869 | .5823 |          |        |        |        |       |       |
| .902 | .999  | .9999    |        |        |        |       |       |
| .945 | .5953 |          |        |        |        |       |       |
| .982 | .6000 |          |        |        |        |       |       |

DATE 07 MAR 77

TABULATED SOURCE DATA. MSFC TWT 603 (SA2BF)

PAGE 26

MSFC TWT 603 (SA2BF) SRB - CLEAN ATTACH AFT RING  
 MACH ( 4 ) = 1.195 ALPHA ( 1 ) = 90.000 Q(PSF) = 9.1300 PO = 22.010 P = 9.1300 RN/L = 6.7000

SECTION 1 1)SRB

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .027 | .5381          | .5350          | .5439          | .3317 | .0310  |
|-----|------|----------------|----------------|----------------|-------|--------|
|     | .050 | -.5425         | -.5428         | -.5555         | .3836 | -.1043 |
|     | .074 | -.5360         | -.5378         | -.5554         | .4185 | -.1604 |
|     | .098 | -.5272         | -.5286         | -.5307         | .5573 | -.2234 |
|     | .111 | -.5230         | -.5305         | -.5152         | .0685 | .2743  |
|     | .139 | -.5083         | -.5148         | -.5139         | .5370 | .5652  |
|     | .168 | -.4935         | -.5023         | -.4995         | .1030 | .5874  |
|     | .191 | -.4845         | -.4918         | -.4918         | .1031 | .1498  |
|     | .255 | -.4672         | -.4714         | -.4714         | .0964 | .3242  |
|     | .344 | -.4263         | -.4429         | -.4394         | .4760 | .1711  |
|     | .392 | -.4492         | -.4492         | -.4364         | .0877 | .3985  |
|     | .667 | 999.9999       | 999.9999       | 999.9999       | .4459 | .1799  |
|     | .702 | -.4541         | -.4599         | -.4542         | .4116 | .4021  |
|     | .724 | -.4525         | -.4578         | -.4555         | .4563 | .4522  |
|     | .744 | -.4568         | -.4667         | -.4511         | .4601 | .4553  |
|     | .755 | -.4559999.9999 | -.4559999.9999 | -.4559999.9999 | .1107 | .3987  |
|     | .869 | -.5210         | -.5264         | -.4923         | .1339 | .4014  |
|     | .902 | 999.9999       | 999.9999       | 999.9999       | .1277 | .4045  |
|     | .923 | -.5283         | -.5283         | -.5189         | .1232 | .1648  |
|     | .945 | -.5385         | -.5385         | -.5263         | .1613 | .1632  |
|     | .982 | -.4492         | -.4492         | -.4492         | .1613 | .4040  |

MACH ( 5 ) = 1.968 ALPHA ( 1 ) = 90.000 Q(PSF) = 10.930 PO = 30.010 P = 4.0300 RN/L = 7.3000

SECTION 1 1)SRB

| X/L | .027 | -.2584         | -.2564         | -.1780   | .6584   | 1.3117 |
|-----|------|----------------|----------------|----------|---------|--------|
|     | .050 | -.2593         | -.2581         | -.1579   | .6999   | -.3672 |
|     | .074 | -.2392         | -.2598         | -.1179   | .7186   | 1.4223 |
|     | .098 | -.2604         | -.2614         | -.1463   | .7898   | .4868  |
|     | .111 | -.2603         | -.2603         | -.2725   | .8376   | .8367  |
|     | .139 | -.2616         | -.2616         | -.2610   | .2562   | .5296  |
|     | .168 | -.2520         | -.2492         | -.2466   | .0817   | .1073  |
|     | .191 | -.2362         | -.2394         | -.2390   | .2584   | .2587  |
|     | .255 | -.2392         | -.2385         | -.2475   | .8617   | .1275  |
|     | .344 | -.2474         | -.2431         | -.2475   | .8696   | .0958  |
|     | .392 | -.2474         | -.2431         | -.2475   | .8696   | .1275  |
|     | .667 | 999.9999       | 999.9999       | 999.9999 | .8705   | .1289  |
|     | .702 | -.2474         | -.2379         | -.2456   | .8763   | .1218  |
|     | .724 | -.2468         | -.2461         | -.2311   | .1.4233 | .1059  |
|     | .744 | -.2526         | -.2526         | -.2500   | .1.4233 | .1061  |
|     | .755 | -.2541999.9999 | -.2541999.9999 | -.2540   | .1.4233 | .1003  |

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

SECTION 1 1)SRB

| X/L | .027 | -.2584         | -.2564         | -.1780   | .6584   | 1.3117 |
|-----|------|----------------|----------------|----------|---------|--------|
|     | .050 | -.2593         | -.2581         | -.1579   | .6999   | -.3672 |
|     | .074 | -.2392         | -.2598         | -.1179   | .7186   | 1.4223 |
|     | .098 | -.2604         | -.2614         | -.1463   | .7898   | .4868  |
|     | .111 | -.2603         | -.2603         | -.2725   | .8376   | .8367  |
|     | .139 | -.2616         | -.2616         | -.2610   | .2562   | .5296  |
|     | .168 | -.2520         | -.2492         | -.2466   | .0817   | .1073  |
|     | .191 | -.2362         | -.2394         | -.2390   | .2584   | .2587  |
|     | .255 | -.2392         | -.2385         | -.2475   | .8617   | .1275  |
|     | .344 | -.2474         | -.2431         | -.2475   | .8696   | .0958  |
|     | .392 | -.2474         | -.2431         | -.2475   | .8696   | .1275  |
|     | .667 | 999.9999       | 999.9999       | 999.9999 | .8705   | .1289  |
|     | .702 | -.2474         | -.2379         | -.2456   | .8763   | .1218  |
|     | .724 | -.2468         | -.2461         | -.2311   | .1.4233 | .1059  |
|     | .744 | -.2526         | -.2526         | -.2500   | .1.4233 | .1061  |
|     | .755 | -.2541999.9999 | -.2541999.9999 | -.2540   | .1.4233 | .1003  |

SECTION 1 1)SRB

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

SECTION 1 1)SRB

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TNT 603 (SA2BF)

PAGE 27

|                 |                | MSFC TNT 603 (SA2BF) SRB - CLEAN ATTACH AFT RING |         | (R110071)       |  |
|-----------------|----------------|--|---------|-----------------|--|
| SECTION (1) SRB |                | DEPENDENT VARIABLE CP                            |         |                 |  |
| MACH (5)        | 1.968          | ALPHA (1)  | 90.000  | PO              | P • 1.2100   |
| THETA           | .0000          | 22.5000  | 45.0000 | 67.5000         | 90.000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 |
| X/L             |                |  |         |                 |  |
| .869            | -.2499         | -.2475   | -.1319  | .8556           | 1.6338   |
| .902            | .9999          | -.2521   | -.1422  | .7749           | 1.6212   |
| .923            | -.2636         | -.2660   | -.1139  | .7991           | 1.6461   |
| .945            | -.2547         | -.2633   | -.1141  | .8200           | 1.6535   |
| .962            | -.1470         |  | -.1795  | 1.6238          | 1.1094   |
| MACH (6)        | 2.740          | ALPHA (1)  | 90.000  | Q(PRF) • 6.3700 | PO • 30.030  |
| SECTION (1) SRB |                |  |         |                 |  |
| THETA           | .0000          | 22.5000  | 45.0000 | 67.5000         | 90.000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 |
| X/L             |                |  |         |                 |  |
| .027            | -.0756         | -.0871   | -.0181  | .7884           | 1.5087   |
| .050            | -.0841         | -.0869   | -.0106  | .8230           | 1.5536   |
| .074            | -.0774         | -.0913   | -.0056  | .8474           | 1.5900   |
| .098            | -.0835         | -.0932   | .0135   | .8728           | 1.6325   |
| .111            | -.0859         | -.0907   | -.1011  | .8655           | 1.6885   |
| .139            | -.0877         | -.0901   | -.0962  | .5576           | 1.7769   |
| .169            | -.0895         | -.0877   | -.0958  | .9492           | .9531  |
| .191            | -.0895         | -.0841   | -.0950  | .9549           | .9539  |
| .255            | -.0914         | -.0955   | -.0950  | .3746           | .7706  |
| .344            | -.0956         | -.0859   | -.0950  | .9632           | .7629  |
| .392            |                |  |         |                 |  |
| .667            | .999.9999      | -.1071   | -.0238  | .9508           | 1.5164   |
| .702            | -.1071         | -.0956   | -.1077  | .3697           | 1.5184   |
| .724            | -.1065         | -.1071   | -.0974  | .0111           | .7635  |
| .744            | -.1089         | -.1083   | -.1229  | .3424           | .5083  |
| .755            | -.1083999.9999 |  | -.1217  | .3564           | .5044  |
| .869            | -.1059         |  | -.1077  | .0166           | .7587  |
| .902            | .999.9999      |  | -.1095  | .0119           | .7593  |
| .923            | -.1101         |  | -.0998  | -.0046          | .7637  |
| .945            | -.1089         |  | -.1071  | .0352           | .8976  |
| .982            | -.0034         |  |         | .0141           | .7842  |
|                 |                |  |         | -.0228          | .9079  |
|                 |                |  |         |                 | 1.8163   |

MACH 1 71 = 3.480 ALPHA 1 11 = 90.020 QIPSF1 = 6.8600 PO = 60.010 P = .81000 FNL = 6.80000

## SECTION 1 1)SRB

## DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.00000

| X/L  | .027           | .0120  | -.0480 | .0291 | .7810  | 1.5025 |
|------|----------------|--------|--------|-------|--------|--------|
| .050 | -.0458         | -.0480 | .0348  | .8047 | .5473  |        |
| .074 | -.0012         | -.0480 | .0359  | .8092 | 1.5927 |        |
| .098 | -.0447         | -.0480 | .0511  | .8571 | 1.6367 |        |
| .111 | -.0480         | -.0469 | -.0570 | .8660 | 1.4602 | .8988  |
| .139 | -.0486         | -.0469 | -.0559 | .3684 | .9529  | .0551  |
| .168 | -.0486         | -.0480 | -.0570 | .0533 | .5470  | .9563  |
| .191 | -.0486         | -.0475 | -.0593 | .0573 | .3842  | .0477  |
| .255 | -.0480         | -.0463 | -.0593 | .0552 | .3936  | .9675  |
| .344 | -.0491         | -.0469 | -.0593 | .0490 | .9794  | .0556  |
| .392 | 999.9999       | -.0542 | -.0588 | .0618 | .3910  | .0595  |
| .702 | -.0570         | -.0289 | -.0142 | .0681 | .9648  | .0458  |
| .744 | -.0593         | -.0570 | -.0672 | .0528 | .3656  | .8041  |
| .755 | -.0582999.9999 | -.0565 | -.0655 | .0511 | .3791  | .9675  |
| .869 | 999.9999       | -.0542 | -.0565 | .0537 | .3771  | .0595  |
| .923 | -.0587         | -.0497 | -.0701 | .0578 | .9436  | .0595  |
| .945 | -.0604         | -.0570 | -.0511 | .0443 | .8963  | .9675  |
| .982 | .0292          | .0161  | .0161  | .0522 | .9039  | .0595  |

MACH 1 81 = 4.450 ALPHA 1 11 = 90.000 QIPSF1 = 4.0800 PO = 80.020 P = .29000 FNL = 5.70000

## SECTION 1 1)SRB

## DEPENDENT VARIABLE CP

| X/L  | .027           | .0871  | .0131  | .0681 | .7413  | 1.4362 |
|------|----------------|--------|--------|-------|--------|--------|
| .050 | .0169          | .0112  | .0681  | .7839 | 1.5102 |        |
| .074 | -.1032         | -.0093 | .0681  | .7868 | 1.5452 |        |
| .098 | .0207          | .0151  | .0084  | .8247 | .5822  |        |
| .111 | .0122          | .0055  | .0074  | .3658 | .8615  | .4093  |
| .139 | .0103          | .0131  | .0055  | .0852 | .3725  | .4921  |
| .168 | .0084          | .0141  | .0055  | .0851 | .3846  | .5064  |
| .255 | .0074          | .0141  | .0065  | .0880 | .3943  | .5068  |
| .344 | .0036          | .0150  | .0074  | .1079 | .4208  | .5377  |
| .392 | 999.9999       | -.0048 | -.0048 | .1041 | .9461  | .5377  |
| .667 | 999.9999       | -.0048 | -.0048 | .0956 | .3962  | .5272  |
| .702 | -.0076         | .0615  | .0093  | .0956 | .3762  | .5272  |
| .724 | -.0067         | -.0076 | .0852  | .0880 | .3781  | .5177  |
| .744 | -.0086         | -.0067 | -.0095 | .0871 | .3886  | .5102  |
| .755 | -.0086999.9999 | -.0086 | -.0086 | .0909 | .3818  | .5083  |

DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC TWT 603 (SA2BF)

MSFC TWT 603 (SA2BF) SRB - CLEAN ATTACH AFT RING

PAGE 29

| MACH ( B ) =     | 4.450 | ALPHA ( 1 ) = | 90.000  | DEPENDENT VARIABLE CP   |       |        |
|------------------|-------|---------------|---------|---|-------|--------|
| SECTION ( 1 )SRB |       |               |         |   |       |        |
| THETA            | .0000 | 22.5000       | 45.0000 | 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 |       |        |
| X/L              | .869  | .0076         | -.0067  | .0918   | .9223 | 1.7510 |
|                  | .902  | .999 .9999    | -.0048  | .0795   | .8569 | 1.7519 |
|                  | .923  | -.0010        | .0084   | .1260   | .8787 | 1.7286 |
|                  | .945  | -.0038        | -.0010  | .0852   | .8652 | 1.7282 |
|                  | .982  | .0539         |         | .0473   |       | .0909  |
|                  |       |               |         |   |       | 1.5472 |







| REFERENCE DATA  |                |        |        |           |          |      |          |        |     | PARAMETRIC DATA |       |   |        |   |   |        |      |   |        |
|---|----------------|--------|--------|-----------|----------|------|----------|--------|-----|-----------------|-------|---|--------|---|---|--------|------|---|--------|
| F   | F              | F      | F      | XMRP      | YMRP     | ZMRP | IN.      | RN-SCH | PHI | RN/L            | .0000 |   |        |   |   |        |      |   |        |
| F   | 116.2600       | 50.51. | XMRP   | 1044.0000 | IN.      |      |          |        |     |                 |       |   |        |   |   |        |      |   |        |
| F   | 146.0000       | IN.    | YMRP   | 0.0000    | IN.      |      |          |        |     |                 |       |   |        |   |   |        |      |   |        |
| F   | 146.0000       | IN.    | ZMRP   | 0.0000    | IN.      |      |          |        |     |                 |       |   |        |   |   |        |      |   |        |
| LE  | .0055          |        |        |           |          |      |          |        |     |                 |       |   |        |   |   |        |      |   |        |
| H   | 111            | -      | .600   | ALPHA     | 111      | *    | 90.0000  | Q1PSF1 | *   | 7.5000          | PO    | * | 37.990 | P | * | 29.790 | RN/L | * | 0.8000 |
| ACTION ( 115RB )  |                |        |        |           |          |      |          |        |     |                 |       |   |        |   |   |        |      |   |        |
| TA .00000 22.50000 43.00000 67.50000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.00000 |                |        |        |           |          |      |          |        |     |                 |       |   |        |   |   |        |      |   |        |
| DEPENDENT VARIABLE CP   |                |        |        |           |          |      |          |        |     |                 |       |   |        |   |   |        |      |   |        |
| L   |                |        |        |           |          |      |          |        |     |                 |       |   |        |   |   |        |      |   |        |
| .027  | -.66778        |        | -.6301 |           | -.6228   |      | -.4252   |        |     | .7056           |       |   |        |   |   |        |      |   |        |
| .050  | -.63770        |        | -.7059 |           | -.7101   |      | -.4180   |        |     | .7836           |       |   |        |   |   |        |      |   |        |
| .074  | -.6190         |        | -.6772 |           | -.7932   |      | -.3707   |        |     | .8517           |       |   |        |   |   |        |      |   |        |
| .098  | -.6330         |        | -.6984 |           | -.7938   |      | -.2650   |        |     | .9271           |       |   |        |   |   |        |      |   |        |
| .111  | -.6334         |        | -.6154 |           | -.7917   |      | -.1966   |        |     | .9989           |       |   |        |   |   |        |      |   |        |
| .139  | -.6349         |        | -.6016 |           | -.6990   |      | -.1.4158 |        |     | .1517           |       |   |        |   |   |        |      |   |        |
| .168  | -.6327         |        | -.6403 |           | -.6207   |      | -.2347   |        |     | .2087           |       |   |        |   |   |        |      |   |        |
| .191  | -.6068         |        | -.6348 |           | -.6149   |      | -.2864   |        |     | .5608           |       |   |        |   |   |        |      |   |        |
| .255  | -.5296         |        | -.5967 |           | -.6132   |      | -.2489   |        |     | .8333           |       |   |        |   |   |        |      |   |        |
| .344  | -.5955         |        | -.5963 |           | -.6927   |      | -.2992   |        |     | .6318           |       |   |        |   |   |        |      |   |        |
| .392  |                |        |        |           |          |      | -.7812   |        |     | .2520           |       |   |        |   |   |        |      |   |        |
| .667  | 999.9999       |        | -.5217 |           | -.8581   |      | -.2520   |        |     | .1157           |       |   |        |   |   |        |      |   |        |
| .702  | -.5104         |        | -.5314 |           | -.5770   |      | -.8157   |        |     | .7172           |       |   |        |   |   |        |      |   |        |
| .724  | -.5483         |        | -.5381 |           | -.6765   |      | -.6882   |        |     | .7072           |       |   |        |   |   |        |      |   |        |
| .744  | -.4946         |        | -.5231 |           | -.5354   |      | -.9330   |        |     | .7008           |       |   |        |   |   |        |      |   |        |
| .755  | -.4940999.9999 |        | -.6210 |           | -.7809   |      | -.1.2914 |        |     | .6996           |       |   |        |   |   |        |      |   |        |
| .869  | -.6222         |        | -.6749 |           | -.9658   |      | -.3246   |        |     | .1137           |       |   |        |   |   |        |      |   |        |
| .902  | 999.9999       |        | -.6902 |           | -.4950   |      | -.4558   |        |     | .1196           |       |   |        |   |   |        |      |   |        |
| .923  | -.7214         |        | -.8026 |           | -.9863   |      | -.3461   |        |     | .1157           |       |   |        |   |   |        |      |   |        |
| .945  | -.7647         |        | -.7828 |           | -.1.3180 |      | -.1.777  |        |     | .1160           |       |   |        |   |   |        |      |   |        |
| .962  | -.7842         |        | -.4288 |           | -.4288   |      | -.1.4288 |        |     | .10878          |       |   |        |   |   |        |      |   |        |

DATE 07 MAR 77

TABULATED SOURCE DATA. MSC/TWT 603 (SA28F)

PAGE 34

MSC/TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING

(R11010) (22 AUG 75)

## REFERENCE DATA

| SREF  | 116.2600 | SO.F1. | XMRP | 1044.0000 | IN. | RN-SCH | 2.000 | PHI | .000 |
|-------|----------|--------|------|-----------|-----|--------|-------|-----|------|
| LREF  | 146.0000 | IN.    | YMRP | 0000      | IN. |        |       |     |      |
| BREF  | 146.0000 | IN.    | ZMRP | 0000      | IN. |        |       |     |      |
| SCALE | .0055    |        |      |           |     |        |       |     |      |

MACH (1) = .398 ALPHA (1) = 99.900 QIPSF1 = 3.1800 PO = 32.000 P = 28.690 RN/L = 5.3000

SECTION (1)SRB

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

X/L .027 -.4895 -.4820 -.5277 -.4694 .5374  
.050 -.5305 -.5110 -.5217 -.6282 .6001  
.074 -.5784 -.6368 -.6556 -.7701 .6546  
.098 -.5898 -.5722 -.8273 -.6639 .7196  
.111 -.5555 -.5643 -.5722 -.8667 -.6002 .4082 -.9468 -.7097  
.139 -.5422 -.5649 -.6510 -.9586 -.6238 .4351 -.7999 -.4934  
.168 -.5674 -.5836 -.6282 -.7961 -.2095 -.6068 .5330 .9865  
.191 -.5705 -.5789 -.9844 -.1063 -.8591 .6259 .5476 .0064 -.4525 -.7074 -.6249  
.255 -.4587 -.5878 -.5878 -.3117 -.8634 .5448 .0187 -.1327  
.344 -.5847 -.6039 -.61356 -.61356 -.1729 -.2741 .6119 .0401 -.7429  
.392 999.9999 -.7348 -.7348 -.7081 -.6617 .0377 -.3157  
.667 999.9999 -.6128 -.6128 -.4701 -.3741 -.9706 .5803 .0441 -.5052  
.702 6478 -.6128 -.6128 -.4701 -.3741 -.9360 -.8651 .5587 .0692 999.9999  
.724 -.6165 -.6073 -.6073 -.0573 -.0573 -.9360 -.8651 .5833 .0651 -.1395  
.744 -.6439 -.6512 -.6512 -.7020 -.7020 -.8780 -.4830 .5766 .0604 -.2262  
.755 -.6595999.9999 -.6355 -.6355 -.8697 -.7050 -.7995 -.2854 -.7159 .0513  
.869 999.9999 -.6375 -.6375 -.6375 -.5246 -.6171 -.7379 .5722 .0153 -.0744  
.902 923 -.6915 -.6915 -.7199 -.7199 -.10909 -.3593 -.2584 .0178 .0708  
.945 -.5379 -.6455 -.6455 -.13593 -.13593 -.5562 .02584 .0174 -.15214  
.982 -.4601

MACH (2) = .603 ALPHA (2) = 99.900 QIPSF1 = 7.5700 PO = 38.030 P = 29.710 RN/L = 8.9000

SECTION (1)SRB

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

X/L .027 -.7152 -.7689 -.8157 -.6579 .6119  
.050 -.7063 -.7091 -.7248 -.6432 .5395  
.074 -.6361 -.7111 -.7705 -.5552 .6122  
.098 -.5985 -.6741 -.0730 -.4410 .6981  
.111 -.5870 -.6107 -.6038 -.6314 -.4430 -.3759 .4430 .7536 -.3955 -.4708 -.6129  
.139 -.5548 -.5880 -.6008 -.6741 -.6209 -.4426 .3040 .6330 .9807 -.3195 -.15501 -.6002  
.168 -.5808 -.5983 -.6373 -.6373 -.1149 -.3691 .2836 .6704 .0180 -.3116 -.7593 -.6772  
.191 -.6028 -.6402 -.5480 -.7019 -.7544 -.11705 .6691 .0319 -.0494 -.9664  
.255 -.4615

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING

PAGE 35

MACH 1.21 = .603 ALPHA (1) = 99.900

## SECTION 1 11SRB

DEPENDENT VARIABLE CP

THERA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L   | .344 | -.5871    | -.6018         | -.5443  | -1.0432 | -1.1958 | .7043       | .0564      | -1.1414       |
|---|------|-----------|----------------|---------|---------|---------|-------------|------------|---------------|
|   | .392 | -.5484    | -.5294         | -.5308  | -.6314  | -.5463  | .3346       | .0620      | -.7257        |
|   | .667 | 999.9999  | -.4924         | -1.0332 | -.2750  | -1.6195 | -1.5292     | .6829      | -.6447        |
|   | .702 | -.5403    | -.4924         | -.2750  | -.6295  | -.5295  | -.5090      | .6768      | -.606         |
|   | .724 | -.5696    | -.5292         | -.3015  | -.6115  | -.6313  | -.2144      | .6921      | -.0368        |
|   | .744 | -.5343    | -.5501         | -.389   | -.6389  | -.6054  | -.8747      | .6759      | -1.0751       |
|   | .755 | -.5638999 | -.9999         | -.6029  | -.1412  | -.4520  | -.3464      | .0870      |               |
|   | .869 | .6911     | -.8285         | -.8057  | -.2727  | -.2651  | -.3459      | .0552      | -1.9054       |
|   | .902 | 999.9999  | -.8057         | -.8007  | -.8007  | -.498   | -.1254      | .0759      | -1.6321       |
|   | .923 | -.8076    | -.8007         | -.8007  | -.8899  | -.4899  | -.0930      |            |               |
|   | .945 | -.7719    |                |         |         |         |             |            |               |
|   | .982 | -.4513    |                |         |         |         |             |            |               |
| MACH 1.31 = .902 ALPHA (1) = 99.900 Q(PSF) = 7.3900   |      |           |                |         |         |         | P0 = 22.000 | P = 12.990 | RN/L = 6.3000 |
| SECTION 1 11SRB   |      |           |                |         |         |         |             |            |               |
| THERA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 |      |           |                |         |         |         |             |            |               |
| X/L   | .027 | -.5038    | -.5051         | -.5097  | -.2469  | -.5563  |             |            |               |
|   | .050 | -.5484    | -.5294         | -.5308  | -.1733  | .6463   |             |            |               |
|   | .074 | -.5328    | -.5538         | -.6290  | -.1281  | .7252   |             |            |               |
|   | .098 | -.5132    | -.5052         | -.5254  | -.6221  | .0328   | .8026       |            |               |
|   | .111 | -.5179    | -.5470         | -.5301  | -.6146  | .1552   | .0315       | .0962      | -1.990        |
|   | .139 | -.4740    | -.5024         | -.5199  | -.5788  | .6389   | .8315       | .1420      | -.5958        |
|   | .168 | -.4544    | -.4801         | -.4852  | -.4970  | .5937   | .6431       | .1341      | -4.922        |
|   | .191 | -.4417    | -.4705         | -.5457  | -.5193  | .5720   | .8845       | .1475      | -4.860        |
|   | .255 | -.4583    | -.5022         | -.5193  | -.5261  | .5896   | .2091       | .1707      |               |
|   | .344 | -.4949    | -.5166         | -.5118  | -.5930  | .5896   | .9147       | .1836      | -5.103        |
|   | .392 | -.667     | 999.9999       | -.5686  | -.5707  | .2208   |             |            |               |
|   | .702 | -.5558    | -.5646         | -.5612  | -.5673  | .6302   | .9341       | .2119      | -5.565        |
|   | .724 | -.5483    | -.5504         | -.5538  | -.6079  | .6733   | .9210       | .2133      | -5.504        |
|   | .744 | -.5924    | -.5016         | -.7784  | -.8910  | .6443   | .9373       | .2348      | 999.9999      |
|   | .755 | -.6735    | -.5896999.9999 | -.6870  | -.7949  | .6335   | .9294       | .2236      | .8023         |
|   | .869 | -.6735    | -.5896999.9999 | -.6579  | -.6960  | .2018   |             |            |               |
|   | .902 | 999.9999  | -.6675         | -.6675  | -.6881  | .1328   |             |            |               |
|   | .923 | -.6791    | -.7558         | -.7558  | -.1785  | .1845   |             |            |               |
|   | .945 | -.6891    |                |         | -.1207  | .2883   |             |            |               |
|   | .982 | -.6377    |                |         | -.7423  |         |             |            |               |

REPRODUCIBILITY OF THE  
ORIGINAL PAGE IS POOR

MACH (4) = 1.195 ALPHA (1) = 99.900 Q1PSF1 = 9.1300 PO = 22.010 P = 9.1400 RNL = 6.7000

## SECTION 1 11SRB

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

|                    | X/L                | Y/L             | Z/L            | DEPENDENT VARIABLE CP |
|--------------------|--------------------|-----------------|----------------|-----------------------|
|                    | .027               | -.4751          | -.4717         | -.4727                |
|                    | .050               | -.4826          | -.4706         | -.4632                |
|                    | .074               | -.4828          | -.4853         | -.4796                |
|                    | .098               | -.4864          | -.4707         | -.5129                |
|                    | .111               | -.4870          | -.4833         | -.4574                |
|                    | .139               | -.4443          | -.4530         | -.4544                |
|                    | .169               | -.4227          | -.4421         | -.4455                |
|                    | .191               | -.4439          | -.4591         | -.4460                |
|                    | .215               | -.4926          | -.4916         | -.4811                |
|                    | .234               | -.4916          | -.4986         | -.4870                |
|                    | .292               | -.4556          | -.4466         | -.4358                |
|                    | .667               | 999.9999        | 999.9999       | 999.9999              |
|                    | .702               | -.4473          | -.4440         | -.4456                |
|                    | .744               | -.4461          | -.4574         | -.4502                |
|                    | .755               | -.4510999.9999  | -.4510999.9999 | -.4521                |
|                    | .809               | -.5311          | -.5363         | -.4988                |
|                    | .923               | 999.9999        | -.5410         | -.5031                |
|                    | .945               | -.5654          | -.5711         | -.4920                |
|                    | .982               | -.5728          | -.5621         | -.4904                |
|                    | .982               | -.3040          |                | -.5519                |
| MACH (1.5) = 1.956 | ALPHA (1) = 99.900 | Q1PSF1 = 9.1300 | PO = 11.000    | P = 10.020            |

## SECTION 1 11SRB

|   | X/L  | Y/L            | Z/L            | DEPENDENT VARIABLE CP |
|---|------|----------------|----------------|-----------------------|
|   | .027 | -.2444         | -.2551         | -.2172                |
|   | .050 | -.2544         | -.2560         | -.1970                |
|   | .074 | -.2409         | -.2544         | -.1811                |
|   | .098 | -.2556         | -.2594         | -.1528                |
|   | .111 | -.2593         | -.2554         | -.2510                |
|   | .139 | -.2500         | -.2509         | -.2471                |
|   | .169 | -.2474         | -.2490         | -.2455                |
|   | .191 | -.2485         | -.2491         | -.2528                |
|   | .215 | -.2530         | -.2589         | -.2497                |
|   | .234 | -.2589         | -.2576         | -.2698                |
|   | .292 | -.667          | 999.9999       | -.2442                |
|   | .702 | -.2478         | -.2447         | -.2463                |
|   | .724 | -.2464         | -.2465         | -.2384                |
|   | .744 | -.2426         | -.2423         | -.2412                |
|   | .755 | -.2419999.9999 | -.2419999.9999 | -.2423                |
| THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 |      |                |                |                       |

(R110101)

(MSFC THT 603 (SA28F) SRB - CLEAN ATTACH AFT RING)

(P = 9.1400 RNL = 6.7000)

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING

1R110101

PAGE 37

MACH ( 5 ) = 1.956 ALPHA ( 1 ) = 99.900

## DEPENDENT VARIABLE CP

SECTION 1 1SRB .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000225.0000270.0000315.0000

| X/L  | .869   | .2597  | -.2585 | -.1473 | .8121  | 1.6196 | .6291  | 1.6291 | .1381  |
|--|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| .902   | .999   | .9999  | -.2595 | -.1629 | .7468  | 1.5803 | 1.5803 | 1.5803 | -.0627 |
| .923   | -.2702 | -.2555 | -.1172 | .7744  | .8241  | 1.5935 | 1.5935 | 1.5935 |        |
| .945   | -.2709 | -.2757 | -.0756 | .8241  | .8654  | 1.6554 | 1.6554 | 1.6554 |        |
| .982   | .0010  |        | -.1466 |        |        |        |        |        |        |
| MACH ( 6 ) = 2.740 ALPHA ( 1 ) = 99.900 QIPSF1 = 6.3700 P0 = 30.030 P = 1.2100 RN/L = 5.0000                 |        |        |        |        |        |        |        |        |        |
| X/L  | .027   | -.0574 | -.0586 | -.0483 | .6155  | 1.2514 | .9371  | .9371  |        |
| .050   | -.0674 | -.0696 | -.0387 | .6501  |        |        |        |        |        |
| .074   | -.0422 | -.0586 | -.1313 | .6552  | .9207  |        |        |        |        |
| .098   | -.0938 | -.0992 | -.0112 | .7162  | .8897  |        |        |        |        |
| .111   | -.0968 | -.0988 | -.1047 | .7229  | 1.7083 | .8163  | .7144  | .7144  | .0192  |
| .139   | -.0980 | -.0968 | -.1053 | .0699  | .9104  | .8667  | .8129  | .8129  | .0668  |
| .168   | -.0985 | -.0574 | -.1083 | .3643  | .9233  | .9233  | .9233  | .9233  | -.0971 |
| .191   | -.0980 | -.0974 | -.1095 | .3746  | .9353  | .9353  | .9353  | .9353  | -.0980 |
| .255   | -.0992 | -.0986 | -.0251 | .3782  | 1.8868 | 1.8868 | 1.8868 | 1.8868 | .0190  |
| .344   | -.1008 | -.1004 | -.1144 | .0263  | 1.2920 | 1.4789 | 1.4789 | 1.4789 | .0220  |
| .392   |        |        |        | .0275  |        |        |        |        | .0208  |
| SECTION 1 1SRB .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000167.5000180.0000225.0000270.0000315.0000 |        |        |        |        |        |        |        |        |        |
| X/L  | .667   | .9399  | .9399  | -.1065 | .0255  | 1.3242 | 1.7119 | 1.7119 | .0269  |
| .702   | -.1065 | -.0756 | -.1114 | .0166  | .3504  | 1.4917 | .7223  | .7223  | .0232  |
| .724   | -.1059 | -.1071 | -.0574 | .0105  | .3272  | 1.3442 | .7629  | .7629  |        |
| .744   | -.1071 | -.1059 | -.1211 | .0190  | .3774  | 1.5062 | .7490  | .7490  | .0390  |
| .755   | -.1071 | .9999  | -.1199 | .0160  | .3457  | 1.4795 | .7265  | .7265  | .0275  |
| .869   | -.1132 | -.1132 | -.1138 | -.0046 | 1.3667 | 1.7223 |        |        |        |
| THE 1A .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000167.5000180.0000225.0000270.0000315.0000         |        |        |        |        |        |        |        |        |        |
| X/L  | .602   | .999   | .9999  | -.1150 | -.0210 | 1.4201 | .7793  | .7793  |        |
| .923   | -.1156 | -.1023 | -.1023 | .0257  | 1.6994 | 1.6994 | 1.6994 | 1.6994 | .0082  |
| .945   | -.1156 | -.1217 | -.1217 | .0416  | 1.7107 | 1.6877 | 1.6877 | 1.6877 | .0530  |
| .982   | .0961  |        |        | .0014  |        |        |        |        |        |

MACH 1 7) = 3.480 ALPHA ( 1 ) = 99.900 Q(PSF) = 6.8600 P0 = 59.980 P = .81000 RN/L = 6.9000

## SECTION 1 11SRB

DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027     | .0058     | -.0146 | -.0001 | .6170  | 1.2556 |
|------|----------|-----------|--------|--------|--------|--------|
| .050 | -.0083   | -.0175    | .0071  | .6379  | 1.2900 |        |
| .074 | .0007    | -.0221    | .0127  | .6497  | 1.3064 |        |
| .098 | -.0089   | -.0239    | -.0262 | .6912  | 1.3368 |        |
| .111 | -.0169   | -.0239    | -.0328 | .6970  | 1.1959 |        |
| .139 | -.0181   | -.0221    | -.0317 | .0274  | .4033  |        |
| .168 | -.0243   | -.0175    | -.0345 | .0425  | .6791  |        |
| .191 | -.0262   | -.0129    | -.0238 | .2536  | .0173  |        |
| .255 | -.0289   | -.0128    | -.0356 | .0513  | .0260  |        |
| .344 | -.0339   | -.0128    | -.0197 | .0557  | .0460  |        |
| .392 | -.017    | 999.01099 | -.0503 | .0619  | .0266  |        |
| .702 | -.0497   | -.0202    | -.0337 | .0644  | .0294  |        |
| .724 | -.0492   | -.0554    | -.0219 | .0646  | .0623  |        |
| .744 | -.0520   | -.0542    | -.0582 | .0657  | .0623  |        |
| .755 | -.0531   | 999.9999  | -.0570 | .0623  | .0623  |        |
| .869 | -.0503   | -.0497    | -.0497 | .0409  | .0646  |        |
| .902 | 999.9999 | -.0508    | -.0508 | .0257  | .0646  |        |
| .923 | -.0525   | -.0418    | -.0418 | .0618  | .0646  |        |
| .945 | -.0514   | -.0542    | -.0542 | .0669  | .0646  |        |
| .982 | .0815    |           |        | .0330  | .0646  |        |

MACH 1 8) = 4.450 ALPHA ( 1 ) = 99.900 Q(PSF) = 4.0800 P0 = 80.020 P = .29000 RN/L = 5.8000

## SECTION 1 11SRB

DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027          | .0701    | .0539 | .0567 | .5837  | 1.1823 |
|------|---------------|----------|-------|-------|--------|--------|
| .050 | .0605         | .0501    | .0605 | .6351 | 1.2781 |        |
| .074 | .0653         | .0454    | .0605 | .6427 | .2959  |        |
| .098 | .0567         | .0406    | .0653 | .6787 | .3111  |        |
| .111 | .0511         | .0454    | .0303 | .1023 | .6832  |        |
| .139 | .0492         | .0501    | .0292 | .2711 | .1802  |        |
| .168 | .0435         | .0539    | .0435 | .3677 | .8822  |        |
| .191 | .0578         | .0567    | .0264 | .1050 | .4272  |        |
| .255 | .0378         | .0264    | .0473 | .1070 | .3913  |        |
| .344 | .0302         | .0548    | .0482 | .1089 | .9290  |        |
| .392 | .657          | 999.9999 | .0065 | .1079 | .3973  |        |
| .702 | .0056         | .0397    | .0292 | .0985 | .9129  |        |
| .724 | .0074         | .0000    | .0379 | .0927 | .5019  |        |
| .744 | .0018         | .0008    | .0036 | .0872 | .3525  |        |
| .755 | .0008999.9999 |          | .0046 | .1031 | .4150  |        |

DATE 07 MAR 77

TABULATED SOURCE DATA. MSFC TWT 603 (SA28F)

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING

PAGE 39

(R11010)

| MACH ( 1.8 ) | 4.450                                | ALPHA ( 1 )                                  | 99.900                                    | SECTION ( 1 )SRB                          | DEPENDENT VARIABLE CP  |
|--------------|--------------------------------------|--|---|---|--|
| THETA        | .0000                                | 22.5000                                      | 45.0000                                   | 67.5000                                   | 90.0000112.50000135.00000157.50000180.00000225.00000270.00000315.00000 |
| X/L          | .869<br>.902<br>.923<br>.945<br>.982 | .0055<br>999.9999<br>.0112<br>.0103<br>.1031 | .0074<br>.0017<br>.0178<br>.0131<br>.1031 | .0757<br>.0624<br>.1127<br>.0909<br>.0681 | .8721<br>.6991<br>.8174<br>.7754<br>.7083                              |

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING

## REFERENCE DATA

| SREF  | 116.2600 SQ.FT. | XHPP | 1044.0000 IN. | RN-SCH | 1.000 | PHI | .000 |
|-------|-----------------|------|---------------|--------|-------|-----|------|
| LREF  | 146.0000 IN.    | YHPP | .0000 IN.     |        |       |     |      |
| BREF  | 146.0000 IN.    | ZHPP | .0000 IN.     |        |       |     |      |
| SCALE | .0095           |      |               |        |       |     |      |

MACH ( 1 ) = .395 ALPHA ( 1 ) = 110.000 Q(PSF) = 1.7700 PO = 18.010 P = 16.170 RN/L = 3.0000

## SECTION ( 1 )SRB

## DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  |                |          |          |          |          |         |           |
|------|----------------|----------|----------|----------|----------|---------|-----------|
| .027 | -.4029         | -.4226   | -.3912   | -.4072   | .3832    |         |           |
| .050 | -.4741         | -.4736   | -.4180   | -.4244   | .3892    |         |           |
| .074 | -.4865         | -.6436   | -.7214   | -.5377   | .4898    |         |           |
| .098 | -.3705         | -.4445   | -.9387   | -.5236   | .5385    |         |           |
| .111 | -.3683         | -.3993   | -.6279   | -.1527   | .2419    | .5526   | .4053     |
| .139 | -.3256         | -.3564   | -.3903   | -.8632   | -.0943   | .3532   | .3570     |
| .168 | -.3920         | -.3967   | -.4162   | -.6913   | -.9286   | .5421   | .4275     |
| .191 | -.4389         | -.4512   | -.4414   | -.4872   | -.3057   | .5969   | .1935     |
| .255 | -.5405         | -.5462   | -.4765   | -.5249   | -.5553   | .6092   | .4637     |
| .344 | -.4180         | -.5861   | -.7799   | -.9082   | -.4604   | .6401   | .2005     |
| .392 | -.667          | 999.9999 | -.4726   | -.1942   | -.2913   | .6401   | 1.2119    |
| .702 | -.5257         | -.5816   | -.8352   | -.2299   | -.2402   | .5968   | .4811     |
| .724 | -.5116         | -.5229   | -.5063   | -.3744   | -.3829   | .1.0356 | .5583     |
| .744 | -.5122         | -.547    | -.5547   | -.6414   | -.9116   | .6544   | .999.9999 |
| .755 | -.5349999.9999 | -.9383   | -.5512   | -.6057   | -.7086   | .6150   | .6474     |
| .869 | -.902          | 999.9999 | -.6227   | -.1.7104 | -.5660   | .1.022  | .6340     |
| .923 | -.7417         | -.6330   | -.1.2083 | -.4759   | -.6235   | .1.272  |           |
| .945 | -.4839         | -.6142   | -.2160   | -.2128   | -.1.3648 | .8560   |           |
| .982 | -.4618         |          |          |          |          | .1.0655 |           |

MACH ( 2 ) = .599 ALPHA ( 1 ) = 110.000 Q(PSF) = 3.5500 PO = 18.010 P = 14.140 RN/L = 4.1000

## SECTION ( 1 )SRB

## DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  |        |        |        |         |        |       |       |
|------|--------|--------|--------|---------|--------|-------|-------|
| .027 | -.4663 | -.4776 | -.4565 | -.4846  | .3249  |       |       |
| .050 | -.5902 | -.5656 | -.6428 | -.5697  | .3757  |       |       |
| .074 | -.5184 | -.5001 | -.9216 | -.5973  | .4264  |       |       |
| .098 | -.3806 | -.4536 | -.7651 | -.5044  | .4829  |       |       |
| .111 | -.3565 | -.4211 | -.5522 | -.0366  | .2257  | .4785 | .4058 |
| .139 | -.3420 | -.3931 | -.4861 | -.6802  | -.0157 | .5503 | .4296 |
| .168 | -.4212 | -.3886 | -.4705 | -.4748  | -.7536 | .2290 | .4591 |
| .191 | -.5129 | -.4536 | -.4070 | -.4394  | -.4524 | .6263 | .5214 |
| .255 | -.5100 | -.5578 | -.6297 | -.1.971 | -.9827 |       |       |

PARAMETRIC DATA

(R11011) ( 22 AUG 75 )

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING

PAGE 41

(R11011)

| MACH | 1.21      | .599   | ALPHA (11) | 110.000 | SECTION (1)SRB | DEPENDENT VARIABLE CP   |
|------|-----------|--------|------------|---------|----------------|---|
| META | .0000     | .22    | .5000      | .45     | .0000          | 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 |
| X/L  |           |        |            |         |                |   |
| .344 | -.4776    | -.5649 |            | -.6381  | -1.0693        | -.7845  |
| .392 |           |        |            |         | -.9718         |   |
| .667 | .999      | .9999  |            | .9253   | -.9519         |   |
| .702 | -.4634    | -.5409 |            | -.7027  | -1.3177        | -1.3511   |
| .724 | -.4959    | -.5075 |            | -.7705  | -1.3502        | -1.4073   |
| .744 | -.5456    | -.5920 |            | -.6629  | -.6824         | -.9616  |
| .755 | -.5459999 | .99999 |            | -.6357  | -.6476         | -.7401  |
| .869 | -.7304    |        |            | -.9517  | -1.1000        | -.3319  |
| .902 | .999      | .9999  |            | -.7747  | -1.4055        |   |
| .923 | -.7691    |        |            | -.7360  | -.9831         | -.2776  |
| .945 | -.6230    |        |            | -.7354  | -1.0058        | -.0737  |
| .982 | -.5426    |        |            |         | -1.3225        |   |
|      |           |        |            |         |                | 1.1077  |

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH ATT RING  
1R110121 1 22 AUG 75 1

## REFERENCE DATA

|       |          |        |       |               |
|-------|----------|--------|-------|---------------|
| SREF  | 116.2800 | SO.FT. | XHARF | 1044.0000 IN. |
| LHFT  | 145.0000 | IN.    | YHARF | 0000 IN.      |
| BPLF  | 146.0000 | IN.    | ZHARF | .0000 IN.     |
| SCALE | .0055    |        |       |               |

MACH 1 11 = .398 ALPHA ( 1 ) = 110.000 Q1PSF1 = 3.1800 PO = 32.010 P = 29.700 RN/L = 5.3000

SECTION 1 11SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | -5048    | .5092  | -5992   | .6153   | .3648  |
|------|----------|--------|---------|---------|--------|
| .027 | -.5046   | -.5893 | -.9912  | -.7810  | .3963  |
| .050 | -.5406   | -.5599 | -.1467  | -.8029  | .4293  |
| .074 | -.5017   | -.4276 | -.4656  | -.6955  |        |
| .098 | -.4356   | -.4020 | -.4749  | -.5227  | -.4820 |
| .121 | -.4223   | -.4162 | -.4449  | -.6159  | -.6513 |
| .139 | -.4229   | -.4369 | -.4162  | -.4846  | -.5930 |
| .168 | -.4448   | -.4511 | -.4657  | -.5741  | -.4262 |
| .191 | -.4591   | -.4573 | -.6442  | -.6835  | -.4433 |
| .205 | -.5426   | -.5517 | -.6573  | -.6077  | -.5516 |
| .344 | -.5704   | -.5517 | -.6742  | -.4406  | -.8270 |
| .392 | -.6799   | -.9999 | -.6124  | -.1015  | -.5064 |
| .702 | -.4148   | -.4498 | -.9653  | -.2063  | -.6772 |
| .724 | -.5300   | -.5098 | -.8541  | -.14530 | -.5516 |
| .744 | -.5903   | -.5590 | -.6580  | -.8729  | -.8906 |
| .755 | -.674999 | -.9999 | -.6499  | -.903   | -.8470 |
| .669 | -.4336   | -.6009 | -.24281 | -.14281 | -.6773 |
| .902 | -.999    | -.9999 | -.5363  | -.4140  | -.6147 |
| .923 | -.5877   | -.5877 | -.5663  | -.5233  | -.5237 |
| .945 | -.5340   | -.5340 | -.5903  | -.4973  | -.5251 |
| .982 | -.4553   | -.4553 | -.5950  | -.4550  | -.5255 |

MACH 1 21 = .599 ALPHA ( 1 ) = 110.000 Q1PSF1 = 7.4800 PO = 37.990 P = 29.820 RN/L = 8.8000

SECTION 1 11SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | -5174  | -5354  | -7238  | -7880  | .2814  |
|------|--------|--------|--------|--------|--------|
| .027 | -.5174 | -.5354 | -.7238 | -.7880 | .2814  |
| .050 | -.5070 | -.5181 | -.5252 | -.7990 | .3343  |
| .074 | -.5134 | -.4977 | -.2355 | -.7259 | .3917  |
| .098 | -.4850 | -.4323 | -.1607 | -.6024 | .4227  |
| .111 | -.4802 | -.4584 | -.4205 | -.3977 | -.4851 |
| .139 | -.4260 | -.4467 | -.4297 | -.1517 | -.5933 |
| .168 | -.4635 | -.5007 | -.5975 | -.7142 | -.5050 |
| .191 | -.4938 | -.5346 | -.5308 | -.5608 | -.5622 |
| .255 | -.5335 | -.6359 | -.1546 | -.8043 | -.8965 |

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | -5174  | -5354  | -7238  | -7880  | .2814  |
|------|--------|--------|--------|--------|--------|
| .027 | -.5174 | -.5354 | -.7238 | -.7880 | .2814  |
| .050 | -.5070 | -.5181 | -.5252 | -.7990 | .3343  |
| .074 | -.5134 | -.4977 | -.2355 | -.7259 | .3917  |
| .098 | -.4850 | -.4323 | -.1607 | -.6024 | .4227  |
| .111 | -.4802 | -.4584 | -.4205 | -.3977 | -.4851 |
| .139 | -.4260 | -.4467 | -.4297 | -.1517 | -.5933 |
| .168 | -.4635 | -.5007 | -.5975 | -.7142 | -.5050 |
| .191 | -.4938 | -.5346 | -.5308 | -.5608 | -.5622 |
| .255 | -.5335 | -.6359 | -.1546 | -.8043 | -.8965 |

DATE 07 MAR 77

## TABULATED SOURCE DATA. MSC TWT 603 (SA28F)

PAGE 43

MSC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING

(R11012)

MACH ( 2 ) = .599 ALPHA ( 1 ) = 110.000

SECTION ( 1 ) SRB

THTA

.0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000  
DEPENDENT VARIABLE CP

| X/L   | .344  | -.5887         | -.6620 | -.6732  | -.6828  | -1.0503 | .5981  | .9572   | -.7383   |
|---|---|----------------|--------|---------|---------|---------|--------|---------|----------|
|   | .392  | 999.9999       | -.9821 | -1.0825 | -1.6399 | -.3726  | .6091  | .9805   | -.5345   |
|   | .667  | 999.9999       | -.5348 | -.7631  | -.4690  | -.4939  | .5069  | .9909   | -.9243   |
|   | .702  | -.5514         | -.5417 | -.6320  | -.6443  | -.5426  | .6582  | 1.0329  | -.7393   |
|   | .724  | -.6089         | -.5427 | -.6034  | -.6348  | -.0217  | .6235  | 1.0088  | -.9254   |
|   | .744  | -.5700         | -.5427 | -.8879  | -.8485  | -.3934  | .6074  | 1.0349  |          |
|   | .755  | -.5952999.9999 | -.7416 | -.6742  | -.4264  | -.4668  | .6191  | 1.0912  |          |
|   | .859  | 999.9999       | -.6726 | -.7512  | -.9389  | -.3455  | .9750  | -2.1210 |          |
|   | .902  | 999.9999       | -.7416 | -.7416  | -.4089  | -.1225  | .9761  | -1.5946 |          |
|   | .923  | -.7526         |        |         |         |         | .0783  |         |          |
|   | .945  | -.5460         |        |         |         |         |        |         |          |
|   | .982  | -.4688         |        |         |         |         |        |         |          |
| MACH ( 3 ) = .898 ALPHA ( 1 ) = 110.000 OIPSF 1 = 7.3600 P0 = 21.990 P = 13.030 RN/L = 6.3000 |   |                |        |         |         |         |        |         |          |
| SECTION ( 1 ) SRB   |   |                |        |         |         |         |        |         |          |
| THTA  | .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 |                |        |         |         |         |        |         |          |
|   |   |                |        |         |         |         |        |         |          |
| X/L   | .027  | -.4009         | -.3781 | -.3823  | -.3823  | -.3994  | .3195  |         |          |
|   | .050  | -.4164         | -.4125 | -.4662  | -.4662  | -.3567  | .4037  |         |          |
|   | .074  | -.3404         | -.3473 | -.6225  | -.3545  | -.3048  | .4727  |         |          |
|   | .098  | -.3314         | -.3570 | -.3823  | -.4042  | -.2025  | .5312  |         |          |
|   | .111  | -.3252         | -.3542 | -.3652  | -.3823  | -.4476  | .5495  | -.2070  | -.3570   |
|   | .139  | -.3339         | -.3576 | -.3681  | -.4316  | -.7078  | .6852  | .9309   | -.3476   |
|   | .168  | -.3611         | -.3685 | -.3866  | -.4050  | -.4357  | .6731  | .9881   | -.3495   |
|   | .191  | -.3726         | -.3808 | -.3821  | -.4092  | -.4463  | .7523  | .0087   | -.3582   |
|   | .255  | -.4027         | -.4141 | -.4141  | -.4150  | -.4235  | .1262  | .0403   | -.3580   |
|   | .344  | -.4106         | -.4130 | -.4130  | -.4235  | -.5218  | .8058  | .0631   | -.4355   |
|   | .392  | 999.9999       | -.5496 | -.5639  | -.5761  | -.4775  | .1420  | .0755   | -.5361   |
|   | .667  | 999.9999       | -.5687 | -.5639  | -.5768  | -.6064  | .8498  | .1134   | -.5347   |
|   | .702  | -.5571         | -.5775 | -.5612  | -.6127  | -.7725  | .7016  | .1189   | -.5665   |
|   | .724  | -.5714         | -.5775 | -.7364  | -.8814  | -.6386  | .8892  | .1874   | 999.9999 |
|   | .744  | -.5870         | -.6067 | -.7351  | -.7351  | -.6569  | .8536  | .1650   | .7161    |
|   | .755  | -.6089999.9999 | -.7628 | -.7628  | -.7722  | -.7722  | .1480  | .1409   | -.6868   |
|   | .869  | -.7616         |        |         |         |         |        |         |          |
|   | .902  | 999.9999       | -.7505 | -.7505  | -.7772  | -.7772  | .0962  | .2239   |          |
|   | .923  | -.7757         | -.7658 | -.7658  | -.9257  | -.9257  | .1658  | .1321   | -1.1879  |
|   | .945  | -.8411         | -.7555 | -.7555  | -.9813  | -.9813  | .2835  | .1399   | -1.0041  |
|   | .982  | -.5843         |        |         |         |         | .10715 | .2167   |          |

| MACH    | 1     | 4              | 1                     | 1.198          | ALPHA          | ( 1 )          | -              | 110.000        | Q1PSI          | 1              | 9.1400         | PO             | -              | 22.000         | P              | -              | 9.1000         | RNL            | -              | 6.7000         |
|---------|-------|----------------|-----------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| SECTION | ( 1 ) | SRB            | DEPENDENT VARIABLE CP |                |                |                |                |                |                |                |                |                |                |                |                | (R11012)       |                |                |                |                |
| THEIA   | .0000 | 22.5000        | 45.0000               | 67.5000        | 90.0000        | 112.5000       | 135.0000       | 157.5000       | 180.0000       | 225.0000       | 270.0000       | 315.0000       |                |                |                |                |                |                |                |                |
| X/L     | .027  | -.4808         | -.4762                | -.4719         | -.4676         | -.4634         | -.4594         | -.4552         | -.4512         | -.4472         | -.4432         | -.4392         | -.4352         | -.4312         | -.4272         | -.4232         | -.4192         | -.4152         | -.4112         |                |
|         | .050  | -.4761         | -.5270                | -.4756         | -.4878         | -.5111         | -.5162         | -.5152         | -.5152         | -.5152         | -.5152         | -.5152         | -.5152         | -.5152         | -.5152         | -.5152         | -.5152         | -.5152         | -.5152         |                |
|         | .074  | -.4720         | -.4756                | -.4947         | -.4947         | -.4947         | -.4947         | -.4947         | -.4947         | -.4947         | -.4947         | -.4947         | -.4947         | -.4947         | -.4947         | -.4947         | -.4947         | -.4947         | -.4947         |                |
|         | .098  | -.4865         | -.5025                | -.5043         | -.5027         | -.5111         | -.5162         | -.5152         | -.5152         | -.5152         | -.5152         | -.5152         | -.5152         | -.5152         | -.5152         | -.5152         | -.5152         | -.5152         | -.5152         |                |
|         | .111  | -.5025         | -.5276                | -.5249         | -.5227         | -.5111         | -.5162         | -.5152         | -.5152         | -.5152         | -.5152         | -.5152         | -.5152         | -.5152         | -.5152         | -.5152         | -.5152         | -.5152         | -.5152         |                |
|         | .139  | -.5369         | -.5451                | -.5426         | -.5441         | -.5385         | -.5380         | -.5380         | -.5380         | -.5380         | -.5380         | -.5380         | -.5380         | -.5380         | -.5380         | -.5380         | -.5380         | -.5380         | -.5380         | -.5380         |
|         | .168  | -.5426         | -.5462                | -.5441         | -.5420         | -.5420         | -.5632         | -.5632         | -.5632         | -.5632         | -.5632         | -.5632         | -.5632         | -.5632         | -.5632         | -.5632         | -.5632         | -.5632         | -.5632         | -.5632         |
|         | .191  | -.5580         | -.5580                | -.5577         | -.5577         | -.6137         | -.6137         | -.6137         | -.6137         | -.6137         | -.6137         | -.6137         | -.6137         | -.6137         | -.6137         | -.6137         | -.6137         | -.6137         | -.6137         | -.6137         |
|         | .344  | -.5580         | -.5580                | -.5577         | -.5577         | -.5577         | -.5577         | -.5577         | -.5577         | -.5577         | -.5577         | -.5577         | -.5577         | -.5577         | -.5577         | -.5577         | -.5577         | -.5577         | -.5577         | -.5577         |
|         | .392  | -.5577         | -.5577                | -.5577         | -.5577         | -.5577         | -.5577         | -.5577         | -.5577         | -.5577         | -.5577         | -.5577         | -.5577         | -.5577         | -.5577         | -.5577         | -.5577         | -.5577         | -.5577         | -.5577         |
|         | .667  | 999.9999       | 999.9999              | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       |
|         | .702  | -.4722         | -.4715                | -.4715         | -.4715         | -.4695         | -.4695         | -.4695         | -.4695         | -.4695         | -.4695         | -.4695         | -.4695         | -.4695         | -.4695         | -.4695         | -.4695         | -.4695         | -.4695         | -.4695         |
|         | .724  | -.4955         | -.4883                | -.4883         | -.4883         | -.4835         | -.4835         | -.4835         | -.4835         | -.4835         | -.4835         | -.4835         | -.4835         | -.4835         | -.4835         | -.4835         | -.4835         | -.4835         | -.4835         | -.4835         |
|         | .744  | -.4838         | -.4967                | -.4967         | -.4967         | -.5617         | -.5617         | -.5617         | -.5617         | -.5617         | -.5617         | -.5617         | -.5617         | -.5617         | -.5617         | -.5617         | -.5617         | -.5617         | -.5617         | -.5617         |
|         | .755  | -.4916999.9999 | -.5703                | -.5703         | -.5557         | -.5736         | -.5736         | -.5736         | -.5736         | -.5736         | -.5736         | -.5736         | -.5736         | -.5736         | -.5736         | -.5736         | -.5736         | -.5736         | -.5736         | -.5736         |
|         | .869  | -.502          | 999.9999              | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       |
|         | .923  | -.5858         | -.5714                | -.5714         | -.5714         | -.5276         | -.5276         | -.5276         | -.5276         | -.5276         | -.5276         | -.5276         | -.5276         | -.5276         | -.5276         | -.5276         | -.5276         | -.5276         | -.5276         | -.5276         |
|         | .945  | -.5577         | -.5937                | -.5937         | -.5937         | -.4677         | -.4677         | -.4677         | -.4677         | -.4677         | -.4677         | -.4677         | -.4677         | -.4677         | -.4677         | -.4677         | -.4677         | -.4677         | -.4677         | -.4677         |
|         | .982  | -.2831         | -.2831                | -.2831         | -.2831         | -.5293         | -.5293         | -.5293         | -.5293         | -.5293         | -.5293         | -.5293         | -.5293         | -.5293         | -.5293         | -.5293         | -.5293         | -.5293         | -.5293         | -.5293         |
| MACH    | 1     | 5              | 1                     | 1.967          | ALPHA          | ( 1 )          | -              | 110.000        | Q1PSI          | 1              | 9.1100         | PO             | -              | 10.930         | P              | -              | 30.010         | P              | -              | 4.0400         |
| SECTION | ( 1 ) | SRB            | DEPENDENT VARIABLE CP |                |                |                |                |                |                |                |                |                |                |                |                | (R11012)       |                |                |                |                |
| THEIA   | .0000 | 22.5000        | 45.0000               | 67.5000        | 90.0000        | 112.5000       | 135.0000       | 157.5000       | 180.0000       | 225.0000       | 270.0000       | 315.0000       |                |                |                |                |                |                |                |                |
| X/L     | .027  | -.2515         | -.2525                | -.2531         | -.2531         | -.2549         | -.2551         | -.2551         | -.2551         | -.2551         | -.2551         | -.2551         | -.2551         | -.2551         | -.2551         | -.2551         | -.2551         | -.2551         | -.2551         | -.2551         |
|         | .050  | -.2546         | -.2536                | -.2536         | -.2536         | -.2536         | -.2536         | -.2536         | -.2536         | -.2536         | -.2536         | -.2536         | -.2536         | -.2536         | -.2536         | -.2536         | -.2536         | -.2536         | -.2536         | -.2536         |
|         | .074  | -.2536         | -.2578                | -.2578         | -.2578         | -.2578         | -.2578         | -.2578         | -.2578         | -.2578         | -.2578         | -.2578         | -.2578         | -.2578         | -.2578         | -.2578         | -.2578         | -.2578         | -.2578         | -.2578         |
|         | .098  | -.2578         | -.2504                | -.2538         | -.2538         | -.2538         | -.2538         | -.2538         | -.2538         | -.2538         | -.2538         | -.2538         | -.2538         | -.2538         | -.2538         | -.2538         | -.2538         | -.2538         | -.2538         | -.2538         |
|         | .111  | -.2504         | -.2519                | -.2524         | -.2524         | -.2524         | -.2524         | -.2524         | -.2524         | -.2524         | -.2524         | -.2524         | -.2524         | -.2524         | -.2524         | -.2524         | -.2524         | -.2524         | -.2524         | -.2524         |
|         | .139  | -.2519         | -.2531                | -.2531         | -.2531         | -.2531         | -.2531         | -.2531         | -.2531         | -.2531         | -.2531         | -.2531         | -.2531         | -.2531         | -.2531         | -.2531         | -.2531         | -.2531         | -.2531         | -.2531         |
|         | .168  | -.2531         | -.2531                | -.2547         | -.2547         | -.2547         | -.2547         | -.2547         | -.2547         | -.2547         | -.2547         | -.2547         | -.2547         | -.2547         | -.2547         | -.2547         | -.2547         | -.2547         | -.2547         | -.2547         |
|         | .191  | -.2556         | -.2638                | -.2623         | -.2623         | -.2623         | -.2623         | -.2623         | -.2623         | -.2623         | -.2623         | -.2623         | -.2623         | -.2623         | -.2623         | -.2623         | -.2623         | -.2623         | -.2623         | -.2623         |
|         | .255  | -.2638         | -.2712                | -.2691         | -.2691         | -.2812         | -.2812         | -.2812         | -.2812         | -.2812         | -.2812         | -.2812         | -.2812         | -.2812         | -.2812         | -.2812         | -.2812         | -.2812         | -.2812         | -.2812         |
|         | .344  | -.2712         | -.392                 | -.2400         | -.2426         | -.2426         | -.2426         | -.2426         | -.2426         | -.2426         | -.2426         | -.2426         | -.2426         | -.2426         | -.2426         | -.2426         | -.2426         | -.2426         | -.2426         | -.2426         |
|         | .667  | 999.9999       | 999.9999              | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999       |
|         | .702  | -.2425         | -.2444                | -.2444         | -.2444         | -.2394         | -.2394         | -.2394         | -.2394         | -.2394         | -.2394         | -.2394         | -.2394         | -.2394         | -.2394         | -.2394         | -.2394         | -.2394         | -.2394         | -.2394         |
|         | .724  | -.2444         | -.2458                | -.2360         | -.2382         | -.2382         | -.2382         | -.2382         | -.2382         | -.2382         | -.2382         | -.2382         | -.2382         | -.2382         | -.2382         | -.2382         | -.2382         | -.2382         | -.2382         | -.2382         |
|         | .744  | -.2458         | -.2360                | -.2360         | -.2360         | -.2360         | -.2360         | -.2360         | -.2360         | -.2360         | -.2360         | -.2360         | -.2360         | -.2360         | -.2360         | -.2360         | -.2360         | -.2360         | -.2360         | -.2360         |
|         | .755  | -.2360         | -.2376999.9999        | -.2376999.9999 | -.2376999.9999 | -.2376999.9999 | -.2376999.9999 | -.2376999.9999 | -.2376999.9999 | -.2376999.9999 | -.2376999.9999 | -.2376999.9999 | -.2376999.9999 | -.2376999.9999 | -.2376999.9999 | -.2376999.9999 | -.2376999.9999 | -.2376999.9999 | -.2376999.9999 | -.2376999.9999 |

REPRODUCIBILITY OF THE  
ORIGINAL PAGE IS POOR

DATE 07 MAR 77

## TABULATED SOURCE DATA. MSFC TWI 603 (SA2BF)

MSFC 1WT 603 (SA2BF) SRB - CLEAN ATTACH ART RING

(R11012)

PAGE 45

MACH ( 5 ) = 1.967 ALPHA ( 1 ) = 110.000

## SECTION 1 11SRB

DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .869     | -.2684 | -2522  | -.1650 | .7325 | .4886 |
|------|----------|--------|--------|--------|-------|-------|
| .902 | 999.9999 | -.2638 | -.1707 | .5140  | .4384 | .4384 |
| .923 | -.2712   | -.2564 | -.1113 | .7261  | .4732 | .1280 |
| .945 | -.2715   | -.2930 | -.1024 | .7484  | .4176 | .0727 |
| .982 | .0206    |        | -.0851 |        | .6291 |       |

MACH ( 6 ) = 2.740 ALPHA ( 1 ) = 110.000 Q(PSF) = 6.3700 P0 = 30.000 P = 1.2100 RPL = 5.0000

## SECTION 1 11SRB

DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027       | -.0742 | -.0868 | -.0810 | .4017 | .8825     |
|------|------------|--------|--------|--------|-------|-----------|
| .050 | -.0826     | -.0887 | -.0744 | .4394  | .9350 |           |
| .074 | -.0726     | -.0911 | -.0652 | .4716  | .9781 |           |
| .098 | -.0826     | -.0932 | -.0852 | .4163  | .9280 |           |
| .111 | -.0868     | -.0926 | -.0968 | .2002  | .5267 | .0420     |
| .139 | -.0899     | -.0911 | -.0905 | .3194  | .8208 | .1314     |
| .168 | -.0941     | -.0911 | -.1010 | .0013  | .5172 | .8212     |
| .191 | -.0950     | -.0862 | -.0966 | .0067  | .5372 | .0014     |
| .254 | -.0974     | -.1016 | -.0947 | .3279  | .8405 | .0082     |
| .344 | -.1029     | -.0887 | -.0947 | .3304  | .3305 | .0099     |
| .392 | 999.9999   | -.1046 | -.0093 | .3305  | .3305 | .0119     |
| .667 | 999.9999   | -.1046 | -.0034 | .8354  | .5353 | .0125     |
| .702 | -.1058     | -.0906 | -.0984 | .3206  | .5927 | .0107     |
| .724 | -.1064     | -.1065 | -.0881 | .0027  | .3924 | .0129     |
| .744 | -.1022     | -.1046 | -.1156 | .0427  | .2335 | .999.9999 |
| .755 | -.10529999 | 9999   | -.1174 | .0327  | .4109 | .0327     |
| .869 | -.1143     | -.1144 | -.1174 | .0161  | .3357 | .4934     |
| .902 | 999.9999   | -.1156 | -.0245 | .8135  | .6367 | .0579     |
| .923 | -.1174     | -.1058 | -.0342 | .5706  | .6109 | .0131     |
| .945 | -.1174     | -.1192 | -.0135 | .7915  | .4612 | .0295     |
| .982 | .1495      |        | .0135  | .7623  | .7524 |           |



DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING

(R11012)

MACH ( B1 ) = 4.450

ALPHA ( ) = 110.000

SECTION 115RB

DEPENDENT VARIABLE CP

THEIA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .869 | .0018 | .0008 | .0595 | .7839 | .1.5925 |
|-----|------|-------|-------|-------|-------|---------|
|     | .902 | .9999 | .0018 | .044  | .4502 | .8484   |
|     | .923 | .0074 | .0122 | .0985 | .7839 | .6746   |
|     | .945 | .0065 | .0208 | .0700 | .2821 | .0615   |
|     | .982 | .2009 |       | .1060 | .6239 | .0729   |
|     |      |       |       |       | .6476 |         |

PAGE 47



DATE 07 MAR 77

TABULATED SOURCE DATA, LSPC 111-111-15A28F1

PAGE 49

MSFC TWT 603 15A28F1 SRB - CLEAN ATTACH AFT RING

PAGE ( 22 AUG 73 )

## REFERENCE DATA

| SPEL  | 116.2600 SQ. FT. | XMPF | 1044.0000 IN. | YMPF | 0000 IN. | ZMPF | 0000 IN. |
|-------|------------------|------|---------------|------|----------|------|----------|
| LRF   | 146.0000 IN.     |      |               |      |          |      |          |
| HPT   | 146.0000 IN.     |      |               |      |          |      |          |
| SCALE | .0055            |      |               |      |          |      |          |

MACH ( 1 ) = .398 ALPHA ( 1 ) = 119.900 QPSF1 = 3.1900 PO = 32.010 P = 28.630 RFL = 5.3000

SECTION 1 115SRB DEPENDENT VARIABLE CP

TWTIA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .027  | -.3112         | -.3300         | -.6955 | -.7167 | .1980     |
|-----|---|----------------|----------------|--------|--------|-----------|
|     | .050  | -.2745         | -.2584         | -.8587 | -.7946 | .2080     |
|     | .071  | -.2924         | -.2842         | -.7802 | -.7897 | .2200     |
|     | .098  | -.3042         | -.2859         | -.0869 | -.7402 | .2432     |
|     | .111  | -.3253         | -.3315         | -.3206 | -.3387 | .0753     |
|     | .139  | -.3215         | -.3517         | -.4117 | -.4825 | .2111     |
|     | .168  | -.3439         | -.3845         | -.3929 | -.5639 | .7764     |
|     | .191  | -.3787         | -.4147         | -.5674 | -.6395 | .3143     |
|     | .215  | -.4367         | -.4539         | -.4539 | -.5143 | .4593     |
|     | .344  | -.3943         | -.4883         | -.7646 | -.5829 | .4027     |
|     | .352  | -.4504         | -.4504         | -.4504 | -.5489 | .3786     |
|     | .667  | 999.9999       | -.4103         | -.4103 | -.5904 | .4027     |
|     | .702  | -.5224         | -.4665         | -.6473 | -.6462 | .3032     |
|     | .724  | -.5300         | -.5402         | -.7787 | -.8026 | .4223     |
|     | .744  | -.4983         | -.5145         | -.8675 | -.6505 | .8312     |
|     | .755  | -.5681999.9999 | -.5681999.9999 | -.8904 | -.5501 | .8872     |
|     | .817  | -.3144         | -.3144         | -.5474 | -.5216 | .999.9999 |
|     | .902  | 939.9399       | -.5474         | -.5474 | -.5897 | .9016     |
|     | .923  | -.5481         | -.7120         | -.4405 | -.4203 | .1041     |
|     | .945  | -.5852         | -.8619         | -.4203 | -.2969 | .1869     |
|     | .982  | -.3706         | -.2430         | -.2430 | -.2430 | .0263     |
|     | MACH ( 2 ) = .601 ALPHA ( 1 ) = 119.900 QPSF1 = 7.5200 PO = 37.990 P = 29.760 RFL = 8.9000          |                |                |        |        |           |
|     | SECTION 1 115SRB DEPENDENT VARIABLE CP  |                |                |        |        |           |
|     | TWTIA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 |                |                |        |        |           |

| X/L | .027 | -.2492 | -.2521 | -.3925 | -.6012 | .1457 |
|-----|------|--------|--------|--------|--------|-------|
|     | .050 | -.2796 | -.2772 | -.3506 | -.6972 | .1797 |
|     | .074 | -.3017 | -.3054 | -.3406 | -.7184 | .2103 |
|     | .098 | -.3221 | -.3245 | -.5261 | -.6660 | .2263 |
|     | .111 | -.3365 | -.3405 | -.3367 | -.7141 | .0635 |
|     | .139 | -.3507 | -.3617 | -.3587 | -.7883 | .1959 |
|     | .168 | -.3830 | -.3839 | -.3701 | -.9133 | .7100 |
|     | .191 | -.4091 | -.4136 | -.4322 | -.4034 | .8913 |
|     | .255 | -.4821 | -.5736 | -.4079 | -.2636 | .3287 |

C V

MSFC TWT 603 (SA2BF) SRB - CLEAN ATTACH AFT RING  
(R11014)

MACH 1 21 • .601 ALPHA ( 1 ) • 119.900

SECTION 1 11SRB DEPENDENT VARIABLE CP

1-E1A .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | 344  | -5108        | -5666        | -5764   | -1.4801 | .4636  | .7930   | -1.9299  |
|-----|------|--------------|--------------|---------|---------|--------|---------|----------|
|     | .392 | 999.9999     | -4875        | -1.4112 | -1.403  | .4348  | .7911   | -1.9330  |
|     | .667 | 999.9999     | -5281        | -1.6094 | -1.3998 | .5029  | .8477   | -1.8265  |
|     | .702 | -4923        | -5834        | -1.7219 | -1.5070 | .0500  | .7927   | 999.9999 |
|     | .724 | -6101        | -6098        | -1.7425 | -1.0074 | .3651  | .9357   | -1.0501  |
|     | .744 | -5376        | -613999.9999 | -1.7947 | -1.2058 | .4086  | .8723   | -1.2447  |
|     | .755 | -613999.9999 | -6006        | -2.0010 | -1.4010 | .4159  | .8481   |          |
|     | .869 | -8000        | -6520        | -1.8035 | -1.6715 | .9758  |         |          |
|     | .902 | 999.9999     | -7364        | -1.5719 | -1.3170 | .8455  | -1.8175 |          |
|     | .923 | -6322        | -8241        | -1.5226 | -1.1581 | .7641  | -1.2323 |          |
|     | .945 | -6109        | -4231        | -1.2086 |         | 1.0261 |         |          |

MACH 1 31 • .904 ALPHA ( 1 ) • 119.900 QIPSF1 • 7.3800 PO • 21.920 P • 12.910 RPL • 6.3000

SECTION 1 11SRB DEPENDENT VARIABLE CP

1-E1A .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | 027  | -4147         | -4303 | -3221 | -5363 | 0671   |  |  |
|-----|------|---------------|-------|-------|-------|--------|--|--|
|     | .050 | -3498         | -4123 | -5322 | -5251 | 1381   |  |  |
|     | .074 | -3412         | -3801 | -4890 | -4680 | 1973   |  |  |
|     | .098 | -3694         | -4030 | -4230 | -3760 | 2300   |  |  |
|     | .111 | -3831         | -3989 | -4122 | -5544 | 0783   |  |  |
|     | .139 | -4076         | -4213 | -4393 | -4753 | 5016   |  |  |
|     | .168 | -4463         | -4480 | -4653 | -4814 | 0653   |  |  |
|     | .191 | -4672         | -4661 | -4891 | -5072 | 0337   |  |  |
|     | .255 | -4075         | -5213 | -5052 | -5153 | 5819   |  |  |
|     | .344 | -4992         | -5213 | -6469 | -7133 | 0144   |  |  |
|     | .392 | 999.9999      | -5260 | -5625 | -5599 | 0451   |  |  |
|     | .667 | 999.9999      | -5300 | -5524 | -5376 | .7156  |  |  |
|     | .702 | -5300         | -5929 | -5889 | -6805 | .2327  |  |  |
|     | .724 | -5858         | -6004 | -6733 | -7930 | .4340  |  |  |
|     | .744 | -5848         | -6004 | -6932 | -6247 | .8047  |  |  |
|     | .755 | -6112999.9999 | -7983 | -8050 | -6555 | .0834  |  |  |
|     | .869 | -7946         | -8254 | -8254 | -7160 | .7307  |  |  |
|     | .902 | 999.9999      | -8469 | -8314 | -8792 | .9954  |  |  |
|     | .923 | -8469         | -8561 | -9738 | -1482 | 1.0446 |  |  |
|     | .945 | -8169         | -5085 | -8159 | -2237 | 1.0083 |  |  |
|     | .982 | -5085         |       |       |       | 1.1712 |  |  |

DATE 07 MAR 77

## TABULATED SOURCE DATA. MSFC TWT 603 (SA28F)

PAGE 51

MACH ( 41 ) = 1.198    ALPHA ( 1 ) = 119.900    Q1PSF1 = 9.1300    PO = 21.980    P = 9.0900    RNL = 6.7000

SECTION 1 1) SRB    DEPENDENT VARIABLE CP

THE TA .00000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .027   | - .4312    | - .4409 | - .4472 | - .4618 | - .4790 | - .5524 | - .4969 | - .5068 | - .5088 | - .4954 | - .4610 | - .4108 | - .2792 | - .2690 | - .2792 | - .1012 | - .0214 | - .0181 | - .0108 | - .0069 | - .0069 | - .2171 | - .1042 | - .3759 |         |         |
|-----|--|------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|     | .050   | - .4521    | - .4587 | - .4725 | - .4790 | - .4790 | - .4790 | - .4790 | - .4790 | - .4790 | - .4790 | - .4790 | - .4790 | - .4790 | - .4790 | - .4790 | - .4790 | - .4790 | - .4790 | - .4790 | - .4790 | - .4790 | - .4790 | - .4790 | - .4790 | - .4790 |         |
|     | .074   | - .4683    | - .4871 | - .4816 | - .4816 | - .4816 | - .4816 | - .4816 | - .4816 | - .4816 | - .4816 | - .4816 | - .4816 | - .4816 | - .4816 | - .4816 | - .4816 | - .4816 | - .4816 | - .4816 | - .4816 | - .4816 | - .4816 | - .4816 | - .4816 | - .4816 |         |
|     | .098   | - .4994    | - .4969 | - .4961 | - .4961 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 |         |
|     | .111   | - .4994    | - .4969 | - .4961 | - .4961 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 |         |
|     | .139   | - .4963    | - .4961 | - .4961 | - .4961 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 | - .4960 |         |
|     | .168   | - .5015    | - .5030 | - .5163 | - .5163 | - .5163 | - .5163 | - .5163 | - .5163 | - .5163 | - .5163 | - .5163 | - .5163 | - .5163 | - .5163 | - .5163 | - .5163 | - .5163 | - .5163 | - .5163 | - .5163 | - .5163 | - .5163 | - .5163 | - .5163 | - .5163 |         |
|     | .191   | - .5100    | - .5202 | - .5662 | - .5662 | - .5662 | - .5662 | - .5662 | - .5662 | - .5662 | - .5662 | - .5662 | - .5662 | - .5662 | - .5662 | - .5662 | - .5662 | - .5662 | - .5662 | - .5662 | - .5662 | - .5662 | - .5662 | - .5662 | - .5662 | - .5662 |         |
|     | .255   | - .5714    | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 |         |
|     | .344   | - .5743    | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 | - .5627 |         |
|     | .392   | - .5732    | - .5732 | - .5732 | - .5732 | - .5732 | - .5732 | - .5732 | - .5732 | - .5732 | - .5732 | - .5732 | - .5732 | - .5732 | - .5732 | - .5732 | - .5732 | - .5732 | - .5732 | - .5732 | - .5732 | - .5732 | - .5732 | - .5732 | - .5732 | - .5732 |         |
|     | .702   | - .999     | - .9999 | - .4288 | - .4288 | - .4288 | - .4288 | - .4288 | - .4288 | - .4288 | - .4288 | - .4288 | - .4288 | - .4288 | - .4288 | - .4288 | - .4288 | - .4288 | - .4288 | - .4288 | - .4288 | - .4288 | - .4288 | - .4288 | - .4288 | - .4288 | - .4288 |
|     | .724   | - .4483    | - .4426 | - .4439 | - .4439 | - .4439 | - .4439 | - .4439 | - .4439 | - .4439 | - .4439 | - .4439 | - .4439 | - .4439 | - .4439 | - .4439 | - .4439 | - .4439 | - .4439 | - .4439 | - .4439 | - .4439 | - .4439 | - .4439 | - .4439 | - .4439 | - .4439 |
|     | .744   | - .4548    | - .4631 | - .4536 | - .4536 | - .4536 | - .4536 | - .4536 | - .4536 | - .4536 | - .4536 | - .4536 | - .4536 | - .4536 | - .4536 | - .4536 | - .4536 | - .4536 | - .4536 | - .4536 | - .4536 | - .4536 | - .4536 | - .4536 | - .4536 | - .4536 | - .4536 |
|     | .755   | - .4733999 | - .9999 | - .5774 | - .5774 | - .5774 | - .5774 | - .5774 | - .5774 | - .5774 | - .5774 | - .5774 | - .5774 | - .5774 | - .5774 | - .5774 | - .5774 | - .5774 | - .5774 | - .5774 | - .5774 | - .5774 | - .5774 | - .5774 | - .5774 | - .5774 | - .5774 |
|     | .869   | - .6732    | - .6732 | - .6732 | - .6732 | - .6732 | - .6732 | - .6732 | - .6732 | - .6732 | - .6732 | - .6732 | - .6732 | - .6732 | - .6732 | - .6732 | - .6732 | - .6732 | - .6732 | - .6732 | - .6732 | - .6732 | - .6732 | - .6732 | - .6732 | - .6732 | - .6732 |
|     | .907   | - .999     | - .9999 | - .6026 | - .6026 | - .6330 | - .6330 | - .6330 | - .6330 | - .6330 | - .6330 | - .6330 | - .6330 | - .6330 | - .6330 | - .6330 | - .6330 | - .6330 | - .6330 | - .6330 | - .6330 | - .6330 | - .6330 | - .6330 | - .6330 | - .6330 | - .6330 |
|     | .923   | - .8042    | - .8042 | - .5610 | - .5610 | - .4915 | - .4915 | - .4915 | - .4915 | - .4915 | - .4915 | - .4915 | - .4915 | - .4915 | - .4915 | - .4915 | - .4915 | - .4915 | - .4915 | - .4915 | - .4915 | - .4915 | - .4915 | - .4915 | - .4915 | - .4915 | - .4915 |
|     | .945   | - .5328    | - .5328 | - .6046 | - .6046 | - .4222 | - .4222 | - .4222 | - .4222 | - .4222 | - .4222 | - .4222 | - .4222 | - .4222 | - .4222 | - .4222 | - .4222 | - .4222 | - .4222 | - .4222 | - .4222 | - .4222 | - .4222 | - .4222 | - .4222 | - .4222 | - .4222 |
|     | .982   | - .1971    | - .3117 | - .3117 | - .3117 | - .3117 | - .3117 | - .3117 | - .3117 | - .3117 | - .3117 | - .3117 | - .3117 | - .3117 | - .3117 | - .3117 | - .3117 | - .3117 | - .3117 | - .3117 | - .3117 | - .3117 | - .3117 | - .3117 | - .3117 | - .3117 |         |
|     | MACH ( 51 ) = 1.959    ALPHA ( 1 ) = 119.900    Q1PSF1 = 10.980    PO = 30.010    P = 4.0900    RNL = 7.4000 |            |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |

SECTION 1 1) SRB    DEPENDENT VARIABLE CP

THE TA .00000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .027 | - .2471    | - .2535 | - .2535 | - .2734 | - .2734 | - .1112 | - .1112 | - .4868 | - .4868 |
|-----|------|------------|---------|---------|---------|---------|---------|---------|---------|---------|
|     | .050 | - .2513    | - .2545 | - .2545 | - .2657 | - .2657 | - .1705 | - .1705 | - .5647 | - .5647 |
|     | .074 | - .2461    | - .2461 | - .2461 | - .2529 | - .2529 | - .1973 | - .1973 | - .5894 | - .5894 |
|     | .098 | - .2561    | - .2567 | - .2572 | - .2575 | - .2575 | - .0957 | - .0957 | - .4294 | - .4294 |
|     | .111 | - .2560    | - .2567 | - .2572 | - .2672 | - .2672 | - .0647 | - .0647 | - .4463 | - .4463 |
|     | .139 | - .2619    | - .2643 | - .2633 | - .2784 | - .2784 | - .1678 | - .1678 | - .6188 | - .6188 |
|     | .168 | - .2692    | - .2683 | - .2700 | - .2827 | - .2827 | - .1772 | - .1772 | - .2000 | - .2000 |
|     | .191 | - .2728    | - .2719 | - .2719 | - .2827 | - .2827 | - .1787 | - .1787 | - .2165 | - .2165 |
|     | .255 | - .2758    | - .2759 | - .2759 | - .1449 | - .1449 | - .6368 | - .6368 | - .2159 | - .2159 |
|     | .344 | - .2863    | - .2832 | - .2832 | - .1442 | - .1442 | - .1764 | - .1764 | - .2215 | - .2215 |
|     | .392 | - .2917    | - .2888 | - .2888 | - .1441 | - .1441 | - .1764 | - .1764 | - .2271 | - .2271 |
|     | .667 | 999        | 9999    | - .2388 | - .2360 | - .1609 | - .1609 | - .2257 | - .2257 |         |
|     | .702 | - .2410    | - .2454 | - .2454 | - .2404 | - .2404 | - .1803 | - .1803 | - .2500 | - .2500 |
|     | .724 | - .2568    | - .2643 | - .2643 | - .2329 | - .2329 | - .0112 | - .0112 | - .1406 | - .1406 |
|     | .744 | - .2237    | - .2358 | - .2358 | - .2404 | - .2404 | - .3203 | - .3203 | - .993  | - .993  |
|     | .755 | - .2334999 | - .9999 | - .2379 | - .1248 | - .1248 | - .2113 | - .2113 | - .0667 | - .0667 |

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING

MACH ( 5 ) = 1.559

ALPHA ( 1 ) = 119.900

SECTION 11 SRB

DEPENDENT VARIABLE CP

11-E1A .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .869 | .2614    | -.2548 | -.18C9 | .6364 | .3107  |
|-----|------|----------|--------|--------|-------|--------|
|     | .902 | 999.9999 | -.2613 | -.1864 | .3378 | .6844  |
|     | .923 | -.2629   | -.2544 | -.1226 | .6620 | .1315  |
|     | .945 | -.2617   | -.2757 | -.1644 | .5673 | -.1402 |
|     | .982 | .1137    |        | -.0265 |       | 1.5684 |

MACH ( 6 ) = 2.740 ALPHA ( 1 ) = 119.900 O1PSF1 = 6.3700 P0 = 30.010 P = 1.2100 RNL = 4.9000

DEPENDENT VARIABLE CP

11-E1A .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .027 | .0695          | -.1065 | -.1064 | .2196 | .5621    |
|-----|------|----------------|--------|--------|-------|----------|
|     | .050 | -.1052         | -.1083 | -.0973 | .2639 | .6234    |
|     | .074 | -.0622         | -.1095 | -.0931 | .2815 | .6416    |
|     | .098 | -.1052         | -.1101 | -.1016 | .2249 | .5342    |
|     | .111 | -.1102         | -.1137 | -.1149 | .2229 | .6113    |
|     | .139 | -.1113         | -.1120 | -.1149 | .2815 | .1.1882  |
|     | .168 | -.1120         | -.1119 | -.1228 | .0032 | .1.1525  |
|     | .191 | -.1125         | -.1114 | -.1162 | .2726 | .1.3285  |
|     | .255 | -.1137         | -.1114 | -.1234 | .0068 | .7218    |
|     | .344 | -.1168         | -.1125 | -.1174 | .2718 | -.0081   |
|     | .392 |                |        |        | .6993 | -.0075   |
|     | .667 | 999.9999       |        |        | .2720 | -.1.1312 |
|     | .702 | -.1204         | -.0901 | -.1149 |       | -.1.3054 |
|     | .724 | -.1216         | -.1234 | -.1089 |       | -.0081   |
|     | .744 | -.1107         | -.1113 | -.0725 |       | -.0081   |
|     | .755 | -.1125999.9999 |        |        |       | -.0081   |
|     | .063 | -.1252         |        |        |       | -.0081   |
|     | .902 | 999.9999       |        |        |       | -.0081   |
|     | .923 | -.1295         |        |        |       | -.0081   |
|     | .945 | -.1289         |        |        |       | -.0081   |
|     | .982 | .2190          |        |        |       | -.0081   |

| X/L | .027 | .0695          | -.1065 | -.1064 | .2196 | .5621    |
|-----|------|----------------|--------|--------|-------|----------|
|     | .050 | -.1052         | -.1083 | -.0973 | .2639 | .6234    |
|     | .074 | -.0622         | -.1095 | -.0931 | .2815 | .6416    |
|     | .098 | -.1052         | -.1101 | -.1016 | .2249 | .5342    |
|     | .111 | -.1102         | -.1137 | -.1149 | .2229 | .6113    |
|     | .139 | -.1113         | -.1120 | -.1149 | .2815 | .1.1882  |
|     | .168 | -.1120         | -.1119 | -.1228 | .0032 | .1.1525  |
|     | .191 | -.1125         | -.1114 | -.1162 | .2726 | .1.3285  |
|     | .255 | -.1137         | -.1114 | -.1234 | .0068 | .7218    |
|     | .344 | -.1168         | -.1125 | -.1174 | .2718 | -.0081   |
|     | .392 |                |        |        | .6993 | -.0081   |
|     | .667 | 999.9999       |        |        | .2720 | -.1.1312 |
|     | .702 | -.1204         | -.0901 | -.1149 |       | -.1.3054 |
|     | .724 | -.1216         | -.1234 | -.1089 |       | -.0081   |
|     | .744 | -.1107         | -.1113 | -.0725 |       | -.0081   |
|     | .755 | -.1125999.9999 |        |        |       | -.0081   |
|     | .063 | -.1252         |        |        |       | -.0081   |
|     | .902 | 999.9999       |        |        |       | -.0081   |
|     | .923 | -.1295         |        |        |       | -.0081   |
|     | .945 | -.1289         |        |        |       | -.0081   |
|     | .982 | .2190          |        |        |       | -.0081   |

| X/L | .027 | .0695          | -.1065 | -.1064 | .2196 | .5621    |
|-----|------|----------------|--------|--------|-------|----------|
|     | .050 | -.1052         | -.1083 | -.0973 | .2639 | .6234    |
|     | .074 | -.0622         | -.1095 | -.0931 | .2815 | .6416    |
|     | .098 | -.1052         | -.1101 | -.1016 | .2249 | .5342    |
|     | .111 | -.1102         | -.1137 | -.1149 | .2229 | .6113    |
|     | .139 | -.1113         | -.1120 | -.1149 | .2815 | .1.1882  |
|     | .168 | -.1120         | -.1119 | -.1228 | .0032 | .1.1525  |
|     | .191 | -.1125         | -.1114 | -.1162 | .2726 | .1.3285  |
|     | .255 | -.1137         | -.1114 | -.1234 | .0068 | .7218    |
|     | .344 | -.1168         | -.1125 | -.1174 | .2718 | -.0081   |
|     | .392 |                |        |        | .6993 | -.0081   |
|     | .667 | 999.9999       |        |        | .2720 | -.1.1312 |
|     | .702 | -.1204         | -.0901 | -.1149 |       | -.1.3054 |
|     | .724 | -.1216         | -.1234 | -.1089 |       | -.0081   |
|     | .744 | -.1107         | -.1113 | -.0725 |       | -.0081   |
|     | .755 | -.1125999.9999 |        |        |       | -.0081   |
|     | .063 | -.1252         |        |        |       | -.0081   |
|     | .902 | 999.9999       |        |        |       | -.0081   |
|     | .923 | -.1295         |        |        |       | -.0081   |
|     | .945 | -.1289         |        |        |       | -.0081   |
|     | .982 | .2190          |        |        |       | -.0081   |

| X/L | .027 | .0695          | -.1065 | -.1064 | .2196 | .5621    |
|-----|------|----------------|--------|--------|-------|----------|
|     | .050 | -.1052         | -.1083 | -.0973 | .2639 | .6234    |
|     | .074 | -.0622         | -.1095 | -.0931 | .2815 | .6416    |
|     | .098 | -.1052         | -.1101 | -.1016 | .2249 | .5342    |
|     | .111 | -.1102         | -.1137 | -.1149 | .2229 | .6113    |
|     | .139 | -.1113         | -.1120 | -.1149 | .2815 | .1.1882  |
|     | .168 | -.1120         | -.1119 | -.1228 | .0032 | .1.1525  |
|     | .191 | -.1125         | -.1114 | -.1162 | .2726 | .1.3285  |
|     | .255 | -.1137         | -.1114 | -.1234 | .0068 | .7218    |
|     | .344 | -.1168         | -.1125 | -.1174 | .2718 | -.0081   |
|     | .392 |                |        |        | .6993 | -.0081   |
|     | .667 | 999.9999       |        |        | .2720 | -.1.1312 |
|     | .702 | -.1204         | -.0901 | -.1149 |       | -.1.3054 |
|     | .724 | -.1216         | -.1234 | -.1089 |       | -.0081   |
|     | .744 | -.1107         | -.1113 | -.0725 |       | -.0081   |
|     | .755 | -.1125999.9999 |        |        |       | -.0081   |
|     | .063 | -.1252         |        |        |       | -.0081   |
|     | .902 | 999.9999       |        |        |       | -.0081   |
|     | .923 | -.1295         |        |        |       | -.0081   |
|     | .945 | -.1289         |        |        |       | -.0081   |
|     | .982 | .2190          |        |        |       | -.0081   |

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

PAGE 53

MACH ( 7) = 3.480 ALPHA ( 1) = 119.900 QIPSF1 = 6.8600 PO = 60.000 P = .61000 RNL = 6.7000

SECTION ( 1 ) SRB

DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000225.0000270.0000315.0000

| X/L   | .027           | -.0051 | -.0480 | -.0497 | -.0474 | .2230   | .5313     |
|---|----------------|--------|--------|--------|--------|---------|-----------|
| .050  | -.0469         | -.0525 | -.0536 | -.0536 | -.0476 | .2642   | .5944     |
| .074  | .0060          | -.0463 | -.0536 | -.0536 | -.0407 | .2836   | .6181     |
| .098  | -.0520         | -.0536 | -.0565 | -.0565 | -.0435 | .2537   | .5533     |
| .111  | -.0520         | -.0536 | -.0576 | -.0576 | .0511  | .6556   | .6494     |
| .139  | -.0531         | -.0531 | -.0576 | -.0610 | .0433  | .7250   | .1592     |
| .168  | -.0542         | -.0536 | -.0582 | -.0598 | .0398  | .2968   | .7247     |
| .191  | -.0542         | -.0520 | -.0610 | -.0610 | .0599  | .2976   | .1705     |
| .255  | -.0553         | -.0597 | -.0610 | -.0610 | .0393  | .7191   | .1587     |
| .344  | -.0570         | -.0531 | -.0610 | -.0610 | .0461  | .3032   | .3447     |
| .392  | 999.9999       | -.0650 | -.0581 | -.0581 | .0359  | .7225   | .3502     |
| .667  | 999.9999       | -.0650 | -.0581 | -.0581 | .0299  | .2760   | .4029     |
| .702  | -.0644         | -.0271 | -.0581 | -.0581 | .0301  | .1.2866 | .4156     |
| .724  | -.0661         | -.0655 | -.0655 | -.0655 | .0373  | .1.4016 | .0411     |
| .744  | -.0605         | -.0593 | -.0593 | -.0593 | .1.497 | .5832   | .0356     |
| .755  | -.0609999.9999 | -.0576 | -.0576 | -.0576 | .0937  | .4.059  | .999.9999 |
| .869  | -.0705         | -.0706 | -.0706 | -.0706 | .096   | .7496   | .1.6069   |
| .902  | 999.9999       | -.0717 | -.0717 | -.0717 | .0237  | .2610   | .2.0205   |
| .923  | -.0722         | -.0649 | -.0649 | -.0649 | .0286  | .7013   | .1.7668   |
| .945  | -.0734         | -.0718 | -.0718 | -.0718 | .0142  | .4.961  | .1.5564   |
| .982  | .2486          |        |        |        | .1103  | .1.4664 | .1.086    |
| MACH ( 8) = 4.450 ALPHA ( 1) = 118.500 QIPSF1 = 4.0800 PO = 80.020 P = .29000 RNL = 5.7300          |                |        |        |        |        |         |           |
| SECTION ( 1 ) SRB   |                |        |        |        |        |         |           |
| THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000225.0000270.0000315.0000 |                |        |        |        |        |         |           |
| X/L   | .027           | .1079  | .0131  | .0160  | .0160  | .2805   | .5915     |
| .050  | .0198          | .0141  | .0141  | .0169  | .0169  | .3108   | .6379     |
| .074  | .1335          | .0103  | .0103  | .0179  | .0179  | .3288   | .6664     |
| .098  | .0217          | .0084  | .0084  | .0177  | .0177  | .3043   | .6171     |
| .111  | .0103          | .0163  | .0065  | .0084  | .0177  | .6844   | .1.3035   |
| .139  | .0084          | .0093  | .0074  | .0179  | .0890  | .3317   | .1.2114   |
| .168  | .0065          | .0112  | .0055  | .0055  | .0814  | .3232   | .1.2039   |
| .191  | .0055          | .0084  | .0065  | .0046  | .0795  | .3307   | .1.2096   |
| .255  | .0046          | .0018  | .0122  | .0055  | .0776  | .3488   | .1.1935   |
| .344  | .0018          |        |        | .0055  | .0776  | .7422   | .1.1935   |
| .392  |                |        |        | .0776  | .0700  | .7232   | .1.3812   |
| .667  | 999.9999       |        | -.0095 | .0074  | .0406  | .2890   | .1.2589   |
| .702  | -.0124         | .0748  |        | .0074  | .0406  | .1.4021 | .4.021    |
| .724  | -.0162         | -.0143 |        | .1.089 | .0255  | .1.430  | .4.5559   |
| .744  | -.0133         | -.0162 |        | .0065  | .1.715 | .5839   | .1.8136   |
| .755  | -.0152999.9999 |        |        | .0048  | .1.203 | .4.000  | .1.4334   |

MACH 1 (8) = 4.450    ALPHA (1) = 118.500  
 SECTION (1) SRB                                    DEPENDENT VARIABLE CP  
 THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000  
 X/L .869 -.0142 -.0114 .0511 .7036 1.3898  
 .902 999.9999 -.0124 .0226 .2701 .5619  
 .923 -.0105 -.0039 .0691 .6739 1.3879  
 .945 -.0123 -.0065 .0778 .4654 .9953  
 .982 .2502 -.1345 -.1345 1.6088  
 .982

MSC TWT 603 (SA28F)

(R11014)

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING

PAGE 55

## REFERENCE DATA

| SREF             | 116.2600 SO.FT.  | XMRP                  | 1044.0000 IN.   | RN-SCH | 2.000    | PHI  | .000     |
|------------------|--|-----------------------|-----------------|--------|----------|------|----------|
| LREF             | 146.0000 IN.   | YMRP                  | .0000 IN.       |        |          |      |          |
| BREF             | 146.0000 IN.   | ZMRP                  | .0000 IN.       |        |          |      |          |
| SCALE            | .0055  |                       |                 |        |          |      |          |
| MACH             | ( 1 ) - .905   | ALPHA ( 1 ) = 119.900 | QIPSF1 = 7.4100 | PO     | - 22.000 | P    | - 12.940 |
| SECTION ( 1 )SRB |  |                       |                 |        |          | RN/L | - 6.3000 |
| THETA            | .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000 | DEPENDENT VARIABLE CP |                 |        |          |      |          |

| X/L | .027 | -.4214    | -.4310 | -.4036  | -.5383 | .0637 |
|-----|------|-----------|--------|---------|--------|-------|
|     | .050 | -.3512    | -.4150 | -.5274  | -.5254 | .1386 |
|     | .074 | -.3444    | -.3785 | -.4898  | -.4614 | .1980 |
|     | .098 | -.3694    | -.3914 | -.4210  | -.3645 | .2292 |
|     | .111 | -.3818    | -.3935 | -.4130  | -.5531 | .4083 |
|     | .139 | -.4089    | -.4196 | -.405   | -.7626 | .0775 |
|     | .168 | -.4432    | -.4494 | -.4660  | -.6934 | .5524 |
|     | .191 | -.4602    | -.4668 | -.4925  | -.6206 | .4449 |
|     | .225 | -.4831    | -.4999 | -.5720  | -.0158 | .4702 |
|     | .344 | -.5003    | -.5200 | -.6408  | -.6847 | .5052 |
|     | .392 | 999.9999  | -.5200 | -.8389  | .6448  | .5592 |
|     | .667 | 999.9999  | -.5200 | -.5598  | .0488  | .7036 |
|     | .702 | -.5362    | -.5551 | -.5619  | -.6804 | .5612 |
|     | .724 | -.5868    | -.5942 | -.5909  | -.6771 | .6212 |
|     | .744 | -.5855    | -.5989 | -.6737  | -.7904 | .603  |
|     | .755 | -.6077999 | .99999 | -.68359 | -.6700 | .6643 |
|     | .869 | -.7916    | -.8024 | -.7891  | .0860  | .6641 |
|     | .902 | 999.9999  | -.8204 | -.9023  | -.1794 | .6480 |
|     | .923 | -.8423    | -.8282 | -.9917  | .1485  | .9999 |
|     | .945 | -.8125    | -.8440 | -.9190  | .2275  | .9016 |
|     | .982 | -.5071    |        | -.8116  | 1.1728 |       |

MSFC TWT 603 (SA2BF) SRB - CLEAN ATTACH AFT RING

## REFERENCE DATA

|              |      |               |          |          |        |           |     |        |   |       |        |     |          |
|--------------|------|---------------|----------|----------|--------|-----------|-----|--------|---|-------|--------|-----|----------|
| SREF         | =    | 116.2600      | SO. F.T. | XMRP     | =      | 1044.0000 | IN. | RN-SCH | = | 2.000 | PHI    | =   | .0000    |
| LREF         | =    | 146.0000      | IN.      | YMRP     | =      | .0000     | IN. |        |   |       |        |     |          |
| HREF         | =    | 146.0000      | IN.      | ZMRP     | =      | .0000     | IN. |        |   |       |        |     |          |
| SCALE        | =    | .0055         |          |          |        |           |     |        |   |       |        |     |          |
| MACH ( 1 ) = | .399 | ALPHA ( 1 ) = | 130.100  | G(PSF) = | 3.1900 | PO        | =   | 32.040 | P | =     | 28.710 | RNL | = 5.3000 |

SECTION ( 1 )SRB

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000225.0000315.0000

## DEPENDENT VARIABLE CP

| X/L   | .027           | -.0918         | -.0857   | -.1609   | -.4986   | .0348     |   |        |   |   |        |     |          |
|---|----------------|----------------|----------|----------|----------|-----------|---|--------|---|---|--------|-----|----------|
| .050  | -.1622         | -.1394         | -.2029   | -.6004   | .0856    |           |   |        |   |   |        |     |          |
| .074  | -.1818         | -.2197         | -.5048   | -.6381   | .0749    |           |   |        |   |   |        |     |          |
| .098  | -.2185         | -.1722         | -.8620   | -.6944   | .0313    |           |   |        |   |   |        |     |          |
| .111  | -.3059         | -.3008         | -.2443   | -.1353   | -.2450   | -.2851    |   |        |   |   |        |     |          |
| .139  | -.2289         | -.2592         | -.2661   | -.2899   | -.1587   | -.4857    |   |        |   |   |        |     |          |
| .168  | -.2432         | -.2602         | -.2411   | -.3935   | -.1587   | -.1490    |   |        |   |   |        |     |          |
| .191  | -.2506         | -.2778         | -.3480   | -.3480   | -.2892   | -.1900    |   |        |   |   |        |     |          |
| .255  | -.2710         | -.3663         | -.5043   | -.5043   | -.2103   | -.4719    |   |        |   |   |        |     |          |
| .344  | -.3648         | -.4184         | -.5043   | -.4297   | -.2892   | -.4723    |   |        |   |   |        |     |          |
| .392  | -.4717         | -.3440         | -.3440   | -.3903   | -.2892   | -.2969    |   |        |   |   |        |     |          |
| .667  | 995.9999       | 995.9999       | 995.9999 | 995.9999 | 995.9999 | 995.9999  |   |        |   |   |        |     |          |
| .702  | -.3400         | -.4439         | -.9557   | -.4912   | -.2635   | .3553     |   |        |   |   |        |     |          |
| .724  | -.6557         | -.6394         | -.7404   | -.9780   | -.5935   | .6692     |   |        |   |   |        |     |          |
| .744  | -.3348         | -.3976         | -.6379   | -.3031   | -.1226   | .2535     |   |        |   |   |        |     |          |
| .755  | -.4377999.9999 | -.4377999.9999 | -.7647   | -.5001   | -.1238   | .0918     |   |        |   |   |        |     |          |
| .869  | -.902          | 999.9999       | -.5046   | -.5388   | -.2638   | .999.9999 |   |        |   |   |        |     |          |
| .923  | -.5216         | -.5216         | -.5706   | -.7037   | -.4717   | .999.9999 |   |        |   |   |        |     |          |
| .945  | -.5418         | -.7217         | -.7217   | -.0979   | -.9773   | .999.9999 |   |        |   |   |        |     |          |
| .982  | -.3559         | -.7722         | -.7722   | -.9422   | -.3042   | .999.9999 |   |        |   |   |        |     |          |
| MACH ( 2 ) =  | .606           | ALPHA ( 1 ) =  | 130.100  | G(PSF) = | 7.6100   | PO        | = | 37.990 | P | = | 29.650 | RNL | = 8.8000 |
| SECTION ( 1 )SRB  |                |                |          |          |          |           |   |        |   |   |        |     |          |
| THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000225.0000315.0000 |                |                |          |          |          |           |   |        |   |   |        |     |          |
|   |                |                |          |          |          |           |   |        |   |   |        |     |          |

DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000225.0000315.0000

X/L

.027

-.1396

-.1393

-.1452

-.4818

.0139

.050

-.1632

-.1666

-.1695

-.5056

.0449

.074

-.1977

-.1958

-.2042

-.5157

.0557

.098

-.2427

-.2921

-.2414

-.2656

-.5715

.069

.111

-.2964

-.2498

-.3146

-.9358

.069

.139

-.2945

-.3075

-.2896

-.5085

.069

.168

-.3297

-.3481

-.3265

-.6712

-.3697

.3158

.3134

-.3134

-.5697

-.3568

.6913

-.3319

.191

-.3476

-.3763

-.3727

-.4030

-.9775

-.3412

-.6078

.6078



MACH (4) = 1.199    ALPHA (1) = 130.080    Q(PSF) = 9.1400    PO = 22.010    P = 9.0900    RNL = 6.7000

## SECTION 11(SRB)

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | DEPENDENT VARIABLE CP | HFSC TWT 603 (SA287) | SRRB - CLEAN ATTACH AFT RING | (R11016) |
|------|-----------------------|----------------------|------------------------------|----------|
| .027 | -3604                 | -3690                | -3740                        | -3588    |
| .050 | -3777                 | -3853                | -3991                        | -3035    |
| .074 | -3932                 | -3932                | -4216                        | -2495    |
| .098 | -4129                 | -4067                | -4128                        | -3915    |
| .121 | -4243                 | -4219                | -4177                        | -4375    |
| .139 | -4369                 | -4358                | -4323                        | -4623    |
| .168 | -4593                 | -4662                | -4670                        | -4648    |
| .191 | -4710                 | -4773                | -4854                        | -4897    |
| .255 | -4916                 | -46662               | -4838                        | -5085    |
| .314 | -5052                 | -46662               | -4838                        | -4857    |
| .392 | -4265                 | -4265                | -4675                        | -4675    |
| .667 | 999.9999              | -4653                | -4773                        | -4773    |
| .702 | -4407                 | -5025                | -5106                        | -5577    |
| .724 | -5240                 | -4992                | -5167                        | -5546    |
| .744 | -4768                 | -4999                | -5200                        | -5871    |
| .755 | -4980999.9999         | -6046                | -6139                        | -3355    |
| .869 | -5555                 | -6345                | -6047                        | -6047    |
| .902 | 999.9999              | -6254                | -6183                        | -4670    |
| .923 | -5933                 | -6479                | -6479                        | -4647    |
| .945 | -5933                 | -1506                | -1506                        | -0976    |
| .982 | -                     | -                    | -                            | -        |

MACH (5) = 1.956    ALPHA (1) = 130.100    Q(PSF) = 11.000    PO = 30.010    P = 4.1000    RNL = 7.4000

## SECTION 11(SRB)

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000125.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | DEPENDENT VARIABLE CP | HFSC TWT 603 (SA287) | SRRB - CLEAN ATTACH AFT RING | (R11016) |
|------|-----------------------|----------------------|------------------------------|----------|
| .027 | -2423                 | -2381                | -2414                        | -0226    |
| .050 | -2434                 | -2424                | -2468                        | -0221    |
| .074 | -2553                 | -2536                | -2666                        | -0344    |
| .098 | -2582                 | -2592                | -2613                        | -0018    |
| .111 | -2578                 | -2603                | -2569                        | -0474    |
| .139 | -2642                 | -2673                | -2673                        | -0977    |
| .168 | -2694                 | -2674                | -2704                        | -1744    |
| .191 | -2687                 | -2669                | -2591                        | -1769    |
| .255 | -2801                 | -2828                | -2828                        | -1751    |
| .274 | -2804                 | -2880                | -2929                        | -1722    |
| .312 | -                     | -                    | -                            | -1727    |
| .667 | 999.9999              | -2578                | -2482                        | -1845    |
| .702 | -2616                 | -2533                | -2082                        | -1143    |
| .724 | -2632                 | -2650                | -2717                        | -2627    |
| .744 | -2591                 | -2400                | -2604                        | -0405    |
| .755 | -2413999.9999         | -2453                | -1035                        | -2289    |

DATE 07 MAR 77

## TABULATED SOURCE DATA. MSFC TWT 603 (SA28F)

PAGE 59

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING

(R11016)

MACH ( 5 ) = 1.956 ALPHA ( 11 ) = 130.100

## DEPENDENT VARIABLE CP

SECTION ( 1 )SRB .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .869     | -.2510 | -.2550 | -.1945 | .5170  | 1.0983 |
|------|----------|--------|--------|--------|--------|--------|
| .902 | 999.9999 |        | -.2620 | -.2214 | .0749  | .3881  |
| .923 | -.2635   | -.2699 | -.0959 | .5683  | 1.1500 | -.1262 |
| .945 | -.2549   | -.2799 | -.2831 | .3379  | .7310  | -.2835 |
| .982 | .1505    |        | .1411  |        | 1.5213 |        |

MACH ( 6 ) = 2.740 ALPHA ( 11 ) = 130.100 Q(PSF) = 6.3700 P0 = 30.030 P = 1.2100 RNL = 5.0000

## DEPENDENT VARIABLE CP

SECTION ( 1 )SRB .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027          | -.0804 | -.0933 | -.095  | .0872 | .3271  |
|------|---------------|--------|--------|--------|-------|--------|
| .050 | -.0892        | -.0951 | -.1113 | .1163  | .1163 | .3647  |
| .074 | -.0858        | -.029  | -.1125 | .1285  | .1285 | .3708  |
| .098 | -.0922        | -.1065 | -.1095 | .1212  | .1212 | .3298  |
| .111 | -.0988        | -.1047 | -.1077 | .1671  | .4953 | .4947  |
| .139 | -.0982        | -.1023 | -.1149 | .0371  | .1907 | .5329  |
| .168 | -.1041        | -.0976 | -.1180 | -.0335 | .1889 | .5348  |
| .191 | -.1059        | -.0945 | -.0954 | -.0382 | .1831 | .8758  |
| .225 | -.1083        | -.0952 | -.1186 | -.0333 | .1780 | .8631  |
| .344 | -.1143        |        | -.0962 | -.0343 |       | .0006  |
| .392 |               |        |        | -.0317 |       | .0024  |
| .667 | 999.9999      |        | -.1234 | -.0463 | .5141 | .0236  |
| .702 | -.1222        | -.1039 | -.1055 | -.0680 | .1680 | .9908  |
| .724 | -.1222        | -.1234 | -.0997 | -.0141 | .8729 | -.0310 |
| .744 | -.1171        | -.1168 | -.1055 | -.0908 | .5536 | .9987  |
| .755 | -.116999.9999 |        | -.1198 | -.0325 | .3277 | .2214  |
| .863 | -.1234        |        | -.1259 | -.0621 | .6253 | .9989  |
| .902 | 999.9999      |        | -.1265 | -.0812 | .1643 | .4567  |
| .922 | -.1265        |        | -.1265 | -.0214 | .5560 | .9999  |
| .945 | -.1210        |        | -.295  | -.1168 | .3400 | .1212  |
| .982 | .2748         |        |        | .1916  |       | .0532  |



DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC TWT 603 (SA2BF)

MSFC TWT 603 (SA2BF) SRB - CLEAN ATTACH AFT RING

PAGE 61

(R11016)

MACH ( 81 = 4.450 ALPHA ( 1 ) = 130.100

SECTION ( 1 ) SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .869 | -.0010 | -.0039 | .0255  | .6246 | .1148 |
|-----|------|--------|--------|--------|-------|-------|
|     | .902 | .999   | .9999  | -.0029 | .0150 | .1876 |
|     | .923 | .0000  |        | .0008  | .0615 | .4549 |
|     | .935 | -.0029 |        | -.0001 | .0122 | .8420 |
|     | .982 | .3516  |        |        | .2710 | .5725 |
|     |      |        |        |        |       | .0122 |
|     |      |        |        |        |       | .4803 |
|     |      |        |        |        |       |       |



DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

PAGE 63

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH ATT RING

(R11017)

MACH ( 2 ) = .601 ALPHA ( 1 ) = 140.000

## SECTION ( 1 ) SRA

THEIA

.0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

## DEPENDENT VARIABLE CP

| X/L  | .344     | -.3951         | -.3870 | -.3855 | -.7788   | -.8057 | .2202 | .4138 | -.8303 |
|------|----------|----------------|--------|--------|----------|--------|-------|-------|--------|
| .392 | .667     | 999.9999       | -.2917 | -.4807 | -.7265   | -.2914 | .4163 | .4575 | -.7396 |
| .702 | -.3244   | -.2674         | -.5791 | -.8790 | -.7590   | .3179  | .5213 | .5263 | .9832  |
| .724 | -.5770   | -.4808         | -.3360 | -.6392 | -.1.0295 | .4303  | .1533 | .1533 | .9136  |
| .744 | -.3253   | -.3570         | -.3970 | -.6503 | -.5895   | .5263  | .7056 | .7056 | .6670  |
| .755 | .869     | -.1070999.9999 | -.5630 | -.7891 | -.7850   | .3023  | .5366 | .5366 | .8533  |
| .869 | -.4183   | -.6008         | -.3757 | -.8904 | -.7479   | .4468  | .2249 | .2249 | .9388  |
| .902 | 999.9999 | -.5916         | -.8690 | -.8919 | -.5020   | .5595  | .4348 | .4348 | .913C  |
| .923 | -.4209   | -.6207         | -.5670 | -.5670 | -.3069   | .8730  | .8730 | .8730 |        |
| .945 | -.1250   |                |        |        |          |        |       |       |        |
| .982 | -.2813   |                |        |        |          |        |       |       |        |

MACH ( 3 ) = .911 ALPHA ( 1 ) = 140.000 QIPSF1 = 7.4700 P0 = 22.010 P = 12.870 RN/L = 6.4000

## SECTION ( 1 ) SRA

THEIA

.0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

## DEPENDENT VARIABLE CP

| X/L  | .027          | -.0764 | -.0691 | -.0629 | -.1528 | -.0149 |  |  |  |
|------|---------------|--------|--------|--------|--------|--------|--|--|--|
| .050 | -.1527        | -.1516 | -.1437 | -.2198 | -.2198 | -.0717 |  |  |  |
| .074 | -.2698        | -.2726 | -.7025 | -.5267 | -.5267 | .1360  |  |  |  |
| .098 | -.3824        | -.3574 | -.4352 | -.4460 | -.4460 | .5981  |  |  |  |
| .111 | -.4808        | -.4810 | -.4306 | -.4762 | -.4762 | .0213  |  |  |  |
| .139 | -.3504        | -.3891 | -.3600 | -.3634 | -.3634 | .4684  |  |  |  |
| .168 | -.3610        | -.4394 | -.3862 | -.3774 | -.3774 | .2234  |  |  |  |
| .191 | -.3901        | -.4781 | -.4006 | -.3791 | -.3791 | .4241  |  |  |  |
| .255 | -.4512        | -.5867 | -.5867 | -.4930 | -.4930 | .1940  |  |  |  |
| .314 | -.4279        | -.4360 | -.4556 | -.5472 | -.5472 | .5573  |  |  |  |
| .392 | 999.9999      | -.3354 | -.4835 | -.7759 | -.4870 | .1277  |  |  |  |
| .667 | 999.9999      | -.3628 | -.4835 | -.7759 | -.4870 | .4357  |  |  |  |
| .702 | -.3515        | -.4844 | -.4569 | -.5726 | -.5726 | .2946  |  |  |  |
| .724 | -.3515        | -.4213 | -.4362 | -.5131 | -.5131 | .4593  |  |  |  |
| .744 | -.439999.9999 | -.6437 | -.4842 | -.4966 | -.6222 | .4874  |  |  |  |
| .869 | .4828         | -.5706 | -.6007 | -.7951 | -.7951 | .6255  |  |  |  |
| .902 | 999.9999      | -.6181 | -.7730 | -.7730 | -.2932 | .5450  |  |  |  |
| .923 | -.4902        |        |        |        |        | .4339  |  |  |  |
| .945 | -.4788        |        |        |        |        | .0375  |  |  |  |
| .982 | -.2401        |        |        |        |        | .0993  |  |  |  |
|      |               |        |        |        |        | 1.0313 |  |  |  |

MACH ( 4 ) = 1.201    ALPHA ( 1 ) = 140.000    Q(PSF) = 9.1500    PO = 22.000    P = 9.0500    RN/L = 6.7000

## SECTION ( 1 ) SRB

## DEPENDENT VARIABLE CP

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027           | -.3234 | -.3274 | -.3293 | -.4317 | -.2052 |
|------|----------------|--------|--------|--------|--------|--------|
| .050 | -.3728         | -.3626 | -.3812 | -.4571 | -.1523 |        |
| .074 | -.4091         | -.4148 | -.4180 | -.4338 | -.1413 |        |
| .098 | -.4580         | -.4352 | -.4585 | -.5022 | -.2746 |        |
| .111 | -.4670         | -.4788 | -.4634 | -.4621 | -.1115 |        |
| .139 | -.4450         | -.4508 | -.4563 | -.4516 | -.4579 |        |
| .168 | -.4328         | -.4363 | -.4519 | -.4826 | -.3746 |        |
| .191 | -.4226         | -.4285 | -.4227 | -.4227 | -.3641 |        |
| .255 | -.4190         | -.4217 | -.4111 | -.4399 | -.3596 |        |
| .344 | -.3637         | -.3596 | -.4111 | -.4641 | -.3496 |        |
| .392 | -.667 999 9999 | -.4138 | -.4138 | -.4469 | -.1151 |        |
| .702 | -.5166         | -.4075 | -.4288 | -.5951 | -.2161 |        |
| .724 | -.5120         | -.5056 | -.4817 | -.4831 | -.5378 |        |
| .744 | -.5631         | -.4330 | -.4444 | -.5022 | -.0353 |        |
| .755 | -.4086999 9999 | -.5564 | -.4570 | -.5384 | -.1823 |        |
| .869 | -.53500        | -.5262 | -.5262 | -.5976 | -.2363 |        |
| .902 | -.5516         | -.6519 | -.6519 | -.6129 | -.1331 |        |
| .923 | -.5785         | -.6143 | -.6143 | -.4780 | -.3232 |        |
| .945 | -.1134         |        |        | -.1165 | -.0568 |        |
| .982 |                |        |        | -.0482 | 1.2171 |        |

MACH ( 5 ) = 1.978    ALPHA ( 1 ) = 140.000    Q(PSF) = 10.870    PO = 30.010    P = 3.9700    RN/L = 7.3000

## SECTION ( 1 ) SRB

## DEPENDENT VARIABLE CP

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027           | -.2007 | -.2083 | -.2085 | -.1217 | .0703 |
|------|----------------|--------|--------|--------|--------|-------|
| .050 | -.2154         | -.2192 | -.2190 | -.0968 | -.027  |       |
| .074 | -.2181         | -.2264 | -.2239 | -.0846 | -.070  |       |
| .098 | -.2357         | -.2362 | -.2322 | -.0755 |        |       |
| .111 | -.2430         | -.2430 | -.2309 | -.0178 | .2548  |       |
| .139 | -.2430         | -.2443 | -.2427 | -.2012 | -.0029 |       |
| .168 | -.2428         | -.2434 | -.2410 | -.2025 | -.1980 |       |
| .191 | -.2411         | -.2439 | -.2409 | -.2032 | -.0003 |       |
| .255 | -.2377         | -.2377 | -.2343 | -.2036 | .2857  |       |
| .344 | -.2204         | -.2203 | -.2293 | -.2001 | .0102  |       |
| .392 | -.667 999 9999 | -.2052 | -.2052 | -.2035 | .3035  |       |
| .702 | -.2043         | -.2298 | -.2346 | -.2157 | .0102  |       |
| .724 | -.2498         | -.2503 | -.2341 | -.2612 | -.1787 |       |
| .744 | -.2207         | -.2310 | -.2410 | -.1153 | .2358  |       |
| .755 | -.227999 9999  | -.2392 | -.2392 | -.1264 | .1763  |       |

.4556

.4940

.4869

.4457

.4255

.4225

.5925

.9999

.9731

.4437

.0252

.0386

.4940

.4869

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504

.5504&lt;/div

DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

PAGE 65

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING

(R11017)

| MACH ( 5 )       | A     | 1.978         | ALPHA ( 1 ) | 140.000 | DEPENDENT VARIABLE CP   |        |         |
|------------------|-------|---------------|-------------|---------|---|--------|---------|
| SECTION ( 1 )SRB |       |               |             |         |   |        |         |
| THETA            | .0000 | 22.5000       | 45.0000     | 67.5000 | 90.0000112.5000135.0000157.5000160.0000225.0000270.0000315.0000 |        |         |
| X/L              | .869  | .999          | .2354       | -.2464  | -.1888  | .3492  | .7093   |
|                  | .902  | .999          | .9993       | -.2604  | -.2258  | -.0327 | .1475   |
|                  | .923  | -.2663        | -.2762      | -.1722  | -.1722  | .3928  | .7988   |
|                  | .945  | -.2735        | -.2837      | -.2724  | -.2724  | .0917  | .4112   |
|                  | .982  | .2083         |             |         | .2486   |        | .2681   |
| MACH ( 6 )       | 2.740 | ALPHA ( 1 )   | 140.000     | 0.1PSF  | 6.3700  | P0     | P0      |
| SECTION ( 1 )SRB |       |               |             |         | DEPENDENT VARIABLE CP   |        |         |
| THETA            | .0000 | 22.5000       | 45.0000     | 67.5000 | 90.0000112.5000135.0000157.5000160.0000225.0000270.0000315.0000 |        |         |
| X/L              | .027  | -.0641        | -.1192      | -.1253  | -.1253  | -.0129 | .1318   |
|                  | .050  | -.1174        | -.1204      | -.1259  | -.1259  | .0052  | .529    |
|                  | .074  | -.096         | -.1234      | -.1265  | -.1265  | .0155  | .1576   |
|                  | .098  | -.1174        | -.1274      | -.1271  | -.1271  | .0181  |         |
|                  | .111  | -.1247        | -.1264      | -.1277  | -.1277  | .3277  | .5621   |
|                  | .139  | -.1271        | -.1289      | -.1271  | -.1271  | .0914  | .5870   |
|                  | .169  | -.1295        | -.1295      | -.1325  | -.1325  | .1084  | .3508   |
|                  | .191  | -.1270        | -.1277      | -.1338  | -.1338  | .0507  | .3550   |
|                  | .255  | -.1319        | -.1271      | -.1326  | -.1326  | .1066  | .5949   |
|                  | .304  | -.1307        | -.1271      | -.1326  | -.1326  | .1316  | .3550   |
|                  | .392  |               |             |         |   | .0633  | .3550   |
|                  | .667  | 999.9999      | -.1191      | -.0658  | -.0658  | .3726  | .6823   |
|                  | .702  | -.1265        | -.0823      | -.1186  | -.1186  | .0999  | .6823   |
|                  | .724  | -.1277        | -.1283      | -.0587  | -.0587  | .0451  | .6908   |
|                  | .744  | -.1174        | -.1143      | -.1241  | -.1241  | .0131  | .7103   |
|                  | .755  | -.186999.9999 |             | -.0160  | -.0160  | .3629  | .7054   |
|                  | .869  | -.1228        |             | -.1228  | -.1228  | .2406  | .0651   |
|                  | .902  | 999.9999      | -.1332      | -.0718  | -.0718  | .3725  | .0553   |
|                  | .923  | -.1338        | -.1374      | -.0985  | -.0985  | .0668  | .0663   |
|                  | .945  | -.1343        | -.1435      | -.0621  | -.0621  | .3605  | .999999 |
|                  | .982  | .2995         |             | -.1277  | -.1277  | .1518  | .0008   |
|                  |       |               |             | .3016   | .3016   |        |         |

DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC THT 603 (SA28F)

PAGE 68

MSFC THT 603 (SA28F) SRB - CLEAN ATTACH AFT RING  
 MACH ( 7) = 3.480 ALPHA ( 1) = 140.000 Q(PSF) = 6.8700 PO = 60.050 P = 60.050 RN/L = 6.7000

SECTION 11 SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000225.0000270.0000315.0000

| X/L  | .027           | .0405  | .0506  | .0562  | .0203 | .1431  |
|------|----------------|--------|--------|--------|-------|--------|
| .050 | -.0489         | -.0517 | -.0585 | .0366  | .1645 | .1727  |
| .074 | -.0421         | -.0535 | -.0602 | .0479  | .1755 | .1755  |
| .098 | -.0477         | -.0556 | -.0619 | .0541  | .3902 | .6818  |
| .111 | -.0506         | -.0539 | -.0579 | .1317  | .3815 | .7161  |
| .139 | -.0506         | -.0529 | -.0574 | .0117  | .6141 | .3843  |
| .168 | -.0535         | -.0517 | -.0568 | .0122  | .6220 | .3831  |
| .191 | -.0551         | -.0500 | -.0557 | .0123  | .6145 | .7144  |
| .225 | -.0562         | -.0519 | -.0619 | .0112  | .7184 | .0112  |
| .344 | -.0574         | -.0534 | -.0545 | .0128  | .1420 | .6353  |
| .392 |                |        |        | .0140  |       | .7173  |
| .667 | 999.9999       |        | -.0669 | -.0128 | .3600 | .7370  |
| .702 | -.0652         | -.0557 | -.0618 | -.0247 | .1238 | .7660  |
| .724 | -.0664         | -.0688 | -.0540 | -.0574 | .0080 | .1278  |
| .744 | -.0662         | -.0584 | -.0620 | .0761  | .4277 | .1272  |
| .755 | -.0607999.9999 |        | -.0675 | .0406  | .2676 | .1.691 |
| .869 | -.0658         |        | -.0697 | -.0196 | .3719 | .6975  |
| .902 | 999.9999       |        | -.0731 | -.0455 | .0913 | .8154  |
| .923 | -.0692         |        | -.0714 | -.0174 | .3214 | .2329  |
| .945 | -.0714         |        | -.0748 | -.0596 | .1748 | .6297  |
| .982 | .3200          |        |        | .2507  |       | .3922  |
|      |                |        |        |        |       | 1.3580 |

MACH ( 8) = 4.450 ALPHA ( 1) = 140.000 Q(PSF) = 4.0800 PO = 80.030 P = 80.030 RN/L = 5.7000

SECTION 11 SRB DEPENDENT VARIABLE CP

| X/L  | .027           | .1013  | .0036  | -.0038 | .0643 | .1629 |
|------|----------------|--------|--------|--------|-------|-------|
| .050 | .0112          | .0018  | -.0058 | .0748  | .1771 | .1771 |
| .074 | .1315          | -.0001 | -.0067 | .0823  | .1675 | .1675 |
| .098 | .0160          | .0055  | -.0010 | -.0067 | .0918 | .1999 |
| .111 | .0008          | .0086  | -.0048 | .1563  | .3761 | .3725 |
| .139 | .0008          | -.0020 | -.0005 | .0038  | .5957 | .0216 |
| .168 | -.0010         | .0008  | -.0105 | -.0029 | .673  | .0359 |
| .191 | -.0029         | .0018  | -.0029 | .0125  | .3971 | .7296 |
| .255 | -.0038         | -.0124 | -.0134 | .1930  | .6352 | .3970 |
| .344 | -.0076         | .0018  | -.0010 | .0406  | .2378 | .6550 |
| .392 |                |        |        | .0397  |       | .7318 |
| .667 | 999.9999       |        | -.0218 |        | .3410 | .7296 |
| .702 | -.0190         | .0662  | .0036  | .0178  | .1250 | .6730 |
| .724 | -.0209         | -.0209 | -.0152 | .1108  | .0520 | .0236 |
| .744 | -.0171         | -.0143 | -.0219 | .0710  | .4737 | .8133 |
| .755 | -.0190999.9999 |        |        | .2567  |       | .1667 |
|      |                |        |        |        |       | .1695 |
|      |                |        |        |        |       | .6386 |
|      |                |        |        |        |       | .7058 |
|      |                |        |        |        |       | .0814 |

DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC TNT 603 (SA2BF)

MSFC TNT 603 (SA2BF) SRB - CLEAN ATTACH AFT RING

MACH ( 8) = 4.450 ALPHA ( 1 ) = 140.000

SECTION ( 1 )SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .269   | -.0209 | -.0237 | .0150  | .0029 | .3431 | .7915 |
|------|--------|--------|--------|--------|-------|-------|-------|
| .902 | .999   | .9999  | -.0257 | -.0029 | .1070 | .2625 |       |
| .923 | -.0238 | -.0237 | -.0055 | .0055  | .2510 | .4559 | .0065 |
| .945 | -.0256 | -.0218 | -.0105 | .2226  | .1790 | .3402 | .0143 |
| .982 | .3165  |        |        |        |       | .0367 |       |

PAGE 67

(R11017)



DATE 07 MAR 77

TABULATED SOURCE DATA. MSFC TH1 603 (SA28F)

PAGE 69

MSFC TH1 603 (SA28F) SRB - CLEAN ATTACH AFT RING

(R11018)

MACH ( 2 ) = .603 ALPHA ( 1 ) = 149.000

SECTION 1 1)SRB

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L    | .344   | -.2915   | -2837          | -.3040 | -.6074 | -.5765 | -.1080  | .2459      | -.6139        |
|--------|--------|----------|----------------|--------|--------|--------|---------|------------|---------------|
| .392   | .667   | 999.9999 | -.1948         | -.5334 | -.8025 | -.7094 | -.2444  | .2471      | -.5851        |
| .702   | .724   | -.2004   | -.3064         | -.6505 | -.6562 | -.8512 | .2194   | .2858      | -.6656        |
| -.1011 | -.155  | -.5089   | -.4837         | -.3621 | -.5241 | -.2959 | -.6894  | .4129      | -.6330        |
| .744   | .755   | -.2503   | -.2193999.9999 | -.4248 | -.7416 | -.5382 | .4977   | .4618      | 999.9999      |
| .889   | .902   | -.3974   | -.5879         | -.9616 | -.9616 | -.2154 | .6092   | .4115      | -.6137        |
| .923   | .945   | 999.9999 | -.4380         | -.7281 | -.7281 | -.5097 | -.1839  | .5675      | -.7471        |
| .969   | .982   | -.3906   | -.4379         | -.6915 | -.6915 | -.3372 | -.9144  | -.6185     | -.8406        |
| -.1544 | -.1544 | -.3569   | -.5473         | -.6342 | -.6342 | -.8138 | -.22010 | P = 12.980 | RN/L = 6.4000 |

MACH ( 3 ) = .903 ALPHA ( 1 ) = 149.000 Q(PSF) = 7.4000 P0 = 22.010 P = 12.980 RN/L = 6.4000

SECTION 1 1)SRB

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L    | .027   | -.0112       | .0000  | .0036  | -.0206 | .0157  |
|--------|--------|--------------|--------|--------|--------|--------|
| .050   | -.1190 | -.1182       | -.1190 | -.1352 | -.0756 |        |
| .074   | -.2081 | -.2294       | -.368  | -.356  | -.2461 |        |
| .098   | -.3361 | -.3076       | -.4777 | -.4839 | -.7634 |        |
| .111   | -.4528 | -.4581       | -.4151 | -.5083 | -.4665 | -.4151 |
| .139   | -.2732 | -.3081       | -.3037 | -.6163 | -.2286 | -.2186 |
| .168   | -.2687 | -.3051       | -.2916 | -.5999 | -.2006 | -.1958 |
| .191   | -.2682 | -.3030       | -.2820 | -.5055 | -.5897 | -.2635 |
| .255   | -.2764 | -.3102       | -.3102 | -.981  | -.2073 | -.4810 |
| .344   | -.3104 | -.3130       | -.3560 | -.7477 | -.5619 | -.2557 |
| .392   | .667   | 999.9999     | -.2369 | -.5178 | -.1622 | .1467  |
| .702   | .724   | -.3303       | -.4159 | -.5915 | -.3230 | .2758  |
| -.0860 | -.744  | -.5342       | -.5342 | -.6615 | -.4165 | -.8708 |
| .755   | .869   | 1965999.9999 | -.2522 | -.4203 | -.5983 | -.5895 |
| .902   | .923   | -.3708       | -.5154 | -.4932 | -.6697 | -.6291 |
| .945   | .982   | 999.9999     | -.4661 | -.5673 | -.7510 | -.7114 |
| -.3627 | -.3950 | -.4277       | -.4392 | -.4769 | -.5300 | -.3703 |
| -.1364 | -.1364 | -.4925       | -.5039 | -.5463 | -.5039 | -.9772 |

MACH ( 4 ) = 1.191 ALPHA ( 11 ) = 148.000 QIPSF = 9.1200 PO = 22.010 P = 22.010 RNL = 9.1900 RNL = 6.8000

## SECTION ( 1 )SRB

## DEPENDENT VARIABLE CP

THE1A .00000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027           | -.2830         | -.2697 | -.2591 | -.2617 | -.3174 |
|------|----------------|----------------|--------|--------|--------|--------|
| .050 | -.3597         | -.3488         | -.3176 | -.3831 | -.3887 |        |
| .074 | -.4562         | -.4339         | -.4276 | -.5191 | -.3412 |        |
| .098 | -.5807         | -.539          | -.5077 | -.6035 | -.244  |        |
| .111 | -.6660         | -.5189         | -.4950 | -.5090 | .0711  | .2068  |
| .139 | -.4113         | -.4228         | -.373  | -.4944 | .1539  | .1318  |
| .158 | -.4169         | -.4842         | -.418  | -.4229 | .1307  | .1298  |
| .191 | -.4097         | -.4656         | -.4223 | -.4761 | .147   | .1152  |
| .255 | -.3956         | -.2659         | -.4860 | -.3282 | .147   | .1178  |
| .314 | -.2650         | -.2659         | -.4860 | -.3282 | .147   | .1178  |
| .392 | -.667          | 999.9999       | -.2513 | -.4871 | .147   | .1178  |
| .702 | -.2986         | -.3603         | -.4540 | -.5298 | .147   | .1178  |
| .724 | -.5366         | -.5188         | -.4974 | -.4869 | .147   | .1178  |
| .744 | -.2407         | -.2916         | -.3942 | -.4356 | .147   | .1178  |
| .755 | -.3642999.9999 | -.3642999.9999 | -.3659 | -.4604 | .147   | .1178  |
| .869 | -.4812         | -.5396         | -.4638 | -.5582 | .1556  | .147   |
| .902 | 999.9999       | -.5485         | -.4638 | -.6002 | .1556  | .147   |
| .923 | -.4733         | -.5485         | -.4638 | -.6459 | .1556  | .147   |
| .945 | -.4658         | -.5484         | -.4638 | -.6763 | .1556  | .147   |
| .982 | -.0355         | -.1181         | -.1181 | -.1181 | .1556  | .147   |

MACH ( 5 ) = 1.970 ALPHA ( 11 ) = 149.000 QIPSF = 10.920 PO = 30.020 P = 4.0200 RNL = 7.4000

## SECTION ( 1 )SRB

## DEPENDENT VARIABLE CP

| X/L  | .027           | -.1692         | -.1662 | -.1696 | -.1891 | -.0694 |
|------|----------------|----------------|--------|--------|--------|--------|
| .050 | -.1929         | -.1892         | -.1861 | -.1795 | -.0509 |        |
| .074 | -.2014         | -.2062         | -.2025 | -.1647 | -.0399 |        |
| .098 | -.2273         | -.2269         | -.2306 | -.1677 | -.0651 |        |
| .111 | -.2140         | -.2160         | -.2168 | -.2195 | -.0892 |        |
| .139 | -.1964         | -.1967         | -.1968 | -.2023 | -.2241 |        |
| .168 | -.1970         | -.1968         | -.1934 | -.2016 | -.2204 |        |
| .191 | -.1968         | -.1991         | -.1914 | -.2241 | -.0689 |        |
| .255 | -.1969         | -.1969         | -.1227 | -.2052 | -.0781 |        |
| .344 | -.1709         | -.1742         | -.2108 | -.2209 | -.0587 |        |
| .392 | -.667          | 999.9993       | -.2297 | -.2258 | .1525  | .4374  |
| .702 | -.2086         | -.2390         | -.2553 | -.2301 | -.0675 | .3614  |
| .724 | -.2830         | -.2823         | -.2581 | -.2760 | -.2118 | .4322  |
| .744 | -.1746         | -.2076         | -.2256 | -.1179 | .1718  | .0984  |
| .755 | -.1980999.9999 | -.1980999.9999 | -.2249 | -.1406 | .0883  | .9041  |

(R1)10181  
MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING  
SECTION ( 1 )SRB  
DEPENDENT VARIABLE CP  
THE1A .00000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC TWT 603 (SA2EF)

PAGE 71

MSFC TWT 603 (SA2EF) SRB - CLEAN ATTACH AFT RING

(R11018)

MACH ( 51 = 1.973 ALPHA ( 1 ) = 149.000

SECTION ( 1 ) SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L   | .869 | .2233           | -.2448 | -.1849 | .2115  | .4500   |
|---|------|-----------------|--------|--------|--------|---------|
|   | .902 | .999 .9999      | -.2520 | -.2471 | -.0768 | .0241   |
|   | .923 | -.2548          | -.2671 | -.1699 | .1929  | .5193   |
|   | .945 | -.2634          | -.2962 | -.2598 | -.0852 | .0525   |
|   | .982 | .1709           |        | .0131  |        | .1362   |
| MACH ( 61 = 2.740 ALPHA ( 1 ) = 149.020 QIPSF1 = 6.3700 P0 = 30.000 P = 1.2100 RN/L = 4.9000        |      |                 |        |        |        |         |
| SECTION ( 1 ) SRB DEPENDENT VARIABLE CP   |      |                 |        |        |        |         |
| THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 |      |                 |        |        |        |         |
|   | .027 | -.0919          | -.0973 | -.0997 | -.0772 | .0058   |
|   | .050 | -.0997          | -.1010 | -.1028 | -.0664 | .0160   |
|   | .074 | -.1016          | -.1064 | -.1064 | -.0598 | .0204   |
|   | .098 | -.1058          | -.1082 | -.1095 | -.0536 | .0240   |
|   | .111 | -.1095          | -.1112 | -.1070 | -.0858 | .0204   |
|   | .139 | -.1058          | -.1095 | -.1094 | -.0859 | .0313   |
|   | .168 | -.1083          | -.1070 | -.1083 | -.0870 | .0331   |
|   | .191 | -.1070          | -.1034 | -.1034 | -.0888 | .0309   |
|   | .225 | -.1064          | -.1058 | -.1058 | -.0876 | .2062   |
|   | .344 | -.1010          | -.1015 | -.1070 | -.0857 | .0337   |
|   | .392 |                 |        |        | -.0815 |         |
|   | .667 | .999 .9999      | -.1186 | -.0925 | .2284  |         |
|   | .702 | -.1192          | -.1192 | -.1240 | -.0289 | .4145   |
|   | .724 | -.125           | -.1350 | -.1216 | -.1277 | .0265   |
|   | .744 | -.0961          | -.1028 | -.1156 | -.0219 | .4771   |
|   | .755 | -.1015999 .9999 |        | -.1107 | -.0439 | .0250   |
|   | .869 | -.1070          |        | -.1180 | -.1182 | .5584   |
|   | .902 | .999 .9999      |        | -.1277 | -.1137 | .0260   |
|   | .923 | -.1167          |        | -.1276 | -.0620 | .4352   |
|   | .945 | -.1271          |        | -.1256 | -.1149 | .0923   |
|   | .982 | .2463           |        | .2439  |        | .1.0983 |

MACH ( 7) = 3.480    ALPHA ( 1) = 149.000    Q(PSF) = 6.8600    PO = 60.030    P = .81000    RNL = 6.6000

## SECTION 111SRB

## DEPENDENT VARIABLE CP

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | 027  | .0094         | .0641 | .0681 | .0286 | .0339 |
|-----|------|---------------|-------|-------|-------|-------|
|     | .050 | .0613         | .0658 | .0692 | .0213 | .0117 |
|     | .074 | .0102         | .0659 | .0709 | .0151 | .0479 |
|     | .098 | .0579         | .0686 | .0720 | .0061 | .0511 |
|     | .111 | .0652         | .0681 | .0709 | .0739 | .2130 |
|     | .135 | .0664         | .0669 | .0720 | .0945 | .2130 |
|     | .158 | .0675         | .0669 | .0720 | .0235 | .2321 |
|     | .191 | .0681         | .0652 | .0709 | .0247 | .0789 |
|     | .205 | .0692         | .0664 | .0664 | .0258 | .2340 |
|     | .344 | .0658         | .0664 | .0731 | .0281 | .1134 |
|     | .392 |               |       |       | .0292 | .1134 |
|     | .667 | .9999         | .9999 | .0630 | .0382 | .2552 |
|     | .702 | .0726         | .0646 | .0641 | .0466 | .4459 |
|     | .724 | .0759         | .0759 | .0018 | .0709 | .0235 |
|     | .744 | .0449         | .0906 | .0802 | .0108 | .2310 |
|     | .755 | .0517999.9999 |       | .0602 | .0010 | .1521 |
|     | .869 | .0579         |       | .0659 | .0241 | .2175 |
|     | .902 | .999          | .9991 | .0731 | .0602 | .0338 |
|     | .923 | .0647         |       | .0754 | .0298 | .2199 |
|     | .945 | .0720         |       | .0767 | .0619 | .0558 |
|     | .982 | .2851         |       |       | .2829 | .9556 |

MACH ( 8) = 4.450    ALPHA ( 1) = 147.500    Q(PSF) = 4.0800    PO = 80.020    P = .29000    RNL = 5.8000

## SECTION 111SRB

## DEPENDENT VARIABLE CP

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | 027  | .0748          | .0511  | .0369  | .0178  | .0776 |
|-----|------|----------------|--------|--------|--------|-------|
|     | .050 | .0578          | .0473  | .0521  | .0468  | .0801 |
|     | .074 | .0701          | .0397  | .0236  | .046   | .0852 |
|     | .098 | .0555          | .0368  | .0274  | .02625 | .4113 |
|     | .111 | .0445          | .0368  | .0359  | .1155  | .4711 |
|     | .139 | .0144          | .0435  | .0292  | .0387  | .2758 |
|     | .168 | .0368          | .0482  | .0236  | .0596  | .4293 |
|     | .191 | .0340          | .0558  | .0454  | .0548  | .4331 |
|     | .255 | .0311          |        | .0198  | .0586  | .4257 |
|     | .344 | .0255          | .0549  | .0464  | .0473  | .2767 |
|     | .392 |                |        |        | .1280  | .4297 |
|     | .667 | .999.9999      | .0018  | .0303  | .0198  | .5042 |
|     | .702 | -.0019         | .0435  | .0446  | .0074  | .5052 |
|     | .724 | -.0019         | -.0143 | .0046  | .0321  | .4796 |
|     | .744 | .0065          | .0000  | -.0029 | .0454  | .4654 |
|     | .755 | .00088999.9999 |        | -.0010 | .0359  | .1316 |

.1771

.5938

.6749

.0349

.9999

.0387

DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC TWT 603 (SA2BF)

MSFC TWT 603 (SA2BF) SRB - CLEAN ATTACH AFT RING

(R11018)

MACH ( 01 = 4.450 ALPHA ( 11 = 147.500

SECTION ( 11)SRB

DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000

| X/L | .869 | .999  | .0027 | .0027  | .0217 | .2103 | .3851 |
|-----|------|-------|-------|--------|-------|-------|-------|
|     | .902 | .999  | .9999 | -.0002 | .0065 | .0605 | .1166 |
|     | .923 | .0036 |       | .0018  | .0387 | .1866 | .3072 |
|     | .955 | .0000 |       | .0008  | .0141 | .0785 | .1847 |
|     | .982 | .2938 |       |        | .2693 | .8162 |       |

PAGE 73

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

PAGE 74

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING

(R11019) ( 22 AUG 75 )

## REFERENCE DATA

|       |   |          |          |      |   |           |     |        |   |       |     |   |      |
|-------|---|----------|----------|------|---|-----------|-----|--------|---|-------|-----|---|------|
| SREF  | = | 116.2600 | SO. F.T. | XMRP | = | 1044.0000 | IN. | RN-SCH | = | 2.000 | PHI | = | .000 |
| LREF  | = | 146.0000 | IN.      | YMRP | = | .0000     | IN. |        |   |       |     |   |      |
| BREF  | = | 146.0000 | IN.      | ZMRP | = | .0000     | IN. |        |   |       |     |   |      |
| SCALE | = | .0055    |          |      |   |           |     |        |   |       |     |   |      |

MACH ( 1 ) = .400 ALPHA ( 1 ) = 160.000 Q(PSF) = 3.2100 PO = 32.040 P = 28.700 RN/L = 5.3000

## SECTION 1 11SRB

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000225.0000270.0000315.0000

| PARAMETRIC DATA  |               |               |               |       |       |       |       |       |       |           |       |
|--|---------------|---------------|---------------|-------|-------|-------|-------|-------|-------|-----------|-------|
| X/L  |               |               |               |       |       |       |       |       |       |           |       |
| .027   | .0685         | .0773         | .0737         | .0281 | .0219 |       |       |       |       |           |       |
| .050   | .0303         | .0404         | .0398         | .0678 | .0447 |       |       |       |       |           |       |
| .074   | .0309         | .0499         | .0240         | .1723 | .1319 |       |       |       |       |           |       |
| .098   | .1651         | .1245         | .1539         | .3916 | .3351 |       |       |       |       |           |       |
| .111   | .3459         | .3264         | .2771         | .7746 | .8134 | .7730 | .7376 | .8329 | .5336 | .2724     |       |
| .139   | .1394         | .1532         | .2639         | .5627 | .3032 | .3196 | .2152 | .0676 | .0224 | .2207     | .1533 |
| .168   | .1252         | .1363         | .1490         | .1686 | .2826 | .2810 | .1537 | .0571 | .0047 | .1611     | .1366 |
| .191   | .1308         | .1281         | .1319         | .1301 | .2789 | .2768 | .0264 | .0771 | .0254 | .2702     |       |
| .255   | .1267         | .1179         | .1179         | .2887 | .3264 | .2782 | .1225 | .0428 | .0980 | .009      | .3257 |
| .344   | .1346         | .1371         | .1176         | .2887 | .3178 | .2782 | .0428 | .0980 | .009  | .3153     |       |
| .392   | .999.9999     | .0564         | .0564         | .2333 | .2125 | .2125 | .0511 | .1514 | .2179 | .3008     |       |
| .667   | .999.9999     | .1351         | .1351         | .3054 | .2954 | .2954 | .2113 | .2738 | .3401 | .999.9999 |       |
| .702   | .0533         | .3617         | .3617         | .3637 | .4730 | .4730 | .5111 | .5805 | .5774 | .0110     |       |
| .724   | .3386         | .0495         | .0495         | .0495 | .0240 | .0240 | .1488 | .4617 | .4865 | .1960     |       |
| .744   | .0522         | .0806999.9999 | .0806999.9999 | .1521 | .2132 | .2132 | .0856 | .2153 | .2697 |           |       |
| .755   | .4113         | .4880         | .4880         | .5111 | .5111 | .5111 | .0456 | .1945 |       |           |       |
| .869   | .902.999.9999 | .5015         | .5015         | .5220 | .5220 | .5220 | .1854 | .4077 | .4046 | .4804     |       |
| .923   | .4381         | .4971         | .4971         | .4807 | .4807 | .4807 | .4834 | .7876 | .7876 | .5092     |       |
| .945   | .4056         | .4695         | .4695         | .5149 | .5149 | .5149 | .7509 | .7209 |       |           |       |
| .982   | .3866         | .5635         | .5635         | .5635 |       |       |       |       |       |           |       |
| MACH ( 2 ) = .601 ALPHA ( 1 ) = 160.000 Q(PSF) = 7.5300 PO = 38.010 P = 29.780 RN/L = 8.8000         |               |               |               |       |       |       |       |       |       |           |       |
| THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000225.0000270.0000315.0000 |               |               |               |       |       |       |       |       |       |           |       |
| DEPENDENT VARIABLE CP  |               |               |               |       |       |       |       |       |       |           |       |
| X/L  |               |               |               |       |       |       |       |       |       |           |       |
| .027   | .0605         | .0662         | .0745         | .0339 | .0291 |       |       |       |       |           |       |
| .050   | .0104         | .0275         | .0393         | .0522 | .0339 |       |       |       |       |           |       |
| .074   | .0527         | .0327         | .0299         | .1529 | .1285 |       |       |       |       |           |       |
| .098   | .1865         | .1439         | .2201         | .4094 | .3663 |       |       |       |       |           |       |
| .111   | .3632         | .3392         | .3084         | .7524 | .8017 | .7239 | .7059 | .7974 | .4667 | .3037     |       |
| .139   | .1481         | .1692         | .1676         | .1757 | .3171 | .3296 | .2093 | .0659 | .2110 | .3000     | .1685 |
| .168   | .1397         | .1532         | .1485         | .1535 | .2930 | .2930 | .1521 | .0029 | .0595 | .1632     | .1471 |
| .191   | .1300         | .1481         | .1409         | .1320 | .2861 | .2879 | .0175 | .0790 | .2758 | .2758     |       |
| .255   | .270          |               |               |       | .2965 | .2965 | .1223 | .0937 |       |           |       |

DATE 07 MAR 77

TABULATED SOURCE DATA. MSFC THT 603 (SA2BF)

MSFC THT 603 (SA2BF) SRB - CLEAN ATTACH ART RING

(R11018)

MACH 1 21 \* .601 ALPHA (1) \* 160.000

SECTION 1 1)SRB

DEPENDENT VARIABLE CP

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .344      | -.1524 | -.1598 | -.1923 | -.3220 | -.2811 | .0299  | .0933    | -.3332 |
|------|-----------|--------|--------|--------|--------|--------|--------|----------|--------|
| .392 | .392      | -.2177 | -.3003 | -.0491 | .2385  | .3534  | .0963  | -.3153   | -.2222 |
| .667 | .999      | .9999  | -.0909 | -.2794 | -.3249 | -.5207 | -.5442 | .5691    | -.3299 |
| .702 | -.0749    | -.1666 | -.3718 | -.4477 | -.1309 | .4956  | .5234  | 999.9999 | -.0337 |
| .724 | -.3188    | -.3597 | -.0869 | -.0507 | -.1077 | .2313  | .2867  | -.2356   |        |
| .744 | -.1061    | -.1046 | -.1921 | -.2435 | -.4737 | .0605  | .2035  |          |        |
| .755 | -.1260999 | .9999  | -.4822 | -.4660 | -.4700 | -.2654 | -.0110 |          |        |
| .869 | .4539     | -.4660 | -.4639 | -.4468 | -.5235 | -.5289 | -.4441 |          |        |
| .902 | .999      | .9999  | -.4639 | -.4383 | -.5125 | -.6809 | -.7146 | -.4821   |        |
| .923 | -.4063    | -.4063 | -.3878 | -.3601 | -.5265 | -.5810 |        |          |        |
| .945 |           |        |        |        |        |        |        |          |        |
| .982 |           |        |        |        |        |        |        |          |        |

MACH 1 31 \* .907 ALPHA (1) \* 160.000 Q(PSF) = 7.4400 P0 = 22.020 P = 12.920 RN/L = 6.4000

SECTION 1 1)SRB

DEPENDENT VARIABLE CP

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027      | .0137  | .0184  | .0314  | .0240  | .0234  |        |        |          |
|------|-----------|--------|--------|--------|--------|--------|--------|--------|----------|
| .050 | -.0432    | -.0567 | -.0787 | -.0852 | -.0890 |        |        |        |          |
| .074 | -.1114    | -.1264 | -.3261 | -.2977 | -.2754 |        |        |        |          |
| .098 | -.2401    | -.2386 | -.6667 | -.4346 | -.6445 |        |        |        |          |
| .111 | -.3731    | -.3756 | -.4034 | -.4771 | -.4311 | -.2096 | -.1711 | -.3628 | -.4731   |
| .139 | -.1788    | -.1958 | -.1954 | -.1967 | -.3096 | -.2833 | -.1194 | -.1446 | -.3871   |
| .168 | -.1514    | -.1639 | -.1589 | -.1601 | -.2848 | -.2572 | -.1004 | -.0559 | -.3080   |
| .191 | -.1401    | -.1520 | -.1450 | -.1520 | -.2719 | -.2550 | -.0562 | -.1131 | -.1978   |
| .255 | -.1372    | -.1448 | -.1448 | -.1448 | -.2828 | -.0999 | -.1152 | -.1198 | -.2729   |
| .344 | -.1729    | -.1740 | -.1979 | -.3189 | -.2670 | -.0464 | -.1069 | -.1152 | -.2616   |
| .392 | -.2672    | -.2510 | -.4202 | -.4175 | -.0490 | -.0464 | -.0978 | -.1079 | -.3420   |
| .667 | .999      | .9999  | -.2034 | -.3879 | -.4218 | -.4960 | -.1377 | -.1671 | -.3105   |
| .702 | -.2012    | -.3195 | -.3902 | -.2227 | -.1398 | -.1124 | -.5135 | -.5196 | -.2510   |
| .724 | -.3104    | -.4343 | -.4218 | -.2863 | -.0791 | -.1035 | -.5800 | -.6237 | -.4178   |
| .744 | -.2555    | -.2445 | -.2227 | -.2916 | -.3400 | -.3723 | -.3862 | -.3821 | 999.9999 |
| .755 | -.2796999 | .9999  | -.3815 | -.3684 | -.4569 | -.4898 | -.4992 | -.5362 | -.4511   |
| .869 | -.3709    | -.3266 | -.3566 | -.3373 | -.5471 | -.5362 | -.5444 |        | -.5619   |
| .902 | .999      | .9999  | -.3373 | -.4235 |        |        |        |        |          |
| .923 | -.3006    | -.2173 |        |        |        |        |        |        |          |
| .945 |           |        |        |        |        |        |        |        |          |
| .982 |           |        |        |        |        |        |        |        |          |

PAGE 75

MSFC TWT 603 (SA2BF) SRB - CLEAN ATTACH AFT RING  
 MACH (4) = 1.202 ALPHA (1) = 160.000 Q(PSF) = 9.1500 PO = 22.010 P = 9.0600 RNL = 6.8000

## SECTION 11 SRB

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| DEPENDENT VARIABLE CP |               |               |          |          |          |          |          |          |          |
|-----------------------|---------------|---------------|----------|----------|----------|----------|----------|----------|----------|
| X/L                   | 0.027         | -0.0214       | .0189    | -.0020   | .0053    | .0229    | .0229    | .0229    | .0229    |
| .050                  | -.0772        | -.0805        | -.1250   | -.1584   | -.3209   |          |          |          |          |
| .074                  | -.1740        | -.1729        | -.3136   | -.4659   | -.3763   |          |          |          |          |
| .098                  | -.5310        | -.4660        | -.5694   | -.5325   | -.4960   |          |          |          |          |
| .111                  | -.2142        | -.2463        | -.2745   | -.2397   | -.1615   | -.1037   | -.0020   | -.0257   | -.2015   |
| .139                  | -.0707        | -.0999        | -.1101   | -.0756   | -.0963   | -.1443   | -.1374   | -.0293   | -.1394   |
| .168                  | -.0693        | -.0936        | -.1162   | -.0873   | -.1302   | -.2884   | -.1506   | -.0344   | -.1026   |
| .191                  | -.0772        | -.1002        | -.1176   | -.1852   | -.3349   | -.0192   | -.0892   | -.1506   | -.1195   |
| .255                  | -.1148        | -.1650        | -.1650   | -.2736   | -.1332   | -.0714   | -.0748   | -.1379   | -.1379   |
| .344                  | -.0961        | -.0935        | -.1564   | -.2016   | -.1224   | -.1224   | -.1827   | -.1827   | -.2865   |
| .392                  | 999.9999      | 999.9999      | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 999.9999 |
| .667                  | 999.9999      | 999.9999      | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 999.9999 |
| .702                  | -.1625        | -.2146        | -.2111   | -.3986   | -.4384   | -.3967   | -.1026   | -.0473   | -.3986   |
| .724                  | -.3477        | -.3743        | -.4340   | -.4953   | -.4951   | -.4951   | -.4854   | -.4991   | -.4305   |
| .744                  | -.0811        | -.1082        | -.1260   | -.2029   | -.1747   | -.1747   | -.6896   | -.7295   | -.1104   |
| .755                  | -.128999.9999 | -.128999.9999 | -.1974   | -.2142   | -.0168   | -.0168   | -.4398   | -.4945   | -.2057   |
| .869                  | -.3332        | -.3638        | -.3638   | -.3020   | -.3020   | -.0608   | -.3638   | -.2400   |          |
| .902                  | 999.9999      | 999.9999      | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 999.9999 |
| .923                  | -.3335        | -.3526        | -.3901   | -.4620   | -.4620   | -.0808   | -.0808   | -.2946   | -.4056   |
| .945                  | -.3278        | -.3484        | -.3484   | -.2613   | -.2613   | -.5483   | -.5483   | -.5063   | -.4771   |
| .982                  | -.1620        |               |          |          |          |          |          | -.3049   |          |
| MACH (5)              | 1.965         | ALPHA (1)     | 160.000  | Q(PSF)   | 10.940   | PO       | 30.010   | P        | 4.0500   |

| DEPENDENT VARIABLE CP |                |                |          |          |          |          |          |          |          |
|-----------------------|----------------|----------------|----------|----------|----------|----------|----------|----------|----------|
| X/L                   | 0.027          | -1.308         | -.1348   | -.1091   | .0977    | -.1566   | .0210    | .0210    | .0210    |
| .050                  | -.2200         | -.2157         | -.2416   | -.1884   | -.1866   | -.1679   |          |          |          |
| .074                  | -.2435         | -.2667         | -.2362   | -.2270   | -.2298   | -.1607   |          |          |          |
| .098                  | -.2419         | -.1595         | -.1922   | -.2663   | -.0100   | .0963    | -.1352   | -.0210   | -.1785   |
| .111                  | -.1221         | -.1331         | -.1747   | -.1661   | -.1979   | -.1380   | -.0008   | -.1125   | -.0040   |
| .139                  | -.1008         | -.1231         | -.1792   | -.1605   | -.1910   | -.1256   | -.0096   | -.1362   | -.1704   |
| .168                  | -.0956         | -.1231         | -.1792   | -.1683   | -.1995   | -.1192   | -.0196   | -.1719   | -.1573   |
| .191                  | -.0984         | -.1143         | -.1357   | -.1357   | -.2139   | -.1200   | -.2002   | -.1242   | -.0072   |
| .255                  | -.1130         | -.0956         | -.1164   | -.1281   | -.0793   | -.0515   | -.0252   | -.1577   | -.2026   |
| .344                  | -.0971         |                |          |          |          |          |          |          |          |
| .392                  | 999.9999       | 999.9999       | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 999.9999 |
| .667                  | 999.9999       | 999.9999       | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 999.9999 |
| .702                  | -.1132         | -.1457         | -.2122   | -.2266   | -.1172   | -.1217   | -.1531   | -.2241   |          |
| .724                  | -.2369         | -.2357         | -.2545   | -.2567   | -.2410   | -.1837   | -.1819   | -.9995   |          |
| .744                  | -.0150         | -.0914         | -.1501   | -.0814   | -.1330   | -.5428   | -.5842   | -.0794   |          |
| .755                  | -.0812999.9999 | -.0812999.9999 | -.1353   | -.1208   | -.0040   | -.1789   | -.2187   | -.1356   |          |
| MACH (5)              | 1.965          | ALPHA (1)      | 160.000  | Q(PSF)   | 10.940   | PO       | 30.010   | P        | 4.0500   |

REPRODUCIBILITY OF THE  
ORIGINAL PAGE IS POOR

DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

PAGE 77

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING (R11019)

MACH 1.51 = 1.965 ALPHA (1) = 160.000

SECTION 1 1)SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | 0.869 | 1.732  | -2078  | -1537  | .0907  | .2047  |
|-----|-------|--------|--------|--------|--------|--------|
|     | .902  | .999   | .9999  | -2117  | -.2397 | -.1488 |
|     | .923  | -.2209 | -2397  | -1576  | -.0786 | .2037  |
|     | .945  | -.2277 | -.2521 | -.2673 | -.1766 | -.1199 |
|     | .962  | .0270  |        | .0415  |        | -.2624 |

MACH 1.61 = 2.740 ALPHA (1) = 160.000 QIPSF1 = 6.3700 P0 = 30.010 P = 1.2100 RNL = 5.0000

SECTION 1 1)SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .027 | -.0706    | -.0779 | -.0785 | -.0767 | -.0815 |
|-----|------|-----------|--------|--------|--------|--------|
|     | .050 | -.0924    | -.0961 | -.0988 | -.1060 | -.0797 |
|     | .074 | -.0919    | -.1058 | -.1113 | -.1077 | -.0773 |
|     | .098 | -.1015    | -.1125 | -.1149 | -.1041 | -.0712 |
|     | .111 | -.0858    | -.0937 | -.0979 | -.0457 | -.1004 |
|     | .139 | -.0791    | -.0858 | -.0900 | -.0875 | -.0556 |
|     | .168 | -.0791    | -.0840 | -.0920 | -.0868 | -.0562 |
|     | .191 | -.0773    | -.0779 | -.0821 | -.0900 | -.0544 |
|     | .255 | -.0688    | -.0682 | -.0882 | -.0976 | -.0592 |
|     | .344 | -.0542    | -.1541 | -.0712 | -.0342 | -.1716 |
|     | .392 | -.0427    |        |        |        | -.0835 |
|     | .667 | .999      | .9999  | -.0841 |        |        |
|     | .702 | -.0724    | -.0815 | -.1003 | -.0961 | .0433  |
|     | .724 | -.1192    | -.1216 | -.1046 | -.0354 | -.0944 |
|     | .744 | -.0084    | -.0494 | -.0773 | -.1010 | -.1022 |
|     | .755 | -.0402999 | .9999  | -.0955 | -.0460 | .999   |
|     | .869 | -.0750    |        | -.0542 | -.0337 | .999   |
|     | .902 | .999      | .9999  | -.1089 | -.1077 | .999   |
|     | .923 | -.1034    | -.1119 | -.0518 | -.0939 | .999   |
|     | .945 | -.1144    | -.1248 | -.1101 | -.0427 | .999   |
|     | .982 |           |        |        |        | .999   |

DATE 07 MAR 77

TABULATED SOURCE DATA. MSFC TWT 603 (SA28F)

PAGE 78

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING  
 MACH ( 7) = 3.480 ALPHA ( 1) = 160.000 Q(PSF) = 5.8600 PO = 59.980 P = .81000 RNL = 6.7000  
 SECTION ( 1)SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027   | -.0114 | .0270  | -.0270 | .0362  | -.0424 | .0374     |
|------|--------|--------|--------|--------|--------|--------|-----------|
| .050 | -.0240 | -.0322 | -.0401 | -.0503 | -.0590 | -.0390 |           |
| .074 | -.0177 | -.0379 | -.0469 | -.0492 | -.0550 | -.0373 |           |
| .098 | -.0262 | -.0418 | -.0480 | .0032  | .0753  | .1593  | .0407     |
| .111 | -.0321 | -.0396 | -.0480 | -.0080 | .0857  | .1537  | .0407     |
| .139 | -.0305 | -.0445 | -.0430 | .0211  | .0855  | .1541  | .0384     |
| .168 | -.035  | -.0310 | -.0441 | .0264  | .0860  | .1550  | .0364     |
| .191 | -.0362 | -.0264 | -.0288 | .0305  | .0860  | .1508  | .0364     |
| .255 | -.0328 | -.0435 | -.0288 | .0328  | .0860  | .1508  | .0364     |
| .344 | -.0227 | -.0172 | -.0213 | .0366  | .0140  | .1542  | .0416     |
| .392 | .0099  | .9999  | -.0481 | -.0154 | .0842  | .1542  | .0416     |
| .667 | .999   | .9999  | -.0481 | -.0446 | .0842  | .1502  | .0193     |
| .702 | -.0498 | -.0335 | -.0404 | -.0531 | -.0081 | .1494  | .1778     |
| .724 | -.0610 | -.0550 | -.0531 | -.0593 | -.0441 | -.0120 | .1727     |
| .744 | .0094  | .0198  | -.0362 | .0122  | .1609  | .4862  | .999.9999 |
| .755 | -.0171 | .9999  | .9999  | -.0334 | .0125  | .0555  | .5303     |
| .869 | -.0300 | .0059  | -.0458 | -.0171 | .1197  | .1727  | .0176     |
| .902 | .999   | .9999  | -.0518 | -.0569 | -.0126 | .0127  |           |
| .923 | -.0475 | -.0537 | -.0517 | -.0086 | .0917  | .1357  | .0153     |
| .945 | -.0554 | -.0621 | -.0621 | -.0480 | .0065  | .0490  | .0158     |
| .982 | .1637  | .1834  | .1834  |        |        | .4789  |           |

MACH ( 8) = 4.450 ALPHA ( 1) = 160.000 Q(PSF) = 4.0800 PO = 80.040 P = -.29000 RNL = 5.8000  
 SECTION ( 1)SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027   | .0704  | .0472 | .0292  | .0216 | .0189 |        |
|------|--------|--------|-------|--------|-------|-------|--------|
| .050 | .0679  | .0443  | .0263 | .0140  | .0283 |       |        |
| .074 | .0685  | .0357  | .0216 | .0161  | .0103 |       |        |
| .098 | .0367  | .0310  | .0207 | .0122  | .0226 |       |        |
| .111 | .0359  | .0262  | .0197 | .0818  | .1619 | .1847 | .0283  |
| .139 | .0433  | .0404  | .0197 | .0377  | .0594 | .1098 | .0283  |
| .168 | .0357  | .0462  | .0140 | .0423  | .0510 | .0444 | .0283  |
| .191 | .0320  | .0472  | .0152 | .0471  | .0490 | .0764 | .0283  |
| .255 | .0292  | .0253  | .0501 | .0395  | .0395 | .1078 | .0283  |
| .344 | .0263  | .0253  | .0501 | .0358  | .0837 | .1692 | .0283  |
| .392 | .667   | .999   | .9999 | -.0057 | .0378 | .1722 | -.0001 |
| .702 | .0008  | .0362  | .0215 | .0093  | .0892 | .2013 | .0218  |
| .724 | -.0029 | -.0105 | .0419 | .0043  | .0150 | .1455 | .0236  |
| .744 | .0235  | .0084  | .0017 | .0207  | .1278 | .0255 | .0236  |
| .755 | .0123  | .9999  | .9999 | .0008  | .0168 | .0672 | .0254  |

DATE 07 MAR 77

PAGE 79

TABULATED SOURCE DATA. MSFC TWT 603 (SA28F)

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING

(R11019)

MACH 1 81 = 4.450 ALPHA 1 1 = 160.000

SECTION 11(SRB) DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000

| X/L  |          |        |       |       |       |  |  |  |  |  |  |
|------|----------|--------|-------|-------|-------|--|--|--|--|--|--|
| .869 | .0103    | .0000  | .0161 | .1146 | .1968 |  |  |  |  |  |  |
| .902 | .9999999 | -.0048 | .0018 | .0207 | .0499 |  |  |  |  |  |  |
| .923 | .0047    | .0046  | .0387 | .0802 | .1098 |  |  |  |  |  |  |
| .945 | .0000    | -.0001 | .0121 | .0453 | .0755 |  |  |  |  |  |  |
| .982 | .1762    | .990   |       | .4766 |       |  |  |  |  |  |  |





MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING

(R11021)

MACH ( 2 ) = .589 ALPHA ( 1 ) = 169.900

SECTION ( 1 ) SRB

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000225.0000270.0000315.0000

| DEPENDENT VARIABLE CP  |                |        |        |        |        |        |        |        |        |
|--|----------------|--------|--------|--------|--------|--------|--------|--------|--------|
| X/L  | 344            | .0691  | .0576  | -.0956 | -.1207 | -.1108 | -.0058 | .0122  | -.1270 |
| .392   | 999.9999       | .0336  | .0429  | -.0447 | -.0902 | .0452  | .0195  | .0031  | -.1427 |
| .667   | 999.9999       | .0161  | .0161  | -.0902 | -.3214 | -.3002 | -.3097 | .0165  | .0165  |
| .702   | .0722          | .0429  | .0429  | -.2419 | -.2793 | .2054  | .4085  | .4092  | .0671  |
| .724   | -.0532         | -.1369 | -.1369 | .1451  | .2117  | .0710  | .1190  | .2126  | .2232  |
| .744   | .0512          | .0500  | .0435  | -.0435 | -.3390 | -.0481 | .2330  | .0717  |        |
| .755   | .0420999.99999 | -.3986 | -.4439 | -.5242 | -.3530 | -.2317 | .0717  |        |        |
| .869   | -.3511         | -.4439 | -.4754 | -.5323 | -.5436 | -.5127 | -.5443 |        |        |
| .902   | 999.9999       | -.4502 | -.4502 | -.5273 | -.6627 | -.7641 | -.5262 |        |        |
| .923   | -.4447         | -.4447 | -.4749 | -.5200 | -.5779 | -.5779 |        |        |        |
| .945   | -.4143         |        |        |        |        |        |        |        |        |
| .982   |                |        |        |        |        |        |        |        |        |
| MACH ( 3 ) = .904 ALPHA ( 1 ) = 169.900 Q(PSF) = 7.4100 P0 = 22.010 P = 12.960 RN/L = 6.3000         |                |        |        |        |        |        |        |        |        |
| DEPENDENT VARIABLE CP  |                |        |        |        |        |        |        |        |        |
| SECTION ( 1 ) SRB  |                |        |        |        |        |        |        |        |        |
| THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000225.0000270.0000315.0000 |                |        |        |        |        |        |        |        |        |
| X/L  | 344            | .0616  | .0511  | .0255  | .0391  | .0383  |        |        |        |
| .027   | .0109          | .0015  | -.0916 | -.0672 | -.0804 |        |        |        |        |
| .050   | -.0657         | -.0845 | -.2521 | -.2363 | -.2868 |        |        |        |        |
| .074   | -.2147         | -.2679 | -.3880 | -.3968 | -.3912 |        |        |        |        |
| .098   | -.3655         | -.3733 | -.3802 | -.3407 | -.3205 | -.2783 | -.2657 | -.3153 | -.3859 |
| .111   | -.1300         | -.1299 | -.1346 | -.1331 | -.1321 | -.0855 | -.0360 | -.0233 | -.0955 |
| .139   | -.0939         | -.0945 | -.0928 | -.0934 | -.1070 | -.0646 | -.0146 | -.016  | -.1364 |
| .168   | -.0846         | -.0819 | -.0835 | -.0835 | -.1037 | -.0125 | -.0036 | -.0744 | -.1262 |
| .191   | -.0872         | -.0773 | -.1127 | -.1127 | -.0631 | -.0041 | -.0041 |        | -.0955 |
| .255   | -.1124         | -.1136 | -.1477 | -.1623 | -.1451 | -.0474 | -.0313 |        |        |
| .392   |                |        |        | -.1676 |        | -.0360 |        |        |        |
| .667   | 999.9999       | .0328  | .0120  |        |        |        |        |        |        |
| .702   | -.0182         | -.0203 | -.0693 | -.0866 | -.0923 | .0518  | -.0380 | -.0292 | -.0177 |
| .724   | -.0359         | -.0566 | -.1769 | -.2164 | -.2461 |        | -.2978 | -.2976 | -.0841 |
| .744   | -.0907         | -.1199 | -.0772 | -.0025 | -.1044 |        | -.2742 | -.2925 | -.0057 |
| .755   | -.1469999.9999 | -.4667 | -.1429 | -.0891 | -.0093 |        | -.1435 |        | -.0991 |
| .869   | -.4370         | -.4370 | -.4328 | -.4756 | -.4798 |        |        |        |        |
| .902   | 999.9999       | -.4328 | -.4242 | -.4824 | -.5265 |        |        |        |        |
| .923   | -.3937         | -.3937 | -.3796 | -.4682 | -.6004 |        |        |        |        |
| .945   | -.3461         | -.3461 | -.3563 | -.4093 |        |        |        |        |        |

DATE 07 MAR 77

## TABULATED SOURCE DATA. MSFC TWT 603 (SA28F)

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING  
MACH 1 41 • 1.204 ALPHA ( 1 ) = 169.900 Q1PSF = 9.1600 PO = 22.020 P = 9.0400 RN/L = 6.6000

SECTION ( 1 )SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L                | .027  | .0204          | -.0124      | .0314      | -.0098        | .0022  |
|--------------------|---|----------------|-------------|------------|---------------|--------|
| .050               | -.0440  | -.0707         | -.1433      | -.1402     | -.3196        |        |
| .074               | -.1820  | -.2252         | -.3396      | -.4899     | -.4522        |        |
| .098               | -.5562  | -.4898         | -.2104      | -.1880     | -.1285        | -.2324 |
| .111               | -.1910  | -.1867         | -.0364      | -.0390     | -.0525        | -.0319 |
| .139               | -.0382  | -.0285         | -.0288      | -.0347     | -.0478        | -.0305 |
| .169               | -.0347  | -.0390         | -.0285      | -.0538     | -.0846        | -.0799 |
| .191               | -.0436  | -.0791         | -.0116      | -.0760     | -.1082        | -.0998 |
| .255               | -.0791  | -.0381         | -.1327      | -.1310     | -.0892        | -.0246 |
| .344               | -.0116  | -.0999         | -.0297      | -.1834     | -.0602        | -.0103 |
| .392               | -.0999  | -.0234         | -.0972      | -.2222     | -.2152        | -.0784 |
| .702               | -.1489  | -.2608         | -.2972      | -.3725     | -.3956        | -.1364 |
| .724               | -.0579  | -.0551         | -.0845      | -.1718     | -.2798        | -.4326 |
| .744               | -.0916999.9999  | -.3508         | -.0310      | -.1014     | -.1717        | -.5050 |
| .869               | -.902   | -.999.9999     | -.3769      | -.2935     | -.0580        | -.3528 |
| .923               | -.3538  | -.3348         | -.3775      | -.4262     | -.2594        | -.1635 |
| .945               | -.3348  | -.2017         | -.3646      | -.4356     | -.6004        | -.6458 |
| .982               | -.2954  |                | -.2954      | -.3774     | -.3895        | -.4185 |
| MACH ( 5 ) = 1.947 | ALPHA ( 1 ) = 169.900   | Q1PSF = 11.050 | PO = 30.010 | P = 4.1700 | RN/L = 7.5000 |        |
| SECTION ( 1 )SRB   | DEPENDENT VARIABLE CP   |                |             |            |               |        |
| THETA              | .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 |                |             |            |               |        |
| X/L                | .027  | -.0170         | -.0390      | -.0904     | -.0716        | -.0701 |
| .050               | -.0985  | -.1088         | -.1663      | -.181      | -.2051        |        |
| .074               | -.2053  | -.1552         | -.2000      | -.2279     | -.2122        |        |
| .098               | -.2192  | -.1974         | -.2305      | -.2369     | -.2213        |        |
| .111               | -.0306  | -.0302         | -.0404      | -.0499     | -.0285        | -.0145 |
| .139               | -.0093  | -.0201         | -.0000      | -.0152     | -.0457        | -.0386 |
| .168               | -.0114  | -.0247         | -.0197      | -.0219     | -.0383        | -.0316 |
| .191               | -.0103  | -.0289         | -.0254      | -.0387     | -.0544        | -.0274 |
| .255               | -.0043  | -.0316         | -.0316      | -.0625     | -.0264        | -.0445 |
| .344               | -.0396  | -.0317         | -.0869      | -.0575     | -.0236        | -.0438 |
| .392               | -.667   | -.999.9999     | -.0596      | -.1662     | -.0526        | -.0505 |
| .702               | -.0362  | -.0747         | -.1324      | -.1264     | -.0155        | -.0390 |
| .724               | -.1863  | -.1853         | -.2059      | -.1335     | -.0287        | -.1182 |
| .744               | -.0764  | -.0970         | -.0701      | -.2312     | -.2156        | -.1295 |
| .755               | -.042   | -.999.9999     | -.0232      | -.0061     | -.0145        | -.0100 |

PAGE 63

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING

(R11021)

MACH ( 5 ) = 1.947 ALPHA ( 1 ) = 169.900

SECTION ( 1 ) SRB DEPENDENT VARIABLE CP

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .869 | .999  | .999 | .1444 | .1614 | .0925 | .0050 | .0565 |
|-----|------|-------|------|-------|-------|-------|-------|-------|
|     | .902 | .999  | .999 |       | .852  | .2075 | .0005 | .685  |
|     | .923 | -     | .968 |       | .2063 | .1359 | .0579 | .1426 |
|     | .955 | -     | .994 |       | .2199 | .2743 | .2376 | .2725 |
|     | .982 | .0753 |      |       |       | .0047 |       | .1436 |

MACH ( 6 ) = 2.740 ALPHA ( 1 ) = 169.900 O(PSF) = 6.4000 P0 = 30.160 P = 1.2200 PN/L = 5.2000

SECTION ( 1 ) SRB DEPENDENT VARIABLE CP

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .027 | .0496 | .0590    | .0760  | .0779  | .0785  |
|-----|------|-------|----------|--------|--------|--------|
|     | .050 | -     | .0701    | -.0711 | -.0972 | -.0991 |
|     | .074 | -     | .0719    | -.0857 | -.1026 | -.1087 |
|     | .098 | -     | .0834    | -.0942 | -.1056 | -.1171 |
|     | .111 | -     | .0318    | -.0137 | -.0331 | -.0333 |
|     | .139 | -     | .0209    | -.0277 | -.0229 | -.0457 |
|     | .168 | -     | .0211    | -.0312 | -.0278 | -.0353 |
|     | .191 | -     | .0217    | -.0224 | -.0294 | -.0409 |
|     | .255 | -     | .0072    | -.0253 | -.0591 | -.0411 |
|     | .344 | -     | .0054    | -.0321 | -.0487 | -.0331 |
|     | .392 |       |          |        | -.0312 | -.0200 |
|     | .667 | .999  | .999     | -.0398 | -.0712 | -.0005 |
|     | .702 | -     | .0072    | -.0411 | -.0773 | -.0488 |
|     | .724 | -     | .0905    | -.0899 | -.0900 | -.0988 |
|     | .744 |       | .0174    | .0405  | .0459  | .0938  |
|     | .755 |       | .0030999 | .9999  | .0000  | .0079  |
|     | .869 | -     | .0452    |        | -.0591 | .0343  |
|     | .902 | .999  | .999     |        | -.0893 | .0350  |
|     | .923 | -     | .0930    |        | -.0833 | .0685  |
|     | .945 | -     | .141     |        | -.1154 | -.0872 |
|     | .982 |       | .1595    |        |        | .0183  |
|     |      |       |          |        |        | -.0778 |
|     |      |       |          |        |        | -.1111 |
|     |      |       |          |        |        | .2465  |

DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

PAGE 85

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING  
 MACH ( 71 ) = 3.480 ALPHA ( 11 ) = 169.880 Q(PSF) = 6.8600 PO = 59.980 P = .81000 RN/L = 7.1000

SECTION ( 1 )SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027          | -.0241 | .0354  | -.0441 | -.0463 | -.0458 |
|------|---------------|--------|--------|--------|--------|--------|
| .050 | -.0343        | -.0390 | -.0497 | -.0448 | -.0564 |        |
| .074 | -.0220        | -.0452 | -.0531 | -.0599 | -.0655 |        |
| .098 | -.0393        | -.0503 | -.0565 | -.0616 | -.0610 |        |
| .111 | -.039         | -.0227 | -.0210 | -.0094 | .0212  | .0308  |
| .139 | -.0091        | -.0159 | -.0221 | -.0139 | -.0198 | -.0043 |
| .168 | -.0120        | -.0147 | -.0232 | -.0176 | -.0253 | -.0292 |
| .191 | -.0131        | -.0123 | -.0164 | -.0204 | -.0139 | -.0295 |
| .255 | -.0089        | -.0182 | -.0202 | -.0300 | .0060  | .0477  |
| .314 | -.0024        | -.0128 | -.0202 | -.0176 | .0026  | .0295  |
| .392 |               |        |        |        |        |        |
| .667 | 999.9999      | -.0193 | -.0405 | -.0390 | .0094  | .0359  |
| .702 | -.0035        | -.0122 | -.0435 | -.0243 | .0307  | .0353  |
| .724 | -.0469        | -.0180 | -.0439 | -.0570 | -.0514 | -.0457 |
| .744 | .0302         | .0049  | .0398  | .0507  | .2016  | .2061  |
| .755 | .0269999.9999 | .0099  | .0099  | .0060  | .0229  | .0648  |
| .869 | -.0103        | -.0221 | -.0052 | .0471  | .0697  |        |
| .902 | 999.9999      | -.0480 | -.0475 | -.0396 | -.0224 |        |
| .923 | -.0456        | -.0413 | -.004  | .0206  | .0453  | -.0227 |
| .945 | -.0649        | -.0621 | -.0570 | -.0390 | .0266  | -.0548 |
| .982 | .1920         |        | .1556  |        | .2782  |        |

MACH ( 8 ) = 4.450 ALPHA ( 11 ) = 169.900 Q(PSF) = 4.0800 PO = .80.010 P = .29000 RN/L = 6.0000

SECTION ( 1 )SRB DEPENDENT VARIABLE CP

| X/L  | .027          | .0586  | .0383 | .0240 | .0164  | .0145  |
|------|---------------|--------|-------|-------|--------|--------|
| .050 | .0461         | .0354  | .0202 | .0098 | .0033  |        |
| .074 | .0520         | .0279  | .0155 | .0079 | -.0015 |        |
| .098 | .0423         | .0203  | .0155 | .0022 | .0003  |        |
| .111 | .0383         | .0298  | .0297 | .0364 | .0516  | .0402  |
| .139 | .0383         | .0364  | .0212 | .0480 | .0363  | .0259  |
| .168 | .0326         | .0402  | .0164 | .0421 | .0174  | .0297  |
| .191 | .0288         | .0468  | .0402 | .0373 | .0518  | .0316  |
| .255 | .0287         | .0164  | .0326 | .0605 | .0325  | .0240  |
| .344 | .0268         | .0470  | .0430 | .0326 | .0641  | .0505  |
| .392 |               |        |       |       |        |        |
| .667 | 999.9999      | .0050  | .0242 | .0013 | .0003  | .0041  |
| .702 | -.0145        | .0396  | .0050 | .0079 | .0250  | .0411  |
| .724 | .0003         | -.0053 | .0320 | .0013 | -.0034 | -.0015 |
| .744 | .0420         | .0439  | .0306 | .0316 | .0628  | .0392  |
| .755 | .0349999.9999 | .0250  | .0401 | .0250 | .0732  | .0837  |

DATE 07 MAR 77

TABULATED SOURCE DATA. MSFC TWT 603 (SAZER)

PAGE 88

IRI 10211

MSFC INT 603 (SA28F) SRB - CLEAN ATTACH AFT RING

卷之三

卷之三

DATE 07 MAR 77

## TABULATED SOURCE DATA. MSFC TWT 603 (SA2BF)

MSFC TWT 603 (SA2BF) SRB - CLEAN ATTACH AFT RING

PAGE 87

(R11022) (22 AUG 75)

## REFERENCE DATA

|                   | X/M      | Y/M           | Z/M         | R/M        | P   | PHI         | PARAMETRIC DATA |
|-------------------|----------|---------------|-------------|------------|---|-------------|-----------------|
| SREF              | 116.2600 | 50.51.        | XMRP        | 1044 .0000 | IN.   |             | .000            |
| LREF              | 146.0000 | IN.           | YMRP        | 0 .0000    | IN.   |             |                 |
| BREF              | 146.0000 | IN.           | ZMRP        | 0 .0000    | IN.   |             |                 |
| SCALE             | .0055    |               |             |            |   |             |                 |
| MACH              | ( 1 )    | - 1.198       | ALPHA ( 1 ) | - 169.900  | Q1PSF1 = 9.1400   | P0 = 22.010 | RN/L = 6.7000   |
| SECTION ( 1 ) SRB |          |               |             |            | DEPENDENT VARIABLE CP   |             |                 |
| THETA             | .0000    | 22.5000       | 45.0000     | 67.5000    | 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 |             |                 |
| X/L               | .027     | .0370         | .0053       | -.0078     | .0086   | .0192       |                 |
|                   | .050     | -.0264        | -.0529      | -.1226     | -.1174  | -.2940      |                 |
|                   | .074     | -.1663        | -.1980      | -.2972     | -.4713  | -.4302      |                 |
|                   | .098     | -.5185        | -.4801      | -.5583     | -.5496  | -.5137      |                 |
|                   | .111     | -.1762        | -.1743      | -.1742     | -.1477  | -.0310      | -.2224          |
|                   | .139     | -.0255        | -.0225      | -.0264     | -.0305  | -.0272      | -.0253          |
|                   | .168     | -.0192        | -.0151      | -.0146     | -.0225  | -.0378      | -.0168          |
|                   | .191     | -.0255        | -.0252      | -.0252     | -.0370  | -.0170      | -.0542          |
|                   | .255     | -.0631        | -.0613      | -.0613     | -.0876  | -.0466      | -.0430          |
|                   | .344     | .0047         | -.0258      | -.0258     | -.1111  | -.0717      | -.0471          |
|                   | .392     |               |             |            | -.0247  | -.0392      | -.0509          |
|                   | .667     | 999.9999      | -.0094      | -.0094     | -.0304  | -.0460      | -.0805          |
|                   | .702     | .0422         | .0777       | -.1648     | -.2003  | -.2264      |                 |
|                   | .724     | -.1226        | -.2395      | -.2812     | -.3504  | -.3761      |                 |
|                   | .744     | -.0397        | -.0346      | .0997      | .1935   | .3003       | .0367           |
|                   | .755     | -.017999.9999 | -.3509      | .0485      | .1253   | .1937       | .0659           |
|                   | .869     | -.3344        | -.3509      | -.2712     | -.2712  | -.0367      | .3755           |
|                   | .902     | 999.9999      | -.1635      | -.3590     | -.3590  | -.3640      | .0518           |
|                   | .923     | -.3259        | -.3535      | -.3992     | -.4137  | -.2472      | .1406           |
|                   | .945     | -.3103        | -.3377      | -.4137     | -.5648  | -.6272      | .1670           |
|                   | .982     | -.1830        |             | -.2820     |   |             |                 |



DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

PAGE 89

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING

(P11023)

MACH ( 2 ) = .990 ALPHA ( 1 ) = 174.900

SECTION ( 1 )SRB DEPENDENT VARIABLE CP

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .344          | -.0557        | -.0439 | -.0691 | -.0751 | -.0578 | -.0292 | -.0257 | -.0777 |
|------|---------------|---------------|--------|--------|--------|--------|--------|--------|--------|
| .392 | .667          | 999.9999      | .0730  | .0715  | .0679  | .0223  | .0502  | .0426  | .0378  |
| .702 | .724          | -.0748        | -.1198 | -.2112 | -.2112 | -.0144 | -.0290 | -.0140 | -.0439 |
| .744 | .755          | .0955         | .1082  | .2107  | .2582  | .2005  | .2610  | .3097  | .3114  |
| .755 | .0674999.9999 | .0674999.9999 | .1151  | .1151  | .1435  | .1701  | .1927  | .3365  | .3241  |
| .869 | .892          | -.1938        | -.2263 | -.2263 | -.1912 | -.0089 | .0557  | .0521  | .0549  |
| .902 | .923          | 999.9999      | -.3087 | -.3087 | -.7859 | -.6444 | -.5009 | .3203  | .0020  |
| .945 | .982          | -.4257        | -.4053 | -.4053 | -.4707 | -.4707 | -.5894 | .4979  | .2691  |
| .982 | .6790         | -.6790        | -.7121 | -.7121 | -.7121 | -.7121 | -.7421 | .6610  | .4734  |

MACH ( 3 ) = .903 ALPHA ( 1 ) = 174.900 Q(PSF) = 7.4100 PO = 22.010 P = 12.970 RN/L = 6.3000

SECTION ( 1 )SRB DEPENDENT VARIABLE CP

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027           | .0650    | .0829  | .0689  | .0689  | .0689  | .0689  | .0689  | .0704  |
|------|----------------|----------|--------|--------|--------|--------|--------|--------|--------|
| .050 | .0411          | .0381    | .0381  | .0015  | .0177  | .0177  | .0177  | .0244  | .0244  |
| .074 | -.0281         | -.0422   | -.0422 | .1248  | .1644  | .1644  | .1644  | .1989  | .1989  |
| .098 | -.1823         | -.2436   | -.3574 | -.3574 | .3245  | .3330  | .3317  | .3317  | .3317  |
| .111 | -.3535         | -.2940   | -.3574 | -.3574 | .3540  | .3330  | .3240  | .3250  | .3250  |
| .139 | -.1081         | -.1043   | -.0701 | -.1100 | -.0682 | -.0819 | -.0667 | -.0657 | -.0657 |
| .168 | -.0735         | -.0689   | -.0668 | -.0704 | -.0715 | -.0631 | -.0512 | -.0381 | -.0339 |
| .191 | -.0620         | -.0564   | -.0600 | -.0621 | -.0567 | -.0567 | -.0318 | -.0296 | -.0296 |
| .255 | -.0704         | -.0564   | -.0564 | -.0683 | -.0485 | -.0485 | -.0350 | -.0350 | -.0350 |
| .344 | -.1210         | -.1036   | -.1321 | -.1257 | -.1115 | -.1115 | -.0755 | -.0746 | -.1415 |
| .392 | -.667          | 999.9999 | .1071  | .0762  | .0762  | .0705  | .0678  | .0633  | .0633  |
| .702 | .0376          | .0600    | .0749  | -.0474 | -.0474 | -.0311 | -.0311 | -.1081 | -.1081 |
| .724 | .0376          | .0277    | -.0277 | -.0277 | -.0277 | .0836  | .1301  | .1587  | .1555  |
| .744 | -.0015         | -.0274   | -.0311 | -.0311 | -.0249 | .0677  | .1045  | .1097  | .1097  |
| .755 | -.0318999.9999 | -.3973   | -.3973 | -.4239 | -.4239 | -.3843 | -.3843 | -.3558 | .0032  |
| .869 | -.3723         | -.3839   | -.4448 | -.4448 | -.4839 | -.4839 | -.4866 | -.4932 | .0777  |
| .902 | 999.9999       | -.4448   | -.4085 | -.4085 | -.4688 | -.5365 | -.5365 | -.5445 | .4673  |
| .923 | -.4338         | -.5075   | -.5075 | -.5364 | -.5364 | -.5515 | -.5515 | -.5591 | .4346  |
| .945 | -.4061         | -.5075   | -.5075 | -.5364 | -.5364 | -.5515 | -.5515 | -.5591 | -.5591 |

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

PAGE 90

MACH 1 (1) = 1.201 ALPHA 1 (1) = 174.900 Q(PSF) = 9.1600 PO = 22.020 P = 9.0600 RNL = 6.6000

## SECTION 1 1(SR8

## DEPENDENT VARIABLE CP

THEIA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027            | .0082  | -.0065 | -.0254 | .0199  | -.0148 |
|------|-----------------|--------|--------|--------|--------|--------|
| .050 | -.0521          | -.0694 | -.0811 | -.0867 | -.0867 |        |
| .074 | -.1872          | -.2146 | -.3137 | -.4439 | -.4476 |        |
| .098 | -.5308          | -.5504 | -.5427 | -.5459 | -.5397 |        |
| .121 | -.2429          | -.2161 | -.2025 | -.1859 | -.1572 | -.2299 |
| .135 | -.0698          | -.0588 | -.0538 | -.0513 | -.0483 | -.0587 |
| .168 | -.0554          | -.0483 | -.0462 | -.0470 | -.0466 | -.0462 |
| .191 | -.0584          | -.0491 | -.0584 | -.0584 | -.0491 | -.0470 |
| .225 | -.1065          | -.0859 | -.0782 | -.0782 | -.0250 | -.0677 |
| .344 | -.1144          | -.0749 | -.0888 | -.0774 | -.0474 |        |
| .392 | .657 999.9999   | .1043  | -.0673 | -.1146 | -.1315 | -.0272 |
| .702 | .0534           | .0428  | .0264  | .0264  | -.0017 | .0216  |
| .724 | -.0292          | -.0851 | -.2408 | -.2748 | -.2953 | -.0049 |
| .744 | -.0212          | -.0216 | -.1389 | -.2511 | -.3036 | -.0148 |
| .755 | -.0531999.99999 | .0575  | .1520  | .2091  | -.1421 | -.0161 |
| .869 | -.3493          | -.3557 | -.3170 | -.4132 | -.4050 | -.3538 |
| .902 | .999.9999       | -.3900 | -.4362 | -.4362 | -.3954 | -.3544 |
| .923 | -.3813          | -.4051 | -.4498 | -.5842 | -.4050 | -.2761 |
| .945 | -.3404          | -.3593 | -.3593 | -.4498 | -.3954 | -.3122 |
| .982 | -.2266          | -.2741 | -.2741 | -.2741 | -.2741 | -.1427 |

MACH 1 (5) = 1.950 ALPHA 1 (1) = 174.300 Q(PSF) = 11.030 PO = 30.000 P = 4.1500 RNL = 7.5000

## SECTION 1 1(SR8

THEIA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027           | .0004  | -.0005 | -.0086 | -.0111 | -.0069 |
|------|----------------|--------|--------|--------|--------|--------|
| .050 | -.0672         | -.0857 | -.1075 | -.1436 | -.1976 | -.1693 |
| .074 | -.1655         | -.1418 | -.1713 | -.2030 | -.2091 | -.1972 |
| .098 | -.2023         | -.0257 | -.0388 | -.0380 | -.0240 | -.0237 |
| .111 | -.0233         | -.0025 | -.0051 | -.0066 | -.0100 | -.0071 |
| .139 | -.0092         | -.0044 | -.0093 | -.0132 | -.0118 | -.0123 |
| .168 | -.0011         | -.0020 | -.0097 | -.0188 | -.0132 | -.0032 |
| .191 | -.0044         | -.0044 | -.0041 | -.0037 | -.0044 | -.0081 |
| .225 | -.0379         | -.0079 | -.0338 | -.0002 | -.0030 | -.0176 |
| .392 | .667 999.9999  | -.0205 | -.0205 | -.0270 | -.0127 | -.0235 |
| .702 | .0256          | -.0842 | -.0648 | -.0423 | -.0191 | -.0176 |
| .724 | -.1517         | -.1639 | -.1872 | -.1862 | -.1769 | -.0268 |
| .744 | .0572          | .1063  | .2093  | .2230  | .2294  | -.0167 |
| .755 | .0095999.99999 | .1220  | .1199  | .1284  | .0912  | -.0581 |

**PRODUCTION PAGE / OF THE**



MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING (R11023)  
 MACH ( 7) = 3.480 ALPHA ( 1) = 174.900 Q(PSF) = 6.8600 PO = 60.010 P = .81000 RN/L = 7.0000  
 SECTION ( 1 )SRB DEPENDENT VARIABLE CP  
 THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027          | .0082  | -.0413 | -.0441 | -.0412 | -.0418 |
|------|---------------|--------|--------|--------|--------|--------|
| .050 | -.0503        | -.0480 | -.0554 | -.0537 | -.0542 |        |
| .074 | -.0167        | -.0537 | -.0593 | -.0599 | -.0616 |        |
| .098 | -.0582        | -.059  | -.0644 | -.0683 | -.0644 |        |
| .111 | -.0114        | -.0108 | -.0131 | -.0176 | -.0170 | .0015  |
| .139 | -.0001        | -.0029 | -.0023 | -.0074 | -.0074 | .0020  |
| .168 | -.0001        | -.0068 | -.0035 | -.0089 | -.0119 | .0003  |
| .191 | -.0012        | -.0114 | -.0102 | -.0125 | -.0136 | .0015  |
| .255 | .0043         | -.0024 | -.0024 | -.0193 | -.0142 | .0139  |
| .344 | .0054         | -.0204 | -.0170 | -.0170 | -.0046 | .0037  |
| .392 |               |        |        |        | .0308  | .0201  |
| .657 | 999.9999      | -.0103 |        |        | .0020  | .0117  |
| .702 | 999.9999      | -.0189 | -.0249 | -.0181 | -.0142 | .0012  |
| .724 | -.0446        | -.0463 | -.0127 | -.0127 | -.0475 | .0050  |
| .744 | .0595         | .0646  | .1091  | .1126  | .1232  | .0550  |
| .755 | .0488999.9999 | .0359  | .0364  | .0342  | .0421  | .0565  |
| .869 | .0009         | -.0091 | .0071  | .0302  | .0421  | .1430  |
| .902 | 999.9999      | -.0463 | -.0497 | -.0497 | -.0503 | .0466  |
| .923 | -.0418        | -.0407 | -.0407 | -.0317 | -.0052 | .0351  |
| .945 | -.0678        | -.0666 | -.0666 | -.0655 | -.0531 | .0111  |
| .982 | .1914         |        |        | .1864  | .2213  | .0798  |

MACH ( 8) = 4.450 ALPHA ( 1) = 174.900 Q(PSF) = 4.0800 PO = .80.040 P = .29000 RN/L = 6.0000  
 SECTION ( 1 )SRB DEPENDENT VARIABLE CP  
 THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027          | .1027  | -.0024 | -.0091 | -.0062 | -.0062 |
|------|---------------|--------|--------|--------|--------|--------|
| .050 | .0050         | -.0043 | -.0081 | -.0138 | -.0119 |        |
| .074 | .1406         | -.0081 | -.0091 | -.0147 | -.0149 |        |
| .098 | .0069         | .0052  | .0013  | .0119  | -.0176 | .0195  |
| .111 | .0060         | .0052  | .0003  | .0150  | .0098  | .0202  |
| .139 | .0089         | .0079  | .0079  | .0103  | .0156  | .0287  |
| .168 | .0060         | .0079  | .0041  | .0079  | .0136  | .0306  |
| .191 | .0060         | .0107  | .0041  | .0079  | .0136  | .0363  |
| .255 | .0135         | .0041  |        | .0013  | .0117  | .0250  |
| .344 | .0088         | .0126  | .0079  | .0136  | .0951  | .0240  |
| .392 |               |        |        |        | .0449  | .0221  |
| .667 | 999.9999      | .0079  |        |        | .0117  | .0013  |
| .702 | .0117         | .0913  | .0155  | .0013  |        | .0212  |
| .724 | -.0109        | -.0100 | .0034  | -.0148 |        | .0202  |
| .744 | .0553         | .0629  | .1339  | -.0148 | -.0091 | .0145  |
| .755 | .0439999.9999 |        | .0695  | .0620  | .0790  | .0110  |

DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC TWT 603 (SA2BF)

MSFC TWT 603 (SA2BF) SRB - CLEAN ATTACH AFT RING

MACH 1 81 = 4.450 ALPHA (1) = 174.900

SECTION 1 11SRB DEPENDENT VARIABLE CP

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .869 | .0212  | .0155  | .0250  | .0477  | .1652  |
|-----|------|--------|--------|--------|--------|--------|
|     | .902 | .999   | .9999  | -.0081 | -.0072 | -.0053 |
|     | .923 | -.0091 | -.0072 | .0050  | .0221  | .0458  |
|     | .945 | -.0157 | -.0176 | -.0119 | -.0043 | .0050  |
|     | .982 | .2012  |        | .2126  |        | .2420  |

PAGE 93

(R11023)



DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING

PAGE 95  
(R11025) ( 22 AUG 75 )

## REFERENCE DATA

| SREF  | 116.2600 | SO.FT. | XMRP | 1044.0000 IN. | RN-SCH | 2.000 | PHI | .000 |
|-------|----------|--------|------|---------------|--------|-------|-----|------|
| LREF  | 146.0000 | IN.    | YMRP | .0000 IN.     |        |       |     |      |
| BREF  | 146.0000 | IN.    | ZMRP | .0000 IN.     |        |       |     |      |
| SCALE | .0055    |        |      |               |        |       |     |      |

MACH ( 1 ) = .392 ALPHA ( 1 ) = 179.900 Q(PSF) = 3.1000 PO = 32.000 P = 28.780 RN/L = 5.20000

## SECTION ( 1 )SRB DEPENDENT VARIABLE CP

THE1A .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L   | .027          | .1774     | .1744  | .1765  | .1732  | .1748  |       |
|---|---------------|-----------|--------|--------|--------|--------|-------|
| .050  | .1511         | .1514     | .1510  | .1420  | .1430  | .1379  |       |
| .074  | .0920         | .0879     | .0833  | .0789  | .0724  |        |       |
| .098  | -.0566        | -.0725    | -.074  | -.0789 | -.0770 |        |       |
| .111  | -.3259        | -.3324    | -.3248 | -.3297 | -.3310 | -.3513 |       |
| .139  | -.0094        | -.0112    | -.0183 | -.0079 | -.0126 | -.0258 |       |
| .168  | .0261         | .0383     | .0332  | .0023  | .0114  | .0240  |       |
| .191  | .0356         | .0404     | .0563  | .0638  | .0479  | .0282  |       |
| .255  | .0653         | .0545     | .0845  | .0437  | .0324  | .0243  |       |
| .344  | .1098         |           |        |        |        | .0379  |       |
| .392  | .657          | .999.9999 | .1244  | .1138  | .1114  | .0853  |       |
| .702  | .0972         | .1081     |        | .0859  | .0693  | .0517  |       |
| .724  | -.1730        | -.1741    |        | -.1529 | -.1707 | -.1659 |       |
| .744  | .3270         | .3183     |        | .2938  | .2910  | .3055  |       |
| .755  | .2055999.9999 |           |        | .1929  | .1978  | .1958  |       |
| .869  | .1179         |           |        | .1136  | .1065  | .1002  |       |
| .902  | .999.9999     |           |        | .0458  | .0563  | .0602  |       |
| .923  | -.2182        |           |        | -.2213 | -.2197 | -.2192 |       |
| .945  | -.3459        |           |        | -.3380 | -.3402 | -.3566 |       |
| .982  | -.9074        |           |        |        | .8517  | .8676  |       |
| MACH ( 2 ) = .598 ALPHA ( 1 ) = 179.900 Q(PSF) = 7.4700 PO = 37.990 P = 29.830 RN/L = 8.0000        | X/L           | .027      | .1166  | .1169  | .1158  | .1121  | .1124 |
| SECTION ( 1 )SRB DEPENDENT VARIABLE CP  |               | .050      | .0852  | .0813  | .0803  | .0783  | .0734 |
| THE1A .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 |               | .074      | .0218  | .0161  | .0107  | .0077  | .0023 |
|   |               | .098      | -.1509 | -.1590 | -.1624 | -.1651 |       |
|   |               | .111      | -.4561 | -.4696 | -.4580 | -.4544 |       |
|   |               | .139      | -.0976 | -.0945 | -.1007 | -.0983 |       |
|   |               | .168      | -.0499 | -.0488 | -.0470 | -.0499 |       |
|   |               | .191      | -.0323 | -.0305 | -.0352 | -.0420 |       |
|   |               | .255      | -.0057 |        | -.0130 | -.0270 |       |
|   |               |           |        |        |        | .0323  |       |

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING

(R11025)

MACH ( 2 ) = .598 ALPHA ( 1 ) = 179.900

SECTION 11 SRB

DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .344          | .0299  | -.0069 | -.0526 | -.0518 | -.0525 | -.0461 | -.0423 | -.0550    |
|------|---------------|--------|--------|--------|--------|--------|--------|--------|-----------|
| .392 | .999.9999     | .0711  |        | .0768  | .0188  | .0040  | .0284  | .0552  | .0887     |
| .667 | .999.9999     | .0506  |        | .0480  |        |        |        | .0221  | .0456     |
| .702 | .0447         |        |        | .0388  |        |        |        |        | .0281     |
| .724 | -.2115        | -.2189 |        | .2009  | -.2052 | -.2035 | -.2142 | .2076  | .999.9999 |
| .744 | .2571         | .2443  |        | .2297  | .2162  | .2216  | .2015  | .1988  | .2035     |
| .755 | .1531999.9999 |        |        | .1320  | .1357  | .1352  | .1201  | .1175  | .1235     |
| .869 | -.0470        |        |        | .0535  |        |        |        |        |           |
| .902 | .999.9999     |        |        | .2457  | .2417  | .2497  | .2497  | .2584  |           |
| .923 | -.3829        |        |        | .3828  | -.3749 | -.3773 | -.3790 |        | .3622     |
| .945 | .4317         |        |        | .4379  | .4272  | .4319  | .4259  |        | .3951     |
| .982 | .9327         |        |        |        | .8974  |        | .9247  |        |           |

MACH ( 3 ) = .900 ALPHA ( 1 ) = 179.900 O1PSF1 = 7.3800 PO = 22.010 P = 13.020 R/L = 6.3000

SECTION 11 SRB

DEPENDENT VARIABLE CP

| X/L  | .027          | .1135  | .1107  | .1079  | .1060  | .1060  | .1018  |       |  |
|------|---------------|--------|--------|--------|--------|--------|--------|-------|--|
| .050 | .0759         | .0702  | .0612  | .0645  |        |        | .0602  |       |  |
| .074 | -.0230        | -.0422 | -.0396 | -.0316 |        |        | .0284  |       |  |
| .098 | -.2761        | -.2839 | -.2700 | -.2610 |        |        | .2460  |       |  |
| 1.11 | -.3460        | -.3303 | -.3220 | -.3321 | -.3278 | -.3463 | -.3433 |       |  |
| 1.39 | -.0813        | -.0744 | -.0771 | -.0891 | -.0912 | -.0988 | -.1081 |       |  |
| 1.68 | .0401         | .0323  | -.0327 | -.0396 | -.0505 | -.0591 | -.0605 |       |  |
| 1.91 | -.0256        | -.0214 | -.0276 | -.0349 | -.0438 | -.0438 | -.0515 |       |  |
| 2.55 | -.0246        |        | -.0100 | -.0354 |        |        |        |       |  |
| 3.44 | -.0794        | -.0724 | -.1114 | -.1099 | -.1069 | -.0985 | -.1084 |       |  |
| 3.92 |               |        |        |        |        |        |        |       |  |
| .667 | .999.9999     |        |        |        |        |        |        |       |  |
| .702 | .1732         | .1692  | .1850  | .1416  | .1381  | .1098  | .0974  |       |  |
| .724 | .0596         | .0526  |        | .0426  | .0316  | .0232  | .0189  | .0228 |  |
| .744 | .1113         | .1139  |        | .1001  | .0918  | .0807  | .0659  | .0200 |  |
| .755 | .0677999.9999 |        |        | .0643  | .0588  | .0479  | .0343  | .0347 |  |
| .869 | -.3806        |        |        | .3808  | -.3772 | -.3833 | -.3795 |       |  |
| .902 | .999.9999     |        |        | .3916  | .3891  | .3851  | .4006  |       |  |
| .923 | .4024         |        |        | .4106  | .4125  | .4116  | .4168  |       |  |
| .945 | .4096         |        |        | .4071  | .4173  | .4147  | .4136  |       |  |
| .982 | -.6794        |        |        |        | .6893  |        | .6826  |       |  |

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA2BF)

PAGE 97

MACH (4) = 1.201 ALPHA (1) = 179.900 Q(PSF) = 9.1500 PO = 22.010 P = 9.0600 RN/L = 6.6000

SECTION 1 11SRB

## DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .027 | -.0174        | -.0293 | -.0309 | -.0225 | -.0136 |
|-----|------|---------------|--------|--------|--------|--------|
|     | .050 | -.0816        | -.0875 | -.0922 | -.0854 | -.0740 |
|     | .074 | -.3293        | -.2567 | -.2338 | -.2206 | -.2122 |
|     | .098 | -.5479        | -.5469 | -.5550 | -.5491 | -.5616 |
|     | .111 | -.1459        | -.1561 | -.1520 | -.1734 | -.2348 |
|     | .139 | -.0356        | -.0390 | -.0432 | -.0567 | -.0728 |
|     | .168 | -.0204        | -.0271 | -.0338 | -.0415 | -.0681 |
|     | .191 | -.0233        | -.0322 | -.0525 | -.0626 | -.0702 |
|     | .255 | -.0976        | -.0466 | -.2140 | -.1404 | -.0808 |
|     | .344 | -.0053        | -.0214 | -.0943 | -.0941 | -.0791 |
|     | .392 | 999.9999      | 1584   | 1130   | .0798  | .0679  |
|     | .667 | 999.9999      | 1584   | 1130   | .0798  | .0679  |
|     | .702 | -.0673        | -.0326 | -.0533 | -.0791 | -.0821 |
|     | .724 | -.2774        | -.2885 | -.3036 | -.2668 | -.2887 |
|     | .744 | 3370          | 2895   | 3000   | 3460   | 3048   |
|     | .755 | .2273999.9999 | .1591  | .2193  | .2272  | .2214  |
|     | .869 | 999.9999      | 1591   | 1666   | 1725   | .1693  |
|     | .902 | 999.9999      | 1591   | .2267  | .4260  | .4254  |
|     | .923 | -.4598        | -.4549 | -.4549 | -.4628 | -.4606 |
|     | .945 | -.7487        | -.7602 | -.7602 | -.7584 | -.7600 |
|     | .982 | -.2669        | -.2548 | -.2548 | -.2548 | -.2629 |

MACH (5) = 1.952 ALPHA (1) = 179.920 Q(PSF) = 11.020 PO = 30.010 P = 4.1300 RN/L = 7.5000

SECTION 1 11SRB

## DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .027 | .0260        | .0187  | .0183  | .0214  | .0179  |
|-----|------|--------------|--------|--------|--------|--------|
|     | .050 | -.1061       | -.1031 | -.0950 | -.0816 | -.0720 |
|     | .074 | -.1619       | -.1588 | -.1669 | -.1521 | -.1494 |
|     | .098 | -.1970       | -.1969 | -.1969 | -.1960 | -.1932 |
|     | .111 | -.0064       | -.0052 | -.0075 | -.0129 | -.0304 |
|     | .139 | -.0284       | -.0207 | -.0192 | -.0116 | -.0029 |
|     | .168 | -.0204       | -.0190 | -.0182 | -.0119 | -.0053 |
|     | .191 | -.0169       | -.0082 | -.0011 | -.0041 | -.0010 |
|     | .255 | .0095        | .0005  | .0263  | .0013  | .0085  |
|     | .344 | .0347        | -.0139 | -.0330 | .0046  | .0298  |
|     | .392 | 999.9999     | 1591   | 1120   | .0120  | .0105  |
|     | .667 | 999.9999     | 1591   | .0202  | -.0231 | -.0253 |
|     | .702 | -.0465       | -.0164 | -.0241 | -.0255 | -.0227 |
|     | .724 | -.1838       | -.1823 | -.1303 | -.1772 | -.0611 |
|     | .744 | .2816        | .2011  | .2063  | .2850  | .2019  |
|     | .755 | .160999.9999 | .1437  | .1600  | .1419  | .1472  |

.1546

.1144

.0343

.9999

.2730

.3220

.2548

.1798

.4849

.6588



DATE 07 MAR 77

TABULATED SOURCE DATA. MEGC TWT 603 (SA28F)

六  
四

MSFC TWT 603 (SA28F1) SRB - CLEAN ATTACH AFT RING  
 IRI10251  
 MACH ( 7) = 3.480 ALPHA ( 1) = 179.900 QIPSF1 = 6.8600 PO = 60.000 P = .01000 RN/L = 7.10000  
 SECTION ( 1)SRB DEPENDENT VARIABLE CP  
 THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000  
 X/L .027 -.0034 -.0125 -.0176 -.0193 -.0187  
 .050 -.0209 -.0265 -.0216 -.0334 -.0351  
 .074 -.0226 -.0362 -.007 -.029 -.0429  
 .098 -.0283 -.0441 -.097 -.075 -.0429  
 .111 -.0004 .0020 -.0003 -.0029 -.0001  
 .139 .0094 .0099 .009 .0093 .0088  
 .168 .0077 .0071 .0020 .0077 .0077  
 .191 .0054 .0055 .0055 .0099 .0111  
 .255 .0139 .0128 .0128 .0020 .0054  
 .344 .0077 -.0074 .0015 .0020 .0117  
 .392 .999 .9999 -.0007 .0015 -.0001  
 .667 .999 .9999 -.0027 .0015 .0012  
 .702 -.0074 -.0027 -.0015 -.0109 .0015  
 .724 -.0503 -.0463 -.0367 -.0486 .0446  
 .744 .1277 .1081 .1081 .1339 .1058  
 .755 .0472999 .99999 .0557 .0488 .0562  
 .869 .0212 .0151 .0151 .0167 .0150  
 .902 .999 .9999 -.0497 -.0446 -.0463  
 .923 .0305 -.0300 -.0266 -.0308 -.0308  
 .945 .0587 -.0582 -.0518 -.0549 -.0549  
 .982 .1949 .2044 .2044 .2085 .2085  
 MACH ( 8) = 4.450 ALPHA ( 1) = 179.920 QIPSF1 = 4.0800 PO = 80.040 P = .29000 RN/L = 6.0000  
 SECTION ( 1)SRB DEPENDENT VARIABLE CP  
 THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000  
 X/L .027 .0562 .0392 .0250 .0202 .0174  
 .050 .0449 .0335 .0202 .0202 .0174  
 .074 .0486 .0257 .0164 .0136 .0060  
 .098 .0392 .0193 .0126 .0126 .0003  
 .111 .0402 .0355 .0259 .0316 .0316  
 .139 .0411 .0420 .0420 .0450 .0450  
 .168 .0390 .0458 .0335 .0420 .0468  
 .191 .0344 .0535 .0535 .0430 .0525  
 .255 .0245 .0287 .0287 .0430 .0231  
 .344 .0259 .0477 .0468 .0345 .0605  
 .392 .999 .9999 .0155 .0345 .0136  
 .667 .999 .9999 .0155 .0345 .0136  
 .702 .0126 .0420 .0287 .0032 .0107  
 .724 -.0081 -.0043 .0837 .0885 .0024  
 .744 -.0087 .0019 .0477 .0572 .0496  
 .755 .0533999 .9999 .0477 .0572 .0496

DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

PAGE 100

|                  | MACH ( 8 ) =          | 4.450      | ALPHA ( 1 ) = | 179.920 | MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING<br>(R11025)    |
|------------------|-----------------------|------------|---------------|---------|---|
| SECTION ( 1 )SRB | DEPENDENT VARIABLE CP |            |               |         |   |
| THETA            | .0000                 | 22.5000    | 45.0000       | 67.5000 | 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 |
| X/L              | .869                  | .0373      | .0335         | .0344   | .0354   |
|                  | .902                  | .999 .9999 | -.0005        | .0013   | .0003   |
|                  | .923                  | .0098      | .0136         | .0259   | .0155   |
|                  | .95                   | -.0034     | .0013         | .0051   | .0060   |
|                  | .982                  | .2117      |               | .2231   | .0088<br>.0088<br>.2241   |





DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA26F)

MSFC TWT 603 (SA26F) SRB - CLEAN ATTACH AFT RING

PAGE 103

(R110271)

MACH 1 21 = .597

ALPHA 1 11 = 184.780

## SECTION 1 11SRB

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

## DEPENDENT VARIABLE CP

| X/L              | .344                 | .0214           | .0053       | -.0409     | -.0494       | -.0534 | -.0604 | -.0636 | -.0496  |
|------------------|----------------------|-----------------|-------------|------------|--------------|--------|--------|--------|---------|
| .392             | .667                 | .999            | .9999       | .0739      | -.0040       | -.0227 | .0050  | .0110  | -.0648  |
| .702             | .0405                | .0413           | .3310       | -.2840     | -.0270       | -.0257 | -.0264 | .0157  | -.0864  |
| .724             | -.3317               | -.3310          | .2942       | .2942      | .2654        | .2171  | -.1750 | -.1366 | .0257   |
| .744             | .3683                | .3579           | .1587       | .1368      | .1089        | .0428  | .0939  | .0698  | .0318   |
| .755             | .2201999             | .99999          | -.0097      | -.2101     | -.2808       | -.2808 | -.0458 | .2603  | .999999 |
| .869             | .0646                | .999            | .9999       | -.3310     | -.4229       | -.3504 | -.2849 | .2477  | .4800   |
| .902             | .999                 | .9999           | -.5178      | -.4749     | -.4126       | -.4126 | -.3970 | .4910  | .4910   |
| .923             | .5241                | .6106           | -.6792      | -.4935     | -.4073       | -.4073 | -.4096 | .6647  | .6647   |
| .945             | -.7460               | -.7102          | -.7460      | -.7102     | -.7102       | -.7102 | -.7102 | -.7102 | -.7102  |
| MACH 1 31 = .898 | ALPHA 1 11 = 184.780 | O1PSF1 = 7.3600 | PO = 22.010 | P = 13.050 | RNL = 6.3000 |        |        |        |         |

SECTION 1 11SRB THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

## DEPENDENT VARIABLE CP

| X/L  | .027     | .1077  | .1047  | .1177  | .1123  | .1133  |  |  |  |
|------|----------|--------|--------|--------|--------|--------|--|--|--|
| .050 | .0503    | .0498  | .0459  | .0628  | .0628  | .0682  |  |  |  |
| .074 | -.0783   | -.1168 | -.1146 | -.0217 | -.0217 | .0217  |  |  |  |
| .098 | -.3706   | -.3741 | -.3556 | -.2752 | -.2752 | .2752  |  |  |  |
| .111 | -.3844   | -.3452 | -.2996 | -.3687 | -.3687 | .3687  |  |  |  |
| .139 | -.0894   | -.0690 | -.0537 | -.0770 | -.1051 | -.1051 |  |  |  |
| .168 | -.0527   | -.0275 | -.0137 | -.0227 | -.0553 | -.0621 |  |  |  |
| .191 | -.0339   | -.0142 | -.0055 | -.0238 | -.0401 | -.0526 |  |  |  |
| .255 | -.0140   | .0256  | .0170  | -.0170 | -.0131 | -.0432 |  |  |  |
| .344 | -.1662   | -.1091 | -.0842 | -.0805 | -.0877 | -.0864 |  |  |  |
| .392 | .667     | .999   | .9999  | .1807  | .1055  | .0398  |  |  |  |
| .702 | -.1914   | .1879  | -.0992 | -.0946 | -.0805 | -.0296 |  |  |  |
| .724 | -.1099   | -.1116 | -.1874 | -.1165 | -.0445 | -.0263 |  |  |  |
| .744 | .2865    | .2748  | -.5000 | .0460  | -.0132 | -.0443 |  |  |  |
| .755 | .2118999 | .9999  | -.3657 | .4271  | -.4022 | -.3707 |  |  |  |
| .869 | -.3005   | -.5530 | -.4634 | -.4795 | -.3878 | -.3543 |  |  |  |
| .902 | .999     | .9999  | -.5000 | -.4861 | -.4543 | -.4492 |  |  |  |
| .923 | .5650    | .5750  | -.5448 | -.5448 | -.4146 | -.4210 |  |  |  |
| .945 | -.6231   | -.5638 | -.5448 | -.5448 | -.5192 | -.4642 |  |  |  |

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TNT 603 (SA28F)

PAGE 104

MSFC TNT 603 (SA28F) SRB - CLEAN ATT RING  
 MACH ( 4 ) = 1.201 ALPHA ( 1 ) = 183.900 Q(PSF) = 9.1500 PO = 22.020 P = 22.020 R/N/L = 9.0700 R/N/L = 6.6000

## SECTION 1 115RB

DEPENDENT VARIABLE CP  
 $\theta/\theta_A$  .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000

| X/L  | .027      | .035     | .0703  | .0812  | .0769  | .0448  |
|------|-----------|----------|--------|--------|--------|--------|
| .050 | -.1053    | -.1568   | -.1556 | -.1483 | -.1091 |        |
| .074 | -.3076    | -.2234   | -.2003 | -.2009 | -.2118 |        |
| .098 | -.5367    | -.5445   | -.5095 | -.4958 | -.5578 |        |
| .111 | -.1387    | -.1277   | -.1314 | -.1407 | -.1917 | -.2178 |
| .129 | -.0449    | -.0511   | -.0626 | -.0745 | -.0715 | -.0795 |
| .188 | -.0423    | -.0351   | -.0389 | -.0621 | -.0859 | -.0945 |
| .191 | -.0466    | -.0500   | -.0732 | -.0812 | -.0910 | -.0922 |
| .265 | -.1019    | -.1091   | -.1010 | -.1010 | -.1015 | -.0964 |
| .344 | -.0838    | -.0834   | -.2076 | -.1654 | -.1161 | -.0770 |
| .392 | .667      | 999.9999 | .1579  | .1047  | .0920  | .0411  |
| .702 | -.1348    | -.1300   | -.0910 | -.0999 | -.0643 | .0602  |
| .724 | -.3462    | -.3216   | -.3055 | -.2629 | -.2211 | -.0299 |
| .744 | -.4349    | -.4077   | -.3013 | -.2838 | -.1766 | -.0706 |
| .755 | .30139999 | .9999    | .2057  | .1659  | .0773  | -.0245 |
| .869 | -.0864    | -.0864   | -.1383 | -.3125 | -.3631 | -.0541 |
| .902 | 999.9999  | 999.9999 | -.4202 | -.4277 | -.4036 | -.3515 |
| .923 | -.3028    | -.3028   | -.3753 | -.4529 | -.4219 | -.3432 |
| .945 | -.7223    | -.6553   | -.6553 | -.4693 | -.4156 | -.3925 |
| .982 | -.2865    | -.2705   | -.2705 | -.2705 | -.2705 | -.4559 |

MACH ( 5 ) = 1.958 ALPHA ( 1 ) = 184.800 Q(PSF) = 10.980 PO = 30.010 P = 4.0900 R/N/L = 7.5000

## SECTION 1 115RB

DEPENDENT VARIABLE CP  
 $\theta/\theta_A$  .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000

| X/L  | .027      | -.0138   | -.0236 | -.0268 | -.0207 | -.0176 |
|------|-----------|----------|--------|--------|--------|--------|
| .050 | -.1581    | -.1646   | -.1166 | -.0927 | -.0927 |        |
| .074 | -.1775    | -.2002   | -.1890 | -.1553 | -.1602 |        |
| .098 | -.1954    | -.2118   | -.2164 | -.1864 | -.1960 |        |
| .111 | -.0074    | .0054    | -.0021 | -.0176 | -.0218 | -.0412 |
| .139 | .0263     | .0263    | -.0007 | -.0010 | -.0053 | -.0003 |
| .168 | .0189     | .0288    | .0150  | .0000  | -.0039 | -.0014 |
| .191 | .0175     | .0150    | -.0031 | -.0098 | -.0134 | -.0027 |
| .255 | .0126     | -.0084   | -.0084 | -.0021 | -.0045 | -.0038 |
| .344 | .0119     | -.0007   | -.0747 | -.0511 | -.0190 | .0210  |
| .392 | .667      | 999.9999 | -.0247 | -.0363 | -.0243 | .0311  |
| .702 | -.0063    | -.0116   | -.0182 | -.0165 | -.0795 | -.0870 |
| .724 | -.2152    | -.1980   | -.2019 | -.1939 | -.1789 | -.1670 |
| .744 | .2697     | .2735    | .2050  | .2050  | .1147  | .0564  |
| .755 | .06889999 | .9999    | .0939  | .0939  | .1055  | .0461  |

THE ORIGINAL PAGE IS FWRD  
 THE FIVE COPIES ARE FOR YOUR USE

R/N/L = 1010271  
 R/N/L = 1010271

DATE 07 MAR 77

PAGE 105

## TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING

(R11027)

MACH ( 5 ) = 1.958 ALPHA ( 1 ) = 184.800

## SECTION 1 11SRB DEPENDENT VARIABLE CP

THEIA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | MACH   | THEIA  | ALPHA  | CP     | DEPENDENT VARIABLE CP |
|------|--------|--------|--------|--------|-----------------------|
| .869 | .0011  | -.0345 | -.0559 | -.1251 | -.1388                |
| .902 | .999   | .9999  | -.2064 | -.1606 | -.1170                |
| .923 | -.0792 | -.0655 | -.1459 | -.1854 | -.1671                |
| .945 | -.2491 | -.2557 | -.2765 | -.2304 | -.2037                |
| .982 | .0548  |        | .0539  |        | .0717                 |

MACH ( 6 ) = 2.740 ALPHA ( 1 ) = 184.800 QIPSF = 6.3700 P0 = 30.020 P = 1.2100 FNU1 = 3.3000

## SECTION 1 11SRB DEPENDENT VARIABLE CP

THEIA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | MACH     | THEIA  | ALPHA  | CP     | DEPENDENT VARIABLE CP |
|------|----------|--------|--------|--------|-----------------------|
| .027 | .0252    | -.0495 | -.0564 | -.0481 | -.0487                |
| .050 | -.0809   | -.0828 | -.0852 | -.0692 | -.0709                |
| .074 | -.0531   | -.0985 | -.0973 | -.0846 | -.0870                |
| .098 | -.0967   | -.0985 | -.1131 | -.0955 | -.1010                |
| .111 | -.0015   | .0064  | -.0081 | -.0153 | -.0257                |
| .139 | .0107    | .0125  | -.0087 | -.0099 | -.0056                |
| .168 | .0088    | .0119  | -.0027 | -.0155 | -.0016                |
| .191 | .0061    | .0111  | -.0190 | -.0105 | -.0129                |
| .255 | .0116    |        | .0070  | -.0153 | -.0141                |
| .344 | .0028    | -.0129 | -.0325 | -.0293 | .0046                 |
| .392 |          |        |        | -.0309 | .0046                 |
| .667 | .999     | .9999  | -.0093 | -.0226 | -.0238                |
| .702 | .0028    | .0069  | -.0226 | -.0298 | -.0234                |
| .724 | -.1040   | -.0907 | -.0677 | -.0992 | -.0870                |
| .744 | .1964    | .1965  | -.1431 | .0864  | .0404                 |
| .755 | .0556999 | .9999  | .0429  | .0403  | -.0751                |
| .869 | .999     | .9999  | .0356  | .0119  | -.0226                |
| .902 | .999     | .9999  | -.0933 | -.0973 | -.0179                |
| .923 | -.0653   | -.0396 | -.0741 | -.0946 | -.0821                |
| .945 | -.1070   | -.1140 | -.1253 | -.1271 | -.0798                |
| .982 | .1704    |        | .1495  |        | .1710                 |

MACH 1.71 = 3.480    ALPHA 1.11 = 184.800    Q(PSF) = 6.8600    P0 = 60.010    P = .81000    RNL = • 7.0000

## SECTION 1 1)SRB

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | DEPENDENT VARIABLE CP | MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING (RI11027) |
|------|-----------------------|--|
| .027 | .0133                 | -.0362   |
| .050 | -.0441                | -.0497   |
| .074 | .0139                 | -.0576   |
| .098 | -.0508                | -.0660   |
| .121 | -.0019                | -.0012   |
| .139 | .0094                 | .0043  |
| .168 | .0089                 | -.0094   |
| .191 | .0072                 | .0032  |
| .225 | .0150                 | .0240  |
| .344 | -.0012                | -.0125   |
| .392 | .392                  | -.0131   |
| .667 | 999.9999              | -.0193   |
| .702 | .0077                 | .0007  |
| .724 | -.0570                | -.0297   |
| .744 | .1492                 | .0475  |
| .755 | .0522999.9999         | .1458  |
| .869 | .0488                 | .0297  |
| .902 | 999.9999              | -.0480   |
| .923 | -.0077                | -.0051   |
| .945 | -.0508                | -.0565   |
| .982 | .2089                 | .1876  |

MACH 1.81 = 4.450    ALPHA 1.11 = 183.400    Q(PSF) = 6.0800    P0 = .80.030    P = .29000    RNL = • 6.0000

## SECTION 1 1)SRB

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | DEPENDENT VARIABLE CP | MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING (RI11027) |
|------|-----------------------|--|
| .027 | .0970                 | .0003  |
| .050 | .0041                 | -.0053   |
| .074 | .1302                 | -.0072   |
| .098 | .0060                 | -.0139   |
| .121 | .0089                 | .0058  |
| .139 | .0136                 | .0145  |
| .168 | .0136                 | .0164  |
| .191 | .0136                 | .0202  |
| .225 | .0136                 | .0098  |
| .344 | .0060                 | .0146  |
| .392 | .667                  | 999.9999   |
| .702 | -.0089                | .0885  |
| .724 | -.0147                | -.0091   |
| .744 | .0885                 | .0951  |
| .755 | .0563999.9999         | .0477  |

DATE 07 MAR 77

TABULATED SOURCE DATA. MSFC TWT 603 (SA28F)

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING

(R110271)

MACH = 8.1 • 4.50 ALPHA = 11 • 183.400

SECTION 11(SRB

DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 205.0000 225.0000 270.0000 315.0000

X/L

|      |        |        |        |        |        |        |        |  |  |  |  |  |
|------|--------|--------|--------|--------|--------|--------|--------|--|--|--|--|--|
| .869 | .999   | .0477  | .0420  | .0297  | .0183  | .1283  |        |  |  |  |  |  |
| .902 | .999   | .9999  | -.0061 | -.0100 | -.0119 | -.0119 | .0060  |  |  |  |  |  |
| .923 | .0079  | .0051  | .0003  | .0003  | -.0024 | -.0024 | .0003  |  |  |  |  |  |
| .945 | -.0129 | -.0138 | -.0138 | -.0138 | -.0157 | -.0157 | -.0166 |  |  |  |  |  |
| .982 | .2184  | .2174  | .2174  | .2174  | .2174  | .2174  | .2098  |  |  |  |  |  |

## MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH AFT RING

(111028) (22 AUG 75)

## REFERENCE DATA

| SREF  | 116.2600 | SQ.FT. | XMRP | 1044.0000 IN. | RN-SCH | 2.000 | PHI | .000 |
|-------|----------|--------|------|---------------|--------|-------|-----|------|
| LREF  | 146.0000 | IN.    | YMRP | .0000 IN.     |        |       |     |      |
| DREF  | 146.0000 | IN.    | ZMRP | .0000 IN.     |        |       |     |      |
| SCALE | .0055    |        |      |               |        |       |     |      |

MACH (1) = 1.198 ALPHA (1) = 183.900 QIPSR = 9.1400 P0 = 22.000 P = 9.0900 RN/L = 6.8000

## SECTION (1)SRB DEPENDENT VARIABLE CP

THE1A .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | 027  | -0195        | -0581        | -0475        | -0543 | -0231 |       |
|-----|------|--------------|--------------|--------------|-------|-------|-------|
|     | .050 | .0950        | .1417        | .1420        | .1304 | .0987 |       |
|     | .074 | .2697        | .1994        | .1851        | .1861 | .1979 |       |
|     | .098 | .5001        | .3657        | .1815        | .4742 | .5118 |       |
|     | .111 | .1254        | .1125        | .1123        | .1731 | .1905 | .1927 |
|     | .139 | .0263        | .0335        | .0466        | .0558 | .0493 | .1739 |
|     | .168 | .0220        | .0219        | .0220        | .0597 | .0674 | .0594 |
|     | .191 | .0274        | .0319        | .0319        | .0674 | .0723 | .0397 |
|     | .255 | .0693        | .0693        | .0903        | .0515 | .0635 | .0312 |
|     | .344 | .0693        | .0714        | .1894        | .0757 | .0757 | .0291 |
|     | .392 | .999.9999    | .999.9999    | .999.9999    | .1894 | .0973 | .0717 |
|     | .667 | .999.9999    | .999.9999    | .999.9999    | .1838 | .0900 | .0616 |
|     | .702 | .1107        | .1104        | .0681        | .1264 | .1141 | .0513 |
|     | .724 | .3201        | .2955        | .2855        | .0827 | .0420 | .0397 |
|     | .744 | .4570        | .4312        | .3171        | .2312 | .1963 | .1963 |
|     | .755 | .320999.9999 | .320999.9999 | .320999.9999 | .2201 | .1827 | .1827 |
|     | .869 | .0139        | .1265        | .1265        | .3047 | .3384 | .3384 |
|     | .902 | .999.9999    | .999.9999    | .999.9999    | .4056 | .4069 | .3811 |
|     | .923 | .2807        | .2573        | .2573        | .4137 | .3971 | .3971 |
|     | .945 | .7003        | .6210        | .6210        | .4461 | .3908 | .3908 |
|     | .982 | .2437        |              |              | .2196 | .3347 | .3347 |
|     |      |              |              |              |       | .2121 | .2121 |



DATE 07 MAR 77

## TABULATED SOURCE DATA. MFC TWT 603 (SA28F)

PAGE 110

MFC TWT 603 (SA28F) SRB - CLEAN ATTACH RING

(R11030) 1 22 AUG 75 )

## REFERENCE DATA

| SREF    | 116.2600 | SO.FT.  | XHPP                  | 1044.0000 | IN.     | RN-SCH   | 2.000    | PHI      | .000     |
|---------|----------|---------|-----------------------|-----------|---------|----------|----------|----------|----------|
| LREF    | 146.0000 | IN.     | YHPP                  | .0000     | IN.     |          |          |          |          |
| BREF    | 146.0000 | IN.     | ZHPP                  | .0000     | IN.     |          |          |          |          |
| SCALE   | .0055    |         |                       |           |         |          |          |          |          |
| MACH    | ( 1 )    | 3.760   | ALPHA                 | ( 1 )     | 60.120  | Q1PSFI   | *        | 7.1200   | P0       |
| SECTION | 1        | 11SRB   | DEPENDENT VARIABLE CP |           |         |          | *        | 78.970   | P        |
| THETA   | .0000    | 22.5000 | 45.0000               | 67.5000   | 90.0000 | 112.5000 | 135.0000 | 157.5000 | 180.0000 |

0270.0000270.0000315.0000

| X/L | .027 | -.0003          | -.0173 | .1239  | 1.0579 | 1.7900  |         |         |           |
|-----|------|-----------------|--------|--------|--------|---------|---------|---------|-----------|
|     | .050 | -.0119          | -.0195 | .1335  | 1.0455 | 1.7841  |         |         |           |
|     | .074 | -.0014          | -.0217 | .1252  | 1.0117 | 1.7678  |         |         |           |
|     | .098 | -.0097          | -.0239 | .1063  | .9471  | 1.6978  |         |         |           |
|     | .111 | -.0152          | -.0213 | -.0277 | .0366  | .2429   | 6510    | 1.0846  | .0249     |
|     | .139 | -.0163          | -.0206 | -.0315 | -.0239 | .0424   | .2916   | 7338    | 1.2138    |
|     | .168 | -.0195          | -.0157 | -.0326 | -.0217 | .0331   | .2754   | .7272   | 1.2112    |
|     | .191 | -.0212          | -.0114 | -.0184 | -.0184 | .0309   | .2755   | .4178   | 1.2062    |
|     | .255 | -.0217          | -.0321 | -.0321 | -.0364 | .0101   | .2875   | .7264   | 1.3933    |
|     | .344 | -.0244          | -.0113 | -.0157 | -.0157 | .0433   | .2875   | .11827  | .3820     |
|     | .657 | 999.9999        | -.0456 | -.0456 | -.0106 | .0106   | .7175   | .3694   | .0400     |
|     | .702 | -.0413          | -.0216 | -.0238 | .0758  | .3354   | .7175   | .3374   | .0417     |
|     | .724 | -.0424          | -.0467 | -.0085 | .1638  | .6076   | .6076   | .4095   | .0513     |
|     | .744 | -.0473          | -.0484 | -.0549 | -.0163 | .0660   | .4415   | .5409   | .0856     |
|     | .755 | -.0489999.99999 | -.0467 | -.0538 | -.0077 | .2115   | .2115   | .0553   | .999.9999 |
|     | .869 | -.0418          | -.0467 | -.0467 | .0341  | .1025   | .7305   | .13878  |           |
|     | .902 | 999.9999        | -.0478 | -.0478 | .1025  | .1.0249 | .1.0249 | .1.8430 |           |
|     | .923 | -.0413          | -.0286 | -.0286 | .2302  | .1.2181 | .1.2181 | .1.9245 | .2012     |
|     | .945 | -.0435          | -.0413 | -.0413 | .1666  | .0080   | .0080   | .1.6430 | .1665     |
|     | .982 | -.0419          | -.0549 | -.0549 |        |         |         | .0150   |           |

DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC TWT 603 (SA2BF)

MSFC TWT 603 (SA2BF) SRB - CLEAN ATTACH RING

## REFERENCE DATA

|         |          |        |         |           |     |
|---------|----------|--------|---------|-----------|-----|
| SREF =  | 116.2600 | SQ.FT. | XHARF = | 1044.0000 | IN. |
| LREF =  | 145.0000 | IN.    | YHARF = | .0000     | IN. |
| BREF =  | 146.0000 | IN.    | ZHARF = | .0000     | IN. |
| SCALE = | .0055    |        |         |           |     |

|             |       |              |        |                 |             |            |               |
|-------------|-------|--------------|--------|-----------------|-------------|------------|---------------|
| MACH = 1.11 | 3.750 | ALPHA = 1.11 | 75.000 | 01PSF1 = 3.0700 | PO = 34.010 | P = .31000 | RN/L = 3.5000 |
|-------------|-------|--------------|--------|-----------------|-------------|------------|---------------|

SECTION 11 SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000 12.5000 15.0000 15.0000

| X/L | 1.027 | 1.246         | -0.0001 | 1.170  | 1.0135 | 1.7789 |
|-----|-------|---------------|---------|--------|--------|--------|
|     | .050  | .0099         | -0.0014 | .1208  | .0223  | .8154  |
|     | .074  | .1649         | -0.0014 | .1082  | .0097  | .8293  |
|     | .098  | .0162         | -0.0052 | -.0102 | .4171  | .8406  |
|     | .111  | -.0014        | -.0052  | -.0102 | .9858  | .5746  |
|     | .139  | -.0014        | -.0014  | -.0077 | .3717  | .9368  |
|     | .168  | -.0014        | -.0001  | -.0077 | .0615  | .5279  |
|     | .191  | -.0027        | -.0048  | -.0052 | .3705  | .7739  |
|     | .255  | -.0014        | -.0052  | -.0052 | .3679  | .5279  |
|     | .344  | -.0052        | .0073   | -.0052 | .4095  | .5128  |
|     | .392  |               |         |        | .9379  | .5128  |
|     | .667  | 999.9999      |         | -.0178 |        | .7410  |
|     | .702  | -.0216        | .0855   | .0048  | .5020  | .9164  |
|     | .724  | -.0190        | -.0228  | .1435  | .4335  | .7347  |
|     | .744  | -.0241        | -.0203  | -.0342 | .3059  | .7347  |
|     | .755  | .0229999.9999 |         | -.0317 | .0653  | .7221  |
|     | .869  | -.0178        |         | -.0190 | .0905  | .7234  |
|     | .902  | 999.9999      |         | -.0241 | .1006  | .7360  |
|     | .923  | -.0153        |         | -.0027 | .1750  | .7360  |
|     | .945  | -.0190        |         | -.0178 | .1183  | .7877  |
|     | .982  | -.0064        |         |        | .9631  | .8331  |
|     |       |               |         |        | .0135  | .7979  |
|     |       |               |         |        | .9631  | .7979  |
|     |       |               |         |        | .0178  | .1259  |
|     |       |               |         |        |        | .1762  |

PAGE 111

(IR1031) ( 22 AUG 75 )

## PARAMETRIC DATA

PN-SCH = 1.000 PHI = .000

DATE 07 MAR 77

TABULATED SOURCE DATA. MSFC TWT 603 (SA28F)

PAGE 112

| REFERENCE DATA    |                |             |          |           |  | PARAMETRIC DATA       |         |     |        |              |  |
|-------------------|----------------|-------------|----------|-----------|--|-----------------------|---------|-----|--------|--------------|--|
| SREF              | 116.2600       | SO. F.T.    | XHPP     | 1044.0000 | IN.  | RH-SCH                | 2.000   | PHI | -      | .000         |  |
| LREF              | 146.0000       | IN.         | YHPP     | 0.0000    | IN.  |                       |         |     |        |              |  |
| BREF              | 146.0000       | IN.         | ZHPP     | 0.0000    | IN.  |                       |         |     |        |              |  |
| SCALE             | .0055          |             |          |           |  |                       |         |     |        |              |  |
| MACH (1) =        | 3.760          | ALPHA (1) = | 75.000   | Q(IPSF) = | 7.1300   | PD =                  | .79.020 | P = | .72000 | RNL = .00000 |  |
| SECTION 1 (1) SRB |                |             |          |           |  | DEPENDENT VARIABLE CP |         |     |        |              |  |
| THTA              | .00000         | 22.50000    | 45.00000 | 67.50000  | 90.0000112.50000135.0000157.5000180.0000225.0000270.0000315.0000 |                       |         |     |        |              |  |
| X/L               |                |             |          |           |  |                       |         |     |        |              |  |
| .027              | .0172          | -.0446      | .0894    | .9972     |  | .7521                 |         |     |        |              |  |
| .050              | -.0397         | -.0435      | .0943    | .9927     |  | .7814                 |         |     |        |              |  |
| .074              | -.0421         | -.0435      | .0867    | .9755     |  | .7971                 |         |     |        |              |  |
| .098              | -.0337         | -.0429      | .0812    | .9734     |  | .8096                 |         |     |        |              |  |
| .111              | -.0402         | -.0446      | -.0467   | .4014     |  | .9625                 |         |     |        |              |  |
| .135              | -.0402         | -.0429      | -.0419   | .0489     |  | .3547                 |         |     |        |              |  |
| .159              | -.0197         | -.0108      | -.0113   | -.0478    |  | .0421                 |         |     |        |              |  |
| .183              | -.0402         | -.0397      | -.0457   | -.0457    |  | .3497                 |         |     |        |              |  |
| .191              | -.0375         | -.0381      | -.0381   | -.0381    |  | .3498                 |         |     |        |              |  |
| .255              | -.0380         | -.0370      | -.0440   | -.0440    |  | .0541                 |         |     |        |              |  |
| .344              | -.0380         | -.0370      | -.0440   | -.0440    |  | .0611                 |         |     |        |              |  |
| .392              |                |             |          |           |  | .3687                 |         |     |        |              |  |
| .667              | 999.9999       | -.0435      | .0617    | .9099     |  | .6945                 |         |     |        |              |  |
| .702              | -.0429         | .0020       | -.0353   | .3899     |  | .6918                 |         |     |        |              |  |
| .724              | -.0424         | -.0419      | -.0466   | .4660     |  | .6674                 |         |     |        |              |  |
| .744              | -.0462         | -.0440      | -.0549   | .0346     |  | .5312                 |         |     |        |              |  |
| .755              | -.0451989.9999 |             | -.0549   | .0585     |  | .3721                 |         |     |        |              |  |
| .869              | 999.9913       | -.0435      | .0785    | .9419     |  | .7450                 |         |     |        |              |  |
| .902              | 999.9999       | -.0435      | .0905    | .9337     |  | .7276                 |         |     |        |              |  |
| .923              | -.0424         | -.0310      | .1367    | .9820     |  | .7732                 |         |     |        |              |  |
| .945              | -.0435         | -.0461      | .0981    | .9440     |  | .8139                 |         |     |        |              |  |
| .982              | -.0185         |             | -.0288   |           |  | .7694                 |         |     |        |              |  |
|                   |                |             |          |           |  | .1752                 |         |     |        |              |  |

(R110321) (22 AUG 75)

1

DATE 07 MAR 77

TABULATED SOURCE DATA. NSFC TWT 603 (SA28F)  
 NSFC TWT 603 (SA28F) SRB - CLEAN ATTACH RING

PAGE 113

(IR11033) 1 22 AUG 75 1

## REFERENCE DATA

|       |   |                 |      |   |               |
|-------|---|-----------------|------|---|---------------|
| SREF  | • | 116.2600 SQ.FT. | XMRP | = | 1044.0000 IN. |
| LREF  | • | 146.0000 IN.    | YMRP | = | .0000 IN.     |
| BREF  | • | 146.0000 IN.    | ZMRP | = | .0000 IN.     |
| SCALE | = | .0055           |      |   |               |

MACH 1 11 = 3.760 ALPHA 1 11 = 90.000 Q1PSF1 = 3.0700

PO = 34.050 P = .31000 RN/L = 3.6000

## DEPENDENT VARIABLE CP

11E1A .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000

| X/L | 0.027 | .0928    | .0669   | .0851  | .8054 | .5543 |
|-----|-------|----------|---------|--------|-------|-------|
|     | .050  | .0763    | .0617   | .0855  | .8287 | .5860 |
|     | .074  | .0852    | .0569   | .0816  | .8313 | .6250 |
|     | .098  | .0750    | .0473   | .0915  | .8797 | .6679 |
|     | .111  | .0631    | .0461   | .0423  | .9220 | .4803 |
|     | .135  | .0617    | .0515   | .0273  | .1406 | .7219 |
|     | .159  | .0527    | .0579   | .0298  | .1115 | .9741 |
|     | .183  | .0486    | .0614   | .0249  | .1055 | .5771 |
|     | .207  | .0448    | .0650   | .0236  | .1084 | .9880 |
|     | .231  | .0376    |         |        | .1120 | .8291 |
|     | .332  |          |         |        | .4277 | .9252 |
|     | .667  | 999.9999 | - .0066 | .1115  | .0039 | .0327 |
|     | .702  | .0047    | .0412   | .1115  | .5936 | .8467 |
|     | .724  | .0047    | -.0010  | .0348  | .8466 | .8291 |
|     | .744  | .0009    | -.0015  | .0475  | .3915 | .5645 |
|     | .755  | -.0015   | 99999   | -.0141 | .0802 | .8254 |
|     | .859  | .0021    | 99999   | -.0128 | .3978 | .5595 |
|     | .902  | 999.9999 | -.0027  | .0866  | .9915 | .8178 |
|     | .923  | .0110    | -.0027  | .0701  | .9056 | .8042 |
|     | .945  | .0097    | .0165   | .1442  | .9479 | .8190 |
|     | .982  | .0576    | .0110   | .0931  | .9890 | .8295 |
|     |       |          |         | .0513  |       | .8921 |



DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH RING

PAGE 115

(R11035) 1 22 AUG 75 1

## REFERENCE DATA

|      | SREF     | LREF    | BREF    | SCALE   | XMRP    | YMRP     | ZMRP     | RN-SCH   | PHI      | RNL      |
|------|----------|---------|---------|---------|---------|----------|----------|----------|----------|----------|
| MACH | SECTION  | THETA   | ALPHA   | DEPEN   | P0      | P        | P0       | P0       | P        | RNL      |
| .027 | .0000    | 22.5000 | 45.0000 | 67.5000 | 90.0000 | 112.5000 | 135.0000 | 157.5000 | 180.0000 | 225.0000 |
| .050 | .0855    |         |         |         | .0627   | .0578    | .5508    | .5717    | .5722    | .1223    |
| .074 | .0690    |         |         |         | .0590   | .0590    | .5868    | .6109    | .6109    | .1522    |
| .098 | .0817    |         |         |         | .0551   | .0589    | .5868    | .6109    | .6109    | .1664    |
| .111 | .0627    | .0475   |         |         | .0449   | .0426    | .6026    | .6324    | .6324    | .2206    |
| .139 | .0590    | .0501   | .0313   |         | .0274   | .0274    | .6032    | .624     | .624     | .3262    |
| .168 | .0546    | .0590   | .0236   |         | .0187   | .0187    | .6106    | .6955    | .6955    | .6455    |
| .191 | .0462    | .0639   | .0236   |         | .0176   | .0193    | .6193    | .7057    | .7057    | .6950    |
| .255 | .0456    | .0614   | .0249   |         | .0527   | .0527    | .6057    | .3991    | .3991    | .9026    |
| .34  | .0363    |         |         |         | .0249   | .0249    | .6043    | .9371    | .9371    | .0929    |
| .392 |          |         |         |         | .0614   | .0614    | .604     | .4007    | .4007    | .0981    |
| .667 | .999     | .9999   |         |         | .0040   | .0040    | .0792    | .9182    | .9182    | .1005    |
| .702 | .0047    | .0363   |         |         | .0299   | .0299    | .0778    | .3815    | .3815    | .0917    |
| .724 | .0073    | -.0053  |         |         | .0426   | .0426    | .0655    | .1336    | .1336    | .999     |
| .744 | .0022    | -.0002  |         |         | .0128   | .0128    | .1019    | .4449    | .4449    | .9999    |
| .756 | -.001999 | .99999  |         |         | -.0065  | -.0065   | .0917    | .3865    | .3865    | .1212    |
| .869 | .0035    |         |         |         | -.0053  | -.0053   | .0052    | .8842    | .8842    | .1080    |
| .902 | .999     | .9999   |         |         | -.0052  | -.0052   | .0438    | .8590    | .8590    | .1055    |
| .923 | .0072    |         |         |         | .0162   | .0162    | .1284    | .8151    | .8151    | .0803    |
| .945 | .0047    |         |         |         | .0047   | .0047    | .0880    | .7815    | .7815    | .0980    |
| .992 | .1867    |         |         |         |         |          |          | .0931    | .0931    | .7775    |

| REFERENCE DATA   |                     |                       |               | PARAMETRIC DATA |               |        |      |
|--|---------------------|-----------------------|---------------|-----------------|---------------|--------|------|
| SREF   | 116.2600 SO.FT.     | XMRP                  | 1044.0000 IN. | RN-SCH          | 2.000         | PHI    | .000 |
| LREF   | 146.0000 IN.        | YMRP                  | .0000 IN.     |                 |               |        |      |
| BREF   | 146.0000 IN.        | ZMRP                  | .0000 IN.     |                 |               |        |      |
| SCALE  | .0055               |                       |               |                 |               |        |      |
| MACH (1) = 3.760   | ALPHA (1) = 105.000 | QPSF1 = 7.1300        | PO = 78.990   | P = .72000      | RNL = .8.1000 |        |      |
| SECTION 11 SRB   |                     | DEPENDENT VARIABLE CP |               |                 |               |        |      |
| THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000225.0000270.0000315.0000 |                     |                       |               |                 |               |        |      |
| X/L  |                     |                       |               |                 |               |        |      |
| .027   | .0045               | -.0098                | .0014         | .5333           | 1.1192        |        |      |
| .050   | -.0048              | -.0130                | .0069         | .5544           | .1398         |        |      |
| .074   | .0018               | -.0142                | .0134         | .5624           | .1531         |        |      |
| .098   | -.0048              | -.0190                | .0270         | .6163           | .1958         |        |      |
| .111   | -.0098              | -.0190                | .0256         | .2403           | 1.1304        |        |      |
| .139   | -.0125              | -.0169                | .0250         | .3617           | 1.4784        | .0207  |      |
| .168   | -.0169              | -.0152                | -.0277        | .0656           | .8784         | .0655  |      |
| .191   | -.0196              | -.0114                | -.0207        | .3735           | .9023         | .8835  |      |
| .255   | -.0213              | -.0283                | -.0190        | .0651           | .4480         | .6685  |      |
| .344   | -.0239              | -.0114                | -.0283        | .3770           | .3770         | .9023  |      |
| .392   |                     |                       |               | .0699           | .4448         | .6728  |      |
| .667   | 999.9999            | -.0402                | -.0705        | .3776           | .9109         | .6831  |      |
| .702   | -.0364              | .0182                 | .0260         | .0617           | .4577         | .6890  |      |
| .724   | -.0359              | -.0402                | -.0161        | .0628           | .8927         | .6842  |      |
| .744   | -.0370              | -.0381                | -.0402        | .0449           | .3650         | .6956  |      |
| .755   | -.0397999.9999      | -.0419                | -.0419        | .0915           | .3096         | 1.4819 |      |
| .869   | -.0413              | -.0424                | -.0419        | .0419           | .4254         | 1.0325 |      |
| .902   | 999.9999            | -.0402                | -.0402        | .0419           | .3753         | 1.5421 |      |
| .923   | -.0402              | -.0305                | -.0305        | .0221           | .3722         | 1.7857 |      |
| .945   | -.0391              | -.0391                | -.0391        | .0763           | .0437         | 1.4709 |      |
| .982   | -.1980              |                       |               | .0617           | .8616         | 1.7244 |      |
|  |                     |                       |               | .0672           | .8092         | 1.6819 |      |
|  |                     |                       |               |                 | .7601         | 1.7783 |      |
|  |                     |                       |               |                 |               | 1.6050 |      |
|  |                     |                       |               |                 |               | 1.5339 |      |
|  |                     |                       |               |                 |               | .0470  |      |
|  |                     |                       |               |                 |               | .0682  |      |
|  |                     |                       |               |                 |               | .0899  |      |
|  |                     |                       |               |                 |               |        |      |

MSFC TWT 603 (SA2BF) SRB - CLEAN ATTACH RND

IRI10381 ( 22 AUG 75 )

DATE 07 MAR 77

TABULATED SOURCE DATA. MSFC TWT 603 (SA28F)

PAGE 117

## MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH RING

## REFERENCE DATA

| SREF    | 116.2500 SQ.FT. | XMRP   | 1044.0000 IN.         | RNSCH          | 1.000       | PHI        | .000         |
|---------|-----------------|--|-----------------------|----------------|-------------|------------|--------------|
| LREF    | 146.0000 IN.    | YMRP   | .0000 IN.             |                |             |            |              |
| BREF    | 146.0000 IN.    | ZMRP   | .0000 IN.             |                |             |            |              |
| SCALE   | .0055           |  |                       |                |             |            |              |
| MACH    | 11              | 3.760  | ALPHA 11 = 119.900    | 01PSF = 3.0700 | PO = 34.030 | P = .31000 | RNL = 3.5000 |
| SECTION | 11SRB           |  | DEPENDENT VARIABLE CP |                |             |            |              |
| THE TA  | .0000           | 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000 |                       |                |             |            |              |
| X/L     |                 |  |                       |                |             |            |              |
| .027    | .1232           | .0022  | .0072                 | .2592          | .5541       |            |              |
| .050    | .0110           | .0022  | .0123                 | .2945          | .6095       |            |              |
| .074    | .1597           | .0022  | .0110                 | .3122          | .6379       |            |              |
| .098    | .0224           | .0027  | .0110                 | .2892          | .5881       |            |              |
| .111    | .0060           | .0039  | .0065                 | .6712          | .2596       | .0350      | .0027        |
| .139    | .0035           | .0015  | .0027                 | .3232          | .7481       | .0677      | .0002        |
| .168    | .0002           | .0027  | .0078                 | .3248          | .7500       | .1.1853    | .0702        |
| .191    | .0001           | .0015  | .0090                 | .0729          | .1.1850     | .3630      | .0053        |
| .255    | .0002           | .0065  | .0090                 | .0715          | .3399       | .1.1752    | .3567        |
| .344    | .0015           | .0022  | .0103                 | .0728          | .7468       | .1.3640    | .0691        |
| .392    |                 |  | .0716                 | .3739          | .1.1891     | .3680      | .0690        |
| .667    | .999.9999       | .0229  | .0639                 | .7405          | .3730       | .0702      |              |
| .702    | .0179           | .0803  | .0040                 | .2933          | .1.2849     | .4108      | .0715        |
| .724    | .0165           | .0204  | .1194                 | .0362          | .4231       | .4231      | .0476        |
| .744    | .0191           | .0165  | .0103                 | .0173          | .1281       | .4016      | .4445        |
| .755    | .0204999.9999   | .0254  | .0178                 | .1599          | .5893       | .8182      | .0588        |
| .869    | .0216           | .0267  | .0116                 | .1118          | .4243       | .4789      | .1.1307      |
| .902    | .999.9999       | .0254  | .0387                 | .0211          | .7267       | .4146      |              |
| .923    | .0179           | .0115  | .0229                 | .0211          | .8817       | .9501      |              |
| .945    | .0204           | .0229  | .0299                 | .0753          | .5654       | .0681      | .0387        |
| .982    | .2618           |  |                       | .1409          | .5003       | .0454      | .0337        |

(R1037)

1 22 AUG 75 1

DATE 07 MAR 77

TABULATED SOURCE DATA. MSC TWT 603 (SA28F)

PAGE 118

(R11038) (22 AUG 75)

REFERENCE DATA

|       | SREF         | 116.2600 SQ.FT. | XHBP      | 1044.0000 IN. |  | PN-SCH | 2.000 | RHI | .000 |
|-------|--------------|-----------------|-----------|---------------|--|--------|-------|-----|------|
| LRCF  | 146.0000 IN. | YHBP            | .0000 IN. |               |  |        |       |     |      |
| BRTF  | 146.0000 IN. | ZHBP            | .0000 IN. |               |  |        |       |     |      |
| SCALE | .0055        |                 |           |               |  |        |       |     |      |

MACH (1) = 3.760 ALPHA (1) = 119.900 Q(PSF) = 7.1300 PO = 79.010 P = .72000 RNL = 0.0000

SECTION (1)SRRB

THETA .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000

X/L

|      | .027           | .091    | -.0337 | -.0288 | .2336   | .5378 |
|------|----------------|---------|--------|--------|---------|-------|
| .050 | -.0321         | -.0354  | -.0245 | .2724  | .5978   |       |
| .074 | .0226          | -.0370  | -.0212 | .2891  | .6233   |       |
| .098 | -.0305         | -.0380  | -.0207 | .2653  | .5653   |       |
| .122 | -.0348         | -.0397  | -.0446 | .2701  | .6610   | .0188 |
| .139 | -.0370         | -.0391  | -.0452 | .0644  | .6665   | .0408 |
| .168 | -.0381         | -.0381  | -.0446 | .3041  | .3063   | .7348 |
| .191 | -.0391         | -.0381  | -.0451 | .0546  | .3037   | .3500 |
| .225 | -.0402         | -.0451  | -.0468 | .0508  | .3059   | .3596 |
| .244 | -.0413         | -.0391  | -.0457 | .0514  | .3135   | .7275 |
| .292 | -.0413         | -.0391  | -.0457 | .0514  | .3135   | .3478 |
| .667 | 999.999        | 999.999 | -.0538 | .0503  | .7226   | .2603 |
| .702 | -.0495         | -.0120  | -.0451 | .0460  |         | .0481 |
| .724 | -.0489         | -.0500  | .0101  | -.0147 | .2733   | .4063 |
| .744 | -.0478         | -.0467  | -.0305 | .1105  | .1.2821 | .0552 |
| .755 | -.0478999.9999 | -.0597  | -.0440 | .5750  | .4.123  | .0145 |
| .869 | .0554          |         |        | .1035  | .3889   |       |
| .902 | 999.999        | -.0581  |        | .0123  | .1.6949 |       |
| .923 | -.0554         | -.0495  |        | -.0006 | .1.8129 | .1203 |
| .945 | -.0554         | -.0565  |        | .0303  | .2.0549 |       |
|      |                |         |        | -.0136 | .1.3771 |       |
|      |                |         |        | .4775  | .1.6973 |       |
|      |                |         |        |        | .1.9191 |       |
|      |                |         |        |        | .3603   |       |
|      |                |         |        |        | .0058   |       |
|      |                |         |        |        | .0251   |       |
|      |                |         |        |        | -.0039  |       |
|      |                |         |        |        | .1.6973 |       |

*ORIGINAL PAGE*

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

PAGE 119

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH RING

PAGE 119  
1 22 AUG 75 1

## REFERENCE DATA

|         |          |        |        |           |     |
|---------|----------|--------|--------|-----------|-----|
| SREF =  | 116.2600 | SO.FT. | XHFP = | 1044.0000 | IN. |
| LREF =  | 146.0000 | IN.    | YHFP = | .0000     | IN. |
| BREF =  | 146.0000 | IN.    | ZHFP = | .0000     | IN. |
| SCALE = | .0055    |        |        |           |     |

MACH (1) = 3.760 ALPHA (1) = 140.000 OIPSFI = 3.0700

SECTION (1) ISRD

THTA .0000 22.5000 45.0000 67.5000 90.0000 112.5000 125.0000 157.5000 180.0000 223.0000 270.0000 315.0000

## DEPENDENT VARIABLE CP

| X/L | .027 | .1132     | .0770  | .0499  | .0754 | .1723 |       |
|-----|------|-----------|--------|--------|-------|-------|-------|
|     | .050 | .0897     | .0681  | .0436  | .0803 | .1889 |       |
|     | .074 | .1070     | .0593  | .0362  | .0917 | .2000 |       |
|     | .098 | .0897     | .0520  | .0461  | .0967 | .2078 |       |
|     | .111 | .0733     | .0483  | .0262  | .1258 | .1646 | .0436 |
|     | .139 | .0719     | .0568  | .0275  | .0558 | .1023 | .0436 |
|     | .158 | .0606     | .0631  | .0211  | .0606 | .0908 | .0500 |
|     | .191 | .0520     | .0758  | .0198  | .0631 | .0832 | .0470 |
|     | .255 | .0511     | .0772  | .0707  | .0769 | .1851 | .047  |
|     | .744 | .0398     |        |        | .0721 | .1922 | .4104 |
|     | .292 |           |        |        | .0662 |       | .6302 |
|     | .667 | .999      | .9999  | -.0078 | .0360 |       | .7311 |
|     | .702 | .0023     | .0593  | .0458  | .0199 | .1395 | .0527 |
|     | .724 | .0061     | -.0077 | .0618  | .0136 | .0539 |       |
|     | .744 | .0022     | .0022  | -.0127 | .1032 | .4764 |       |
|     | .755 | -.0002999 | .9999  | -.0090 | .0690 | .2693 |       |
|     | .869 | .0035     |        | -.0090 | .0299 |       |       |
|     | .902 | .999      | .9999  | -.0090 | .0261 |       |       |
|     | .923 | .0072     |        | .0099  | .0624 | .1759 |       |
|     | .945 | .0022     |        | .0047  | .0234 | .1989 |       |
|     | .982 | .3399     |        |        | .2545 |       |       |

|     |      |           |        |        |       |       |       |
|-----|------|-----------|--------|--------|-------|-------|-------|
| X/L | .027 | .1132     | .0770  | .0499  | .0754 | .1723 |       |
|     | .050 | .0897     | .0681  | .0436  | .0803 | .1889 |       |
|     | .074 | .1070     | .0593  | .0362  | .0917 | .2000 |       |
|     | .098 | .0897     | .0520  | .0461  | .0967 | .2078 |       |
|     | .111 | .0733     | .0483  | .0262  | .1258 | .1646 | .0436 |
|     | .139 | .0719     | .0568  | .0275  | .0558 | .1023 | .0436 |
|     | .158 | .0606     | .0631  | .0211  | .0606 | .0908 | .0500 |
|     | .191 | .0520     | .0758  | .0198  | .0631 | .0832 | .0470 |
|     | .255 | .0511     | .0772  | .0707  | .0769 | .1851 | .047  |
|     | .744 | .0398     |        |        | .0721 | .1922 | .4104 |
|     | .292 |           |        |        | .0662 |       | .6302 |
|     | .667 | .999      | .9999  | -.0078 | .0360 |       | .7311 |
|     | .702 | .0023     | .0593  | .0458  | .0199 | .1395 | .0527 |
|     | .724 | .0061     | -.0077 | .0618  | .0136 | .0539 |       |
|     | .744 | .0022     | .0022  | -.0127 | .1032 | .4764 |       |
|     | .755 | -.0002999 | .9999  | -.0090 | .0690 | .2693 |       |
|     | .869 | .0035     |        | -.0090 | .0299 |       |       |
|     | .902 | .999      | .9999  | -.0090 | .0261 |       |       |
|     | .923 | .0072     |        | .0099  | .0624 | .1759 |       |
|     | .945 | .0022     |        | .0047  | .0234 | .1989 |       |
|     | .982 | .3399     |        |        | .2545 |       |       |

| REFERENCE DATA |               |         |                       |           |          |          |          |          |          | PARAMETRIC DATA |               |          |         |
|----------------|---------------|---------|-----------------------|-----------|----------|----------|----------|----------|----------|-----------------|---------------|----------|---------|
| SRTF           | 116.2600      | 50.FT.  | XHMP                  | 1044.0000 | IN.      | RN-SCH   | 2.000    | PML      | .000     | (R110401        | ( 22 ADO 75 ) |          |         |
| LREF           | 146.0000      | IN.     | YHMP                  | .0000     | IN.      |          |          |          |          |                 |               |          |         |
| EREF           | 146.0000      | IN.     | ZHMP                  | .0000     | IN.      |          |          |          |          |                 |               |          |         |
| SCALE          | .0055         |         |                       |           |          |          |          |          |          |                 |               |          |         |
| MACH           | 1.11          | 3.760   | ALPHA                 | 1.11      | 140.0000 | 0(PSF)   | 7.1300   | PO       | 79.090   | P               | .72000        | RNL      | .@.1000 |
| SECTION        | 115SRB        |         | DEPENDENT VARIABLE CP |           |          |          |          |          |          |                 |               |          |         |
| THETA          | .0000         | 22.5000 | 45.0000               | 67.5000   | 90.0000  | 112.5000 | 135.0000 | 157.5000 | 180.0000 | 225.0000        | 270.0000      | 315.0000 |         |
| X/L            |               |         |                       |           |          |          |          |          |          |                 |               |          |         |
| .027           | -.0016        |         | -.0180                |           | -.0094   |          | .0355    |          |          |                 |               |          |         |
| .050           | -.0125        |         | -.0022                |           | -.0310   |          | .0513    |          |          |                 |               |          |         |
| .074           | -.0049        |         | -.0245                |           | -.0337   |          | .0621    |          |          |                 |               |          |         |
| .098           | -.0120        |         | -.0277                |           | -.0343   |          | .0706    |          |          |                 |               |          |         |
| .111           | -.0180        |         | -.0381                |           | -.0321   |          | .1415    |          |          |                 |               |          |         |
| .139           | -.0202        |         | -.0267                |           | -.0294   |          | .029     |          |          |                 |               |          |         |
| .154           | -.0245        |         | -.0265                |           | -.0370   |          | .1512    |          |          |                 |               |          |         |
| .191           | -.0277        |         | -.0195                |           | -.0386   |          | .0256    |          |          |                 |               |          |         |
| .255           | -.0294        |         | -.0196                |           | -.0267   |          | .0085    |          |          |                 |               |          |         |
| .344           | -.0348        |         | -.0205                |           | -.0229   |          | .0096    |          |          |                 |               |          |         |
| .392           |               |         |                       |           |          |          | .0481    |          |          |                 |               |          |         |
| .667           | 999.9999      |         | -.0490                |           | -.0023   |          | .3575    |          |          |                 |               |          |         |
| .702           | -.0462        |         | -.0266                |           | -.0337   |          | .0131    |          |          |                 |               |          |         |
| .724           | -.0452        |         | -.0491                |           | -.0250   |          | .0370    |          |          |                 |               |          |         |
| .744           | -.0392        |         | -.0393                |           | -.0448   |          | .0941    |          |          |                 |               |          |         |
| .755           | -.044999.9999 |         | -.0485                |           | -.0485   |          | .0562    |          |          |                 |               |          |         |
| .869           | -.0463        |         | -.0512                |           | -.0056   |          | .2801    |          |          |                 |               |          |         |
| .902           | 999.9999      |         | -.0529                |           | -.0002   |          | .3800    |          |          |                 |               |          |         |
| .923           | -.0463        |         | -.0479                |           | -.0104   |          | .1507    |          |          |                 |               |          |         |
| .945           | -.0485        |         | -.0495                |           | -.0370   |          | .1786    |          |          |                 |               |          |         |
| .982           | -.3283        |         |                       |           |          |          | .2397    |          |          |                 |               |          |         |

- DATE 07 MAR 77

TABULATED SOURCE DATA. NSFC TWT 603 (SA28F)

PAGE 121

METRIC INCH 60315A28M1 SAE - CLEAN ATTACH RING

| REFERENCE DATA  |  |                       |  |        |          | PARAMETRIC DATA |          |  |  |
|-----------------|--|-----------------------|--|--------|----------|-----------------|----------|--|--|
| SPLF            | 116.2600 SO.FT.  | XHDF                  | 1044.0000 IN.                                | RN-SCH | 1.000    | PHI             | .000     |  |  |
| LRF             | 146.0000 IN.   | YHDF                  | 0.0000 IN.                                   |        |          |                 |          |  |  |
| HIF             | 146.0000 IN.   | ZHDF                  | 0.0000 IN.                                   |        |          |                 |          |  |  |
| SCALE           | .0055  |                       |  |        |          |                 |          |  |  |
| MACH            | 1.11   | 3.760                 | ALPHA 11 = 149.000 QIPSF1 = 3.0700           | PO     | - 34.020 | P               | - .31000 |  |  |
| SECTION 1 1)SRB | 00000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 223.0000 270.0000 315.0000 | DEPENDENT VARIABLE CP |  |        |          |                 |          |  |  |
| 1)E1A           |  | X/L                   | .027 -1244 .0001 -.0039 .0225 .0765          |        |          |                 |          |  |  |
|                 |  |                       | .050 .0086 -.0015 -.0040 .0274 .0791         |        |          |                 |          |  |  |
|                 |  |                       | .074 .1647 -.0027 -.0053 .0426 .0954         |        |          |                 |          |  |  |
|                 |  |                       | .098 .0199 -.0052 -.0102 .1118 .2431         |        |          |                 |          |  |  |
|                 |  |                       | .111 .0023 -.0090 -.0153 .1748 .3894         |        |          |                 |          |  |  |
|                 |  |                       | .139 -.0015 -.0103 -.0127 -.0064 .376 .4360  |        |          |                 |          |  |  |
|                 |  |                       | .168 -.0027 -.0090 -.0179 -.0065 .037 .4117  |        |          |                 |          |  |  |
|                 |  |                       | .191 -.0027 -.0064 -.0153 -.0103 .0198 .1282 |        |          |                 |          |  |  |
|                 |  |                       | .255 -.0039 -.0053 -.0052 -.0077 .0186 .2643 |        |          |                 |          |  |  |
|                 |  |                       | .344 -.0053 -.0052 -.0052 -.0077 .0174 .2658 |        |          |                 |          |  |  |
|                 |  |                       | .392 -.0079 -.0228 -.0023 -.0013 .009 .1208  |        |          |                 |          |  |  |
|                 |  |                       | .667 999.9999 -.0803 -.023 -.0854 .2781      |        |          |                 |          |  |  |
|                 |  |                       | .702 -.0216 -.0241 .1421 -.0191 .0237 .1269  |        |          |                 |          |  |  |
|                 |  |                       | .724 -.0216 -.0241 -.0241 .1421 -.0191 .1206 |        |          |                 |          |  |  |
|                 |  |                       | .744 -.0103 -.0115 -.0267 .0316 .2466 .9812  |        |          |                 |          |  |  |
|                 |  |                       | .755 -.0153999.9999 -.0254 .0299 .1622 .5591 |        |          |                 |          |  |  |
|                 |  |                       | .859 -.0140 -.0279 -.0023 -.0013 .2168 .6334 |        |          |                 |          |  |  |
|                 |  |                       | .902 999.9999 -.0279 -.0023 .0009 .0986      |        |          |                 |          |  |  |
|                 |  |                       | .923 -.0203 -.0229 -.0023 .0009 .0933        |        |          |                 |          |  |  |
|                 |  |                       | .945 -.0216 -.0229 -.0023 .0016 .1962        |        |          |                 |          |  |  |
|                 |  |                       | .982 -.2996 -.3054 -.0229 -.0016 .2255       |        |          |                 |          |  |  |

## MSFC TWT 603 (SA287) SRB - CLEAN ATTACH RING

(R11042) (22 AUG 75)

## REFERENCE DATA

| SREF    | 116.2600 50.FT. | XMRP    | 1044.0000 IN.       | RN-SCH                | 2.000   | PHI        | .000           |
|---------|-----------------|---------|---------------------|-----------------------|---|------------|----------------|
| LREF    | 146.0000 IN.    | YMRP    | .0000 IN.           |                       |   |            |                |
| BREF    | 146.0000 IN.    | ZMRP    | .0000 IN.           |                       |   |            |                |
| SCALE   | .0055           |         |                     |                       |   |            |                |
| MACH    | 1.11            | 3.760   | ALPHA (1) = 149.000 | O(PSF) = 7.1500       | P0 = 79.220   | P = .72000 | RN/L = 0.00000 |
| SECTION | 1               | 11SRB   |                     | DEPENDENT VARIABLE CP |   |            |                |
| THETA   | .0000           | 22.5000 | 45.0000             | 67.5000               | 90.0000112.5000135.0000157.5000160.0000225.0000270.0000315.0000 |            |                |

## PARAMETRIC DATA

| X/L | 0.27 | .0061          | -.0453 | -.0460 | -.0122 | .0461  |       |
|-----|------|----------------|--------|--------|--------|--------|-------|
|     | .050 | -.0420         | -.0447 | -.0450 | -.0052 | .0526  |       |
|     | .074 | .0228          | -.0480 | -.0501 | .0007  | .0564  |       |
|     | .098 | -.0398         | -.0479 | -.0517 | .0093  | .0683  |       |
|     | .111 | -.0463         | -.0507 | -.0523 | .0856  | .2307  | .2216 |
|     | .139 | -.0474         | -.0496 | -.0534 | .0503  | .2432  | .0241 |
|     | .168 | -.0485         | -.0501 | -.0528 | .0905  | .3935  | .4312 |
|     | .191 | -.0485         | -.0490 | -.0534 | .1003  | .2448  | .2383 |
|     | .255 | -.049          | -.0501 | -.0533 | .1016  | .3953  | .0176 |
|     | .344 | -.0469         | -.0501 | -.0545 | .0133  | .2464  | .0193 |
|     | .392 | 999.9999       | -.0528 | -.0139 | .1192  | .4099  | .4599 |
|     | .667 | 999.9999       | -.0144 | -.0512 | .021   | .2588  | .4635 |
|     | .702 | -.0566         | -.0582 | -.0104 | .0317  | .0726  | .5051 |
|     | .724 | -.0582         | -.0582 | -.0104 | -.0517 | -.0096 | .4925 |
|     | .744 | -.0279         | -.0328 | -.0463 | .0261  | .2437  | .9468 |
|     | .755 | -.0371999.9999 | -.0555 | -.0185 | .0115  | .1636  | .6015 |
|     | .869 | -.0409         | -.0555 | -.0151 | .0139  | .2145  | .4088 |
|     | .902 | 999.9999       | -.0561 | -.0112 | .0328  | .2259  | .4342 |
|     | .923 | -.0507         | -.0555 | -.0112 | .0153  | .0754  | .1858 |
|     | .945 | -.0545         | -.0610 | -.0110 | .0153  | .0597  | .1663 |
|     | .982 | .2929          |        |        | .2740  |        | .8608 |

DATE 07 MAR 77

## TABULATED SOURCE DATA. MSFC TWT 603 (SA28F)

PAGE 123

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH RING

(R11043) (22 AUG 75)

## REFERENCE DATA

|       |   |          |         |      |   |      |       |     |
|-------|---|----------|---------|------|---|------|-------|-----|
| SREF  | = | 116.2600 | SO.F.T. | XMRP | = | 1044 | .0000 | IN. |
| LREF  | = | 146.0000 | IN.     | YMRP | = | 0000 | .0000 | IN. |
| BREF  | = | 146.0000 | IN.     | ZMRP | = | 0000 | .0000 | IN. |
| SCALE | = | .0055    |         |      |   |      |       |     |

MACH ( 1 ) = 3.760 ALPHA ( 1 ) = 160.000 QPSFI = 3.0700

PO = - 34.010 P = .31000 RN/L = 3.5000

## SECTION 11)SRB DEPENDENT VARIABLE CP

THE 1A .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | 0.027 | 0.0658       | .0628   | .0414  | .0237  | .0236  | .0149 |
|-----|-------|--------------|---------|--------|--------|--------|-------|
|     | .050  | .0742        | .0564   | .0362  | .0163  | .0124  |       |
|     | .074  | .0817        | .0502   | .0274  | .0161  | .0124  |       |
|     | .098  | .0716        | .0414   | .0236  | .0162  | .0125  |       |
|     | .111  | .0603        | .0464   | .0211  | .00956 | .0055  |       |
|     | .139  | .0564        | .0515   | .0225  | .0091  | .0055  |       |
|     | .168  | .0439        | .0589   | .0176  | .00778 | .0093  |       |
|     | .191  | .0426        | .0679   | .0186  | .00603 | .0064  |       |
|     | .255  | .0426        | .0679   | .0186  | .00627 | .00605 |       |
|     | .344  | .0413        | .0679   | .0653  | .00653 | .0064  |       |
|     | .392  |              |         |        | .0515  | .0994  |       |
|     | .667  | 999.9999     | - .0077 |        | .0135  | .0967  |       |
|     | .702  | - .0040      | .0426   | .0376  | -.0002 | .0111  |       |
|     | .724  | - .0077      | -.0140  | .0452  | .0035  | -.0014 |       |
|     | .744  | .0353        | .0111   | -.0039 | .0135  | .1120  |       |
|     | .755  | 0.61999.9999 |         | -.0039 | .0189  | .0828  |       |
|     | .869  | .0111        |         | -.0015 | .0198  | .1359  |       |
|     | .902  | 999.9999     |         | -.0052 | .0174  | .1093  |       |
|     | .923  | .0060        |         | .0048  | .0152  | .0540  |       |
|     | .95   | .0010        |         | .0012  | .0198  | .0627  |       |
|     | .982  | .1773        |         |        | .2141  | .5192  |       |

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA2BF)

MSFC TWT E03 (SA2BF) SRB - CLEAN ATTACH RING

PAGE 124

(R1044) (22 AUG 73 )

## REFERENCE DATA

|       |   |          |        |      |   |      |      |     |
|-------|---|----------|--------|------|---|------|------|-----|
| SREF  | = | 116.2600 | SO.FT. | XMRP | = | 1044 | 0000 | IN. |
| LREF  | = | 146.0000 | N.     | YMRP | = | 0000 | IN.  |     |
| BREF  | = | 146.0000 | N.     | ZMRP | = | 0000 | IN.  |     |
| SCALE | = | .0055    |        |      |   |      |      |     |

MACH (1) = 3.760 ALPHA (1) = 160.000 QIPSF = 7.1500

SECTION 115SRB

THETA .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000

DEPENDENT VARIABLE CP

| X/L | 0.027 | -0.0172  | 0.0299  | -0.0358 | -0.0407 | -0.0326 |
|-----|-------|----------|---------|---------|---------|---------|
|     | 0.050 | -0.0270  | -0.0299 | -0.0390 | -0.0455 | -0.0326 |
|     | 0.074 | -0.0237  | -0.0331 | -0.0423 | -0.0445 | -0.0309 |
|     | 0.098 | -0.0286  | -0.0374 | -0.0434 | -0.0374 | -0.0369 |
|     | 0.111 | -0.0326  | -0.0342 | -0.0412 | -0.0369 | -0.0369 |
|     | 0.139 | -0.0304  | -0.0303 | -0.0390 | -0.0227 | -0.0369 |
|     | 0.168 | -0.0336  | -0.0288 | -0.0412 | -0.0293 | -0.0363 |
|     | 0.191 | -0.0347  | -0.0266 | -0.0277 | -0.0266 | -0.0363 |
|     | 0.255 | -0.0326  | -0.0217 | -0.0390 | -0.0277 | -0.0374 |
|     | 0.344 | -0.0217  | -0.0172 | -0.0234 | -0.0271 | -0.0153 |
|     | 0.392 | 999.9999 | -0.0407 | -0.0407 | -0.0152 | -0.0100 |
|     | 0.667 | 999.9999 | -0.0439 | -0.0324 | -0.0389 | -0.0455 |
|     | 0.702 | 999.9999 | -0.0553 | -0.0569 | -0.0351 | -0.0526 |
|     | 0.724 | 999.9999 | -0.0237 | -0.0131 | -0.0282 | -0.0171 |
|     | 0.744 | 999.9999 | -0.0163 | -0.0163 | -0.0271 | -0.0076 |
|     | 0.755 | 999.9999 | -0.0217 | -0.0374 | -0.0115 | -0.0115 |
|     | 0.869 | 999.9999 | -0.0434 | -0.0434 | -0.0071 | -0.0071 |
|     | 0.902 | 999.9999 | -0.0450 | -0.0526 | -0.0315 | -0.0315 |
|     | 0.923 | 999.9999 | -0.0499 | -0.0574 | -0.0418 | -0.0418 |
|     | 0.945 | 999.9999 | -0.0500 | -0.0574 | -0.027  | -0.027  |
|     | 0.982 | 999.9999 | -0.1670 |         |         |         |

|          |        |       |        |
|----------|--------|-------|--------|
| RN-SCH = | 2.000  | PHI = | .000   |
| P0 =     | 79.210 | P =   | .72000 |
| RNL =    | 0.1000 |       |        |

PARAMETRIC DATA

DATE 07 MAR 77

TABULATED SOURCE DATA, NSFC TWT 603 (SAS8R1)

TABULATED SOURCE DATA. MSFC TWT 603 'SA28F' PAGE 125

THE JOURNAL OF CLIMATE VOLUME 19, 2006

REFERENCE DATA

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH RING  
 REFERENCE DATA  
 SRF = 116.2600 SQ.FT. XMRP = 1044.0000 IN.  
 LRF = 146.0000 IN. YMRP = .0000 IN.  
 BRF = 146.0000 IN. ZMRP = .0000 IN.  
 SCALE = .0055

MACH (1) = 3.760 ALPHA (1) = 169.900 Q1PSI = 7.1500 PO = 79.220 P = .72000 RN/L = .01000  
 SECTION (1) SRB DEPENDENT VARIABLE CP  
 11-E1A .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000

X/L

| X/L  | .027          | .0174  | .0276  | .0347  | .0369  | .0389 |
|------|---------------|--------|--------|--------|--------|-------|
| .050 | -.0250        | -.0304 | -.0396 | -.0444 | -.0450 |       |
| .074 | -.0244        | -.0347 | -.0423 | -.0477 | -.0480 |       |
| .098 | -.0298        | -.0401 | -.0450 | -.0504 | -.0520 |       |
| .111 | -.0119        | -.0174 | -.0222 | -.0179 | -.0252 | .0255 |
| .139 | -.0076        | -.0120 | -.0179 | -.0109 | -.0311 | .0312 |
| .168 | -.0193        | -.0109 | -.0185 | -.0131 | -.0136 | .0190 |
| .191 | -.0120        | -.0087 | -.0125 | -.0141 | -.0085 | .0085 |
| .255 | -.0076        | -.0076 | -.0174 | -.0234 | -.0076 | .0076 |
| .344 | -.0049        | -.0076 | -.0141 | -.0142 | -.0020 | .0020 |
| .392 |               |        |        |        |        |       |
| .697 | 999.9999      | -.0158 | -.0325 | .0112  | .0115  | .0115 |
| .702 | -.0022        | -.0060 | -.0315 | -.0190 | .0313  | .0320 |
| .724 | -.017         | -.023  | -.0341 | -.0482 | -.0352 | .0352 |
| .744 | .0534         | .0551  | .0269  | .0383  | .0390  | .0390 |
| .755 | .0388995.9999 | .0139  | .0071  | .0291  | .0553  | .0553 |
| .869 | -.0073        | -.0174 | .0074  | .0561  | .0756  | .0756 |
| .902 | 999.9999      | -.0282 | -.0022 | .0745  | .0978  | .0978 |
| .923 | -.0461        | -.0493 | -.0369 | -.0239 | -.044  | .044  |
| .945 | -.0558        | -.0520 | -.0455 | -.0304 | -.0185 | .0185 |
| .982 | 1.980         |        |        |        |        |       |

SECTION (1) SRB DEPENDENT VARIABLE CP

|      | RN-SCH = 2.000 | PHI = .000 | (R11046) = 22 AUG 75 , |
|------|----------------|------------|------------------------|
| RN-L |                |            |                        |

PARAMETRIC DATA





DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC TWT 603 (SA28F),  
MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH RING

PAGE 129

## REFERENCE DATA

|                | X         | Y           | Z               | RN-SCH =   | P0 =   | P =    | PO =   | RNL = | PARAMETRIC DATA<br>(R11049) |
|----------------|-----------|-------------|-----------------|--|--------|--------|--------|-------|-----------------------------|
| SREF           | 116.2600  | SO.FT.      | XMPF            | 1044.0000 IN.  | 1.000  | PMI    | -      | .000  |                             |
| LREF           | 146.0000  | IN.         | YMPF            | .0000 IN.  |        |        |        |       |                             |
| BREF           | 146.0000  | IN.         | ZMPF            | .0000 IN.  |        |        |        |       |                             |
| SCALE          | .0055     |             |                 |  |        |        |        |       |                             |
| MACH (1) =     | 3.760     | ALPHA (1) = | 179.920 Q(PF) = | 3.0700   |        |        |        |       |                             |
| SECTION (1)SRB |           |             |                 | DEPENDENT VARIABLE CP  |        |        |        |       |                             |
| THETA          | .0000     | 22.5000     | 45.0000         | 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000 |        |        |        |       |                             |
| X/L            |           |             |                 |  |        |        |        |       |                             |
| .027           | .0891     | .0589       | .0312           | .0199  | .0162  |        |        |       |                             |
| .050           | .0677     | .0450       | .0226           | .0111  |        |        |        |       |                             |
| .074           | .0791     | .0351       | .0174           | .0099  |        |        |        |       |                             |
| .098           | .0639     | .0211       | .0073           | -.0014   |        |        |        |       |                             |
| .111           | .0677     | .0513       | .0400           | .0017  | .0325  | .0375  | .0425  | .0350 | .0463                       |
| .139           | .0677     | .0628       | .0389           | .0527  | .0614  | .0565  | .0450  | .0450 | .0526                       |
| .168           | .0590     | .0677       | .0401           | .0501  | .0803  | .0399  | .0450  | .0450 | .0477                       |
| .191           | .0501     | .0765       | .0576           | .0552  | .0828  | .0376  | .0439  | .0450 | .0376                       |
| .255           | .0425     | .0338       | .0627           | .0532  | .0843  | .0375  | .0450  | .0450 | .0325                       |
| .344           | .0350     | .0728       | .0476           | .0429  | .0351  | .0715  | .0389  | .0389 | .0153                       |
| .392           | .067      | .9999       | .0199           | .0450  | .0803  | .0389  | .0376  | .0376 | .0288                       |
| .567           | .999      | .9999       | .0261           | .0275  | .0212  | .0197  | .0197  | .0197 |                             |
| .702           | .0162     | .0589       | .0501           | .0225  | .0135  | .0539  | .0135  | .0124 |                             |
| .724           | -.0052    | -.0090      | .0450           | .0010  | -.0077 | -.0090 | -.0127 | .999  | .9999                       |
| .744           | .1095     | .1082       | .1082           | .1120  | .1095  | .1120  | .1092  | .1032 |                             |
| .755           | .0704999  | .9999       | .0628           | .0704  | .0615  | .0679  | .0704  | .0653 |                             |
| .869           | .0464     | .0425       | .0454           | .0477  | .0477  | .0463  | .0463  |       |                             |
| .902           | .999 9999 | .0124       | .0162           | .0162  | .0073  | .0198  | .0072  | .0035 |                             |
| .923           | -.0115    | -.0102      | .0173           |  |        |        |        |       |                             |
| .945           | -.0165    | -.0127      | -.0027          |  |        |        |        |       |                             |
| .982           | .2217     |             | .2305           |  |        |        |        |       |                             |

## MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH RING

## REFERENCE DATA

|         |          |        |        |           |     |
|---------|----------|--------|--------|-----------|-----|
| SREF =  | 116.2600 | SO.FT. | XMRP = | 1044.0000 | IN. |
| LREF =  | 146.0000 | IN.    | YMRP = | .0000     | IN. |
| BREF =  | 146.0000 | IN.    | ZMRP = | .0000     | IN. |
| SCALE = | .0055    |        |        |           |     |

MACH (1) = 3.760 ALPHA (1) = 179.900 QIPSF(1) = 7.1500 P0 = 79.220 P = .72000 RN/L = 8.0000

## SECTION (1) SRB

## DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.00 10112.5000157.5000180.0000225.0000270.0000315.0000

| X/L | 0.027 | .0101         | -.0347 | -.0293 | -.0260 | -.0239 |
|-----|-------|---------------|--------|--------|--------|--------|
|     | .050  | -.0423        | -.0439 | -.0423 | -.0369 | -.0342 |
|     | .074  | .0155         | -.0482 | -.0477 | -.0439 | -.0423 |
|     | .098  | -.0482        | -.0520 | -.0547 | -.0488 | -.0493 |
|     | .111  | -.0120        | -.0038 | -.0082 | -.0141 | -.0071 |
|     | .139  | -.0028        | -.0011 | -.0028 | -.0087 | -.001  |
|     | .168  | -.0011        | -.0049 | -.0044 | -.0103 | -.0025 |
|     | .191  | -.0001        | -.0076 | -.0055 | -.0033 | -.0053 |
|     | .255  | .0058         |        | .0112  | -.0082 | -.0025 |
|     | .344  | .0004         | -.0147 | -.0141 | -.0066 | -.0020 |
|     | .392  |               |        |        | .0269  | .0063  |
|     | .667  | 999.9999      | .0015  | -.0015 | -.0033 | -.0017 |
|     | .702  | -.0055        | .0237  | -.0130 | -.0103 | -.004  |
|     | .724  | -.0471        | -.0385 | .0128  | -.0488 | -.0475 |
|     | .744  | .1178         | .1102  | .1108  | .1195  | -.0412 |
|     | .755  | .0453999.9999 |        | .0485  | .0453  | -.0450 |
|     | .869  | .0296         |        |        | .0540  | .0518  |
|     | .902  | 999.9999      |        |        |        | .0649  |
|     | .923  | -.0520        |        |        |        | .0459  |
|     | .945  | -.0558        |        |        |        | .0480  |
|     | .982  | .1985         |        |        |        |        |

## PARAMETRIC DATA

|          |       |       |      |
|----------|-------|-------|------|
| RN-SCH = | 2.000 | PHI = | .000 |
|----------|-------|-------|------|

(R11050) (22 AUG 75)

DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

PAGE 131

MSFC TWT 603 (SA28F) SRB - CLEAN ATTACH RING

## REFERENCE DATA

|         | X <sub>REF</sub> | Y <sub>REF</sub> | Z <sub>REF</sub> | SCALE         | ALPHA (1) | BETA     | PHI      | RN-SCH   | P        | RNL      | PARAMETRIC DATA |
|---------|------------------|------------------|------------------|---------------|-----------|----------|----------|----------|----------|----------|-----------------|
| L       | 116.2500         | 50.000           | XHMP             | 1000.0000 IN. |           |          |          |          |          |          | .000            |
| L       | 146.0000         | IN.              | YHMP             | .0000 IN.     |           |          |          |          |          |          |                 |
| L       | 146.0000         | IN.              | ZHMP             | .0000 IN.     |           |          |          |          |          |          |                 |
| MACH    | .0055            |                  |                  |               |           |          |          |          |          |          |                 |
| SECTION | 1                | 1                | SRB              |               |           |          |          |          |          |          |                 |
| THETA   | .0000            | 22.5000          | 45.0000          | 67.5000       | 90.0000   | 112.5000 | 180.0000 | 157.5000 | 180.0000 | 225.0000 | 270.0000        |
| X/L     |                  |                  |                  |               |           |          |          |          |          |          |                 |
|         | .027             | .0932            | .0590            |               | .0325     |          | .0174    |          | .0167    |          |                 |
|         | .050             | .0679            | .0502            |               | .0250     |          | .0073    |          | .0035    |          |                 |
|         | .074             | .0831            | .0389            |               | .0162     |          | .0086    |          | .0014    |          |                 |
|         | .098             | .0641            | .0262            |               | .0060     |          | .0027    |          | .0102    |          |                 |
|         | .111             | .0679            | .0552            |               | .0426     |          | .1046    |          | .0452    |          |                 |
|         | .139             | .0691            | .0653            |               | .0414     |          | .0552    |          | .0590    |          |                 |
|         | .168             | .0590            | .0729            |               | .0363     |          | .0653    |          | .0362    |          |                 |
|         | .191             | .0540            | .0805            |               | .0641     |          | .0704    |          | .0641    |          |                 |
|         | .255             | .0452            |                  |               | .0325     |          | .0628    |          | .0426    |          |                 |
|         | .344             | .0376            |                  |               | .0742     |          | .0679    |          | .0641    |          |                 |
|         | .392             |                  |                  |               |           |          | .0515    |          | .1033    |          |                 |
|         | .667             | .999 9999        |                  |               |           |          | .0489    |          | .0817    |          |                 |
|         | .702             | .0135            | .0617            |               | .0225     |          | .0250    |          | .0262    |          |                 |
|         | .724             | -.0052           | -.0052           |               |           |          | .0452    |          | .0136    |          |                 |
|         | .744             |                  | .1006            |               |           |          | .0478    |          | -.0077   |          |                 |
|         | .755             |                  | .0676999 9999    |               |           |          | .1107    |          | .1082    |          |                 |
|         | .869             | .0426            |                  |               |           |          | .0641    |          | .0691    |          |                 |
|         | .902             | .999 9999        |                  |               |           |          | .0414    |          | .0628    |          |                 |
|         | .923             | -.0153           |                  |               |           |          | .0124    |          | .1082    |          |                 |
|         | .945             | -.0153           |                  |               |           |          | -.0115   |          | .0691    |          |                 |
|         | .982             |                  |                  |               |           |          | -.0140   |          | .0515    |          |                 |
|         |                  |                  |                  |               |           |          |          |          | .0199    |          |                 |
|         |                  |                  |                  |               |           |          |          |          | .0086    |          |                 |
|         |                  |                  |                  |               |           |          |          |          | .0023    |          |                 |
|         |                  |                  |                  |               |           |          |          |          | .0099    |          |                 |
|         |                  |                  |                  |               |           |          |          |          | -.0078   |          |                 |
|         |                  |                  |                  |               |           |          |          |          | .2318    |          |                 |
|         |                  |                  |                  |               |           |          |          |          | .2292    |          |                 |

(IRI051) (22 AUG 75)

.0464 .0369 .0464 .0351 .0477 .0426 .0452 .0350 .0325 .0452 .0362 .0325

.0401 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350

.0477 .0426 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452

.0401 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350

.0477 .0426 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452

.0401 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350

.0477 .0426 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452

.0401 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350

.0477 .0426 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452

.0401 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350

.0477 .0426 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452

.0401 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350

.0477 .0426 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452

.0401 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350

.0477 .0426 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452

.0401 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350

.0477 .0426 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452

.0401 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350

.0477 .0426 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452

.0401 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350

.0477 .0426 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452

.0401 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350

.0477 .0426 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452

.0401 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350

.0477 .0426 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452

.0401 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350

.0477 .0426 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452

.0401 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350

.0477 .0426 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452

.0401 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350

.0477 .0426 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452

.0401 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350

.0477 .0426 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452

.0401 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350

.0477 .0426 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452

.0401 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350

.0477 .0426 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452

.0401 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350

.0477 .0426 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452 .0452

.0401 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350 .0350

DATE 07 MAR 77

TABLED SOURCE DATA, MSGC TWT 603 (SA2EF) MSGC TWT 603 (SA2EF) SRB - ALL PROTUBE RANK

REFERENCE DATA

(R11052) 1 22 AUG 75 1  
PAGE 132

| REFERENCE DATA         |                      | PARAMETRIC DATA |            |
|------------------------|----------------------|-----------------|------------|
| SREF = 116,2600 50.FT. | XHPP = 1044.0000 IN. | RN-SCH = 1.000  | PHI = .000 |

## PARAMETRIC DATA

THE DEPENDENT VARIABLE IN SOCIOLINGUISTIC RESEARCH

DEPENDENT VARIABLE: *ca*

| x/L  | 0.07    | -1.0116 | -1.9429 | -1.9020 | -2.2625 | -1.0354 |
|------|---------|---------|---------|---------|---------|---------|
| .050 | - .7139 | - .6176 | - .5560 | - .2027 | - .0865 |         |
| .074 | - .6516 | - .3459 | - .2155 | - .1313 | - .1175 |         |
| .098 | - .6448 | - .1236 | - .9944 | - .0169 | - .373  |         |
| .111 | - .5316 | - .3892 | - .1018 | - .9562 | - .1    |         |
| .139 | - .8384 | - .9774 | - .9160 | - .9231 | - .9336 | - .0135 |
| .168 | - .7497 | - .8529 | - .8305 | - .8050 | - .9999 | - .9654 |
| .191 | - .6947 | - .7632 | - .5322 | - .5259 | - .6979 | - .9999 |
| .255 | - .4210 | - .4113 | - .4113 | - .4155 | - .9999 | - .9999 |
| .392 | - .6667 | 999     | 9999    | 999     | 9999    | 9999    |
| .7U, | - .4015 | - .4422 | - .4422 | - .4422 | - .4422 | - .4422 |
| .724 | - .3561 | - .3618 | - .3618 | - .3618 | - .3618 | - .3618 |
| .744 | - .4018 | - .4072 | - .4072 | - .4072 | - .4072 | - .4072 |
| .755 | - .3892 | - .9999 | - .9999 | - .7338 | - .9999 | - .9999 |
| .869 | - .478  | - .4795 | - .4795 | - .4795 | - .4795 | - .4795 |
| .902 | 999     | - .9999 | - .9999 | - .9999 | - .9999 | - .9999 |
| .923 | - .3864 | - .4044 | - .4044 | - .4044 | - .4044 | - .4044 |
| .945 | - .3711 | - .4226 | - .4226 | - .4226 | - .4226 | - .4226 |
| .982 | - .3138 | - .8288 | - .8288 | - .8288 | - .8288 | - .8288 |



(RI1093)

MSFC THT 603 (SA28F) SRB - ALL PROTUBERANCES

MACH ( 2 ) = .904    ALPHA ( 11 ) = 70.000  
 SECTION 11)SRB  
 THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

X/L .344 -.4937 -.5036 -.4904999.9999 -.2328 .8688 1.1218 -.4980  
 .392 .999.9999 -.4181 .99.9999 1.193 -.4864  
 .657 .999.9970 -.4092 -.3965999.9999 1.1957 .8575 .0882  
 .702 -.4170 -.4084 -.3918 -.3636999.9999 .2582 .9426 .1915  
 .724 -.4084 -.3931 -.3959 -.4056999.9999 .3024 .9600 .2273  
 .744 -.3931 -.3959 -.4121999.9999 -.1810 .8142 .1034  
 .755 -.4024999.9999 -.3694 .99.9999 2.263 .0876  
 .769 -.3729 .3632 .99.9999 2.092 .1962  
 .902 .999.9999 -.4145 .6294 .1883 .2036  
 .923 -.3327 -.3196 .8036 .4015 .1133  
 .945 -.2917 -.3797 -.7761 .2486  
 MACH ( 3 ) = 1.196    ALPHA ( 11 ) = 70.000    Q(PSF) = 9.1300    PO = 22.010    P = 9.1300    RN/L = 6.7000

SECTION 11)SRB  
 THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

X/L .027 -.7717 -.7680 -.5810 .6027 1.3318  
 .050 -.7381 -.7492 -.5498 .6233 1.3693  
 .074 -.6457 -.6982 -.5379 .6114 1.3912  
 .098 -.5863 -.6218 -.5933 -.3916 .6763 1.4018  
 .111 -.5016 -.6103 -.5933 -.6351 -.3503 .2147 .6985 1.2067  
 .139 -.5462 -.5681 -.5663 -.5484 -.2965 .1629 .6275 1.1613  
 .168 -.5128 -.5222 -.5318 -.5270 -.562999 .1334 .5962 1.1624  
 .191 -.4915 -.4987 -.5131993.9999 .1559 1.1274 .3554  
 .255 -.4530 -.4530 -.4546 .99.9999 .5582 1.3168  
 .344 -.3697 -.3814 -.3794999.9999 .1741 1.0817  
 .392 .999.9999 -.5140 .99.9999 .5314  
 .667 .999.9999 -.4637 -.487999.9999 .1910 1.0690  
 .702 -.4608 -.4608 -.4526 -.3955999.9999 .1282 .2966  
 .724 -.4426 -.4327 -.4327 -.5607999.9999 .0617 1.2709  
 .744 -.4558 -.458 -.458 -.5245993.9999 .1876 1.0715  
 .755 -.4599995.9999 -.4284 .99.9999 .5571 .2874  
 .869 -.4300 .902 .9999 .4128 .99.9999 .5540  
 .923 -.3977 -.4096 -.4096 -.3979 .5305 1.3845  
 .945 -.3872 -.3979 -.3979 .5959 1.2923  
 .982 -.3544 -.3544 -.3544 -.3544 .5113 1.7118

DATE: 07 MAR 77

## TABULATED SOURCE DATA, NSFC TWT 603 (SA28F)

PAGE 137

NSFC TWT 603 (SA28F) SRB - ALL PROTRUSANCES

MACH ( 1 ) = 1.959 ALPHA ( 1 ) = 70.000 QIPSF = 10.970 PO = 29.990 P = 4.0600 RN/L = 7.6000

## SECTION 1 11SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027            | .2767           | .3162           | .0986         | .9226   | .6203     |
|------|-----------------|-----------------|-----------------|---------------|---------|-----------|
| .050 | - .3016         | - .3116         | - .0827         | .9226         | .6274   |           |
| .074 | - .2830         | - .3046         | - .0882         | .9202         | .6692   |           |
| .098 | - .2808         | - .2851         | - .0270         | .3433         | .8607   | .2805     |
| .111 | - .2855         | - .2840         | - .2890         | .8607         | .1.3723 | .5793     |
| .139 | - .2626         | - .2606         | - .3017         | .3202         | .1.3142 | .5293     |
| .168 | - .2507         | - .2576         | - .2655         | .2863989.9999 | .2.303  | .2975     |
| .191 | - .2418         | - .2435         | - .274299.9999  | .2316         | .5011   | .5011     |
| .255 | - .2272         | - .2346         | - .2346         | .999.9999     | .7687   | .4802     |
| .344 | - .1988         | - .2039         | - .270799.9999  | .2387         | 1.2634  | .4676     |
| .392 | - .667          | - .999.9999     | - .2542         | .999.9999     | .8294   | .4594     |
| .702 | - .2510         | - .2489         | - .2485         | .2737999.9999 | .2729   | .1.2911   |
| .724 | - .2489         | - .2533         | - .2533         | .2700990.9999 | .1.3448 | .4848     |
| .744 | - .2645         | - .2666         | - .2666         | .2956999.9999 | .1.585  | .4896     |
| .755 | - .2596999.9999 | - .2596999.9999 | - .2596999.9999 | .3054999.9999 | .2816   | .6785     |
| .869 | - .2482         | - .2588         | - .2591         | .999.9999     | .9117   | .999.9999 |
| .902 | - .999.9999     | - .2591         | - .2499         | .0871         | .8841   | .1.1428   |
| .923 | - .2518         | - .2514         | - .2514         | .0871         | .8738   | .0894     |
| .945 | - .2507         | - .2324         | - .2324         | .2954         | .6891   | .0821     |
| .982 | - .2324         |                 |                 |               |         |           |

MACH ( 5 ) = 2.740 ALPHA ( 1 ) = 70.000 QIPSF = 6.3800 PO = 30.040 P = 1.2100 RN/L = 5.1000

## SECTION 1 11SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027            | - .1001         | - .1168         | .0421         | .0287 | .7621   |
|------|-----------------|-----------------|-----------------|---------------|-------|---------|
| .050 | - .1026         | - .1167         | - .0452         | .0421         | .0044 | .7611   |
| .074 | - .0989         | - .1168         | - .0445         | .0452         | .9771 | .7611   |
| .098 | - .1050         | - .1156         | - .0459         | .0455         | .9595 | .7539   |
| .111 | - .1083         | - .1174         | - .1174         | .1054         | .3655 | .4013   |
| .139 | - .1059         | - .1095         | - .1095         | .1199         | .4114 | .4013   |
| .168 | - .1083         | - .1059         | - .1059         | .1150         | .2913 | .6294   |
| .191 | - .1083         | - .0998         | - .0998         | .1088999.9999 | .3221 | .3881   |
| .255 | - .1047         | - .1047         | - .1047         | .999.9999     | .8394 | .1.3782 |
| .344 | - .0986         | - .0899         | - .0899         | .0944999.9999 | .3525 | .3493   |
| .392 | - .1156         | - .1156         | - .1156         | .999.9999     | .8005 | .5609   |
| .667 | .999.9999       | .999.9999       | .999.9999       | .999.9999     | .5596 | .0044   |
| .702 | - .1133         | - .1038         | - .1133         | .1105999.9999 | .3728 | .563    |
| .724 | - .1114         | - .1180         | - .1114         | .1079999.9999 | .4662 | .4662   |
| .744 | - .1241         | - .1241         | - .1241         | .1399999.9999 | .1610 | .9280   |
| .755 | - .1259999.9999 | - .1259999.9999 | - .1259999.9999 | .1435999.9999 | .3763 | .4632   |

MSFC TWT 603 (SA28F) SRB - ALL PROTRUSANCES (R11053)

(RI1053)

MSFC TWT 603 (SA28F) SRB - ALL PROTUBERANCES

MACH (5) = 2.740 ALPHA (1) = 70.000

## SECTION (1)SRB

DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 50.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .869 | .1102     | .1143 | .999999999 | .9177 | .6556 |
|-----|------|-----------|-------|------------|-------|-------|
|     | .902 | .99999999 | .1144 | .99999999  | .0734 | .8986 |
|     | .923 | .1144     | .0569 | .0942      | .0172 | .9219 |
|     | .945 | .1156     | .1150 | .0688      | .9990 | .7419 |
|     | .962 | .0961     |       | -1.284     |       | .9474 |

MACH (6) = 3.480 ALPHA (1) = 70.000 Q(1-SF) = 6.8600

DEPENDENT VARIABLE CP

SECTION (1)SRB

THETA .0000 22.5000 45.0000 67.5000 50.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .027 | .0356   | .0497 | .0861       | .0459 | .7947 |
|-----|------|---------|-------|-------------|-------|-------|
|     | .050 | .0441   | .0542 | .0946       | .0211 | .8024 |
|     | .071 | .0351   | .0581 | .0844       | .9551 | .8066 |
|     | .098 | .0424   | .0565 | .0798       | .9714 | .7942 |
|     | .111 | .0480   | .0559 | .0632       | .5056 | .4529 |
|     | .139 | .0486   | .0486 | .0655       | .1300 | .6881 |
|     | .168 | .0491   | .0458 | .0627       | .1363 | .6594 |
|     | .191 | .0514   | .0395 | .04929999   | .4186 | .4192 |
|     | .253 | .0519   | .0570 | .04929999   | .9999 | .6554 |
|     | .344 | .0519   | .0356 | - .04129999 | .3476 | .6350 |
|     | .392 |         |       | - .04129999 |       | .6120 |
|     | .667 | .9999   | .9999 | - .05039999 |       | .6024 |
|     | .702 |         |       | - .03099999 |       | .5962 |
|     | .724 |         |       | - .03099999 |       | .5889 |
|     | .744 | .0717   | .0711 | - .08189993 | .9999 | .6537 |
|     | .755 | .073999 | .9999 | - .08029999 | .9999 | .6705 |
|     | .869 | .0644   | .0660 | - .08029999 | .9999 | .9999 |
|     | .902 | .9999   | .9999 | - .08029999 | .9999 | .9999 |
|     | .923 | .0644   | .0659 | - .08029999 | .9999 | .9999 |
|     | .945 |         |       | - .08029999 | .9999 | .9999 |
|     | .982 |         |       | - .0723     |       | .9315 |

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

MSFC TWT 603 (SA28F) SRB - ALL PROTUBERANCES

## REFERENCE DATA

| SREF             | 116.2600 | \$0.F1.   | XMRF           | =              | 1044.0000 IN.   | RN-SCH   | =  | 1.000 | PHI    | = | .000 |                |
|------------------|----------|-----------|----------------|----------------|-----------------|--|----|-------|--------|---|------|----------------|
| LREF             | 146.0000 | IN.       | YMRP           | =              | .0000 IN.       |  |    |       |        |   |      |                |
| BREF             | 146.0000 | IN.       | ZMRP           | =              | .0000 IN.       |  |    |       |        |   |      |                |
| SCALE            | .0055    |           |                |                |                 |  |    |       |        |   |      |                |
| MACH             | ( 1 )    | =         | .594           | ALPHA ( 1 )    | =               | 90.000 Q(PSF) = 3.5100   | P0 | =     | 18.010 | P | =    | 14.190         |
| SECTION ( 1 )SBB |          |           |                |                |                 | DEPENDENT VARIABLE CP  |    |       |        |   |      | RNL = 4.1000   |
| THETA            | .0000    | 22.5000   | 45.0000        | 67.5000        | 90.0000         | 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000 |    |       |        |   |      |                |
| X/L              | .027     | - .6462   | - .6490        | - .6809        | - .4043         |  |    |       |        |   |      | .7060          |
|                  | .050     | - .6788   | - .7861        | - .8951        | - .3941         |  |    |       |        |   |      | .7835          |
|                  | .074     | - .6662   | - .3591        | - .0812        | - .3348         |  |    |       |        |   |      | .8565          |
|                  | .098     | - .6518   | - .6101        | - .5353        | - .1602         |  |    |       |        |   |      | .9345          |
|                  | .111     | - .6391   | - .6373        | - .6196        | - .4279         |  |    |       |        |   |      | .1.0096        |
|                  | .139     | - .5891   | - .5851        | - .5911        | - .5599         | - .4435  |    |       |        |   |      | .1.027         |
|                  | .168     | - .5651   | - .5491        | - .5886        | - .8836999.9999 | - .5254  |    |       |        |   |      | .08659999.9999 |
|                  | .191     | - .5427   | - .5310        | - .5213        | - .5220999.9999 | - .5410  |    |       |        |   |      | .1.1208        |
|                  | .255     | - .5041   | - .4229        | - .4287        | - .4145999.9999 | - .4186  |    |       |        |   |      | .1.1321        |
|                  | .344     | - .392    | - .4915        | - .4915        | - .999.9999     | - .0216  |    |       |        |   |      | .1.1321        |
|                  | .667     | .999.9999 | - .5041        | - .5011        | - .1941993.9999 | - .4473  |    |       |        |   |      | .1.1459        |
|                  | .702     | - .5041   | - .4816        | - .4816        | - .4627999.9999 | - .5628  |    |       |        |   |      | .1.1459        |
|                  | .724     | - .4827   | - .5396        | - .5396        | - .7634999.9999 | - .4401  |    |       |        |   |      | .1.1492        |
|                  | .744     | - .5471   | - .542999.9999 | - .542999.9999 | - .8099999.9999 | - .4086  |    |       |        |   |      | .1.1492        |
|                  | .755     | - .5786   | - .5697        | - .5697        | - .991.9999     | - .0473  |    |       |        |   |      | .1.1462        |
|                  | .869     | - .5786   | - .5595        | - .5595        | - .999.9999     | - .2162  |    |       |        |   |      | .1.1462        |
|                  | .902     | .999.9999 | - .5911        | - .6039        | - .1.071        | - .1.809   |    |       |        |   |      | .1.1473        |
|                  | .923     | - .5911   | - .5928        | - .6114        | - .1.2725       | - .3788  |    |       |        |   |      | .1.1473        |
|                  | .945     | - .5928   | - .6695        | - .6695        | - .1.9665       | - .1.092   |    |       |        |   |      | .1.152         |

PAGE 137

(R11054) ( 22 AUG 75 )

## MSFC TWT 603 (SA28F) SRB - ALL PROTOTERANCES

(R11055) (22 AUG 75)

## REFERENCE DATA

SREF = 116.2600 SQ.FT. XMRP = 1044.0000 IN.  
 LREF = 146.0000 IN. YMRP = .0000 IN.  
 BREF = 146.0000 IN. ZMRP = .0000 IN.  
 SCALE = .0055

MACH (1) = .601 ALPHA (1) = 90.000 Q(PSF) = 7.5300

## SECTION (1)SRB

THETA .0000 22.5000 45.0000 67.5000 90.0000112 5000135.0000157.5000180.0000225.0000270.0000315.0000

DEPENDENT VARIABLE CP

| X/L | 0.027   | -0.7143         | .7001  | -0.8250        | -0.4462        | .6772   |
|-----|---|-----------------|--------|----------------|----------------|---------|
|     | .050  | -0.7633         | -.7602 | -0.7659        | -.4208         | .7562   |
|     | .074  | -0.7407         | -.5778 | -1.4735        | -.3416         | .8186   |
|     | .098  | -0.6953         | -.6563 | -.6717         | -.6777         | .8959   |
|     | .111  | -0.6655         | -.6062 | -.6562         | -.6451         | .6901   |
|     | .139  | -0.6538         | -.6138 | -.5870         | -.5592         | .7876   |
|     | .168  | -0.6016         | -.5837 | -.5973         | -.6134999.9999 | .0278   |
|     | .191  | -0.5737         | -.5468 | -.5612999.9999 | -.5572         | .8085   |
|     | .255  | -0.5217         | -.5378 | -.5378         | -.0090         | .8116   |
|     | .344  | -0.4574         | -.4542 | -.4281999.9999 | -.3880         | .8235   |
|     | .392  | -0.4931         | -.4894 | -.4788         | -.999.9999     | .0086   |
|     | .667  | 999.9999        | -.5188 | -.5044990.0111 | -.3993         | .8127   |
|     | .752  | -0.5222         | -.5797 | -.4706939.0111 | -.5492         | .8044   |
|     | .724  | -0.4931         | -.4894 | -.7363999.9999 | -.4992         | .7960   |
|     | .744  | -0.6054         | -.5797 | -.7973999.9999 | -.4134         | .7991   |
|     | .755  | -0.5671999.9999 | -.6122 | 999.9999       | -.0292         | .1073   |
|     | .869  | -0.6478         | -.6126 | 999.9999       | -.2152         | .1102   |
|     | .902  | 999.9999        | -.6614 | -1.1481        | -.1741         | .1084   |
|     | .923  | -0.6505         | -.6655 | -.1.3915       | -.3866         | .1088   |
|     | .945  | -0.6760         | -.6799 | -.2.0969       | -.0560         | .1.5748 |
|     | .962  | -0.6799         |        |                |                |         |
|     | MACH (2) = .901 ALPHA (1) = 90.000 Q(PSF) = 7.3800  |                 |        |                |                |         |
|     | THETA .0000 22.5000 45.0000 67.5000 90.0000112 5000135.0000157.5000180.0000225.0000270.0000315.0000 |                 |        |                |                |         |
|     | DEPENDENT VARIABLE CP   |                 |        |                |                |         |
|     | X/L   | .027            | -.5915 | -.5916         | -.5841         | -.0654  |
|     |   | .050            | -.5921 | -.5976         | -.5868         | .0016   |
|     |   | .074            | -.6084 | -.784          | -.7413         | .0564   |
|     |   | .098            | -.6009 | -.5895         | -.6320         | 1.668   |
|     |   | .111            | -.6104 | -.6084         | -.5959         | .2441   |
|     |   | .139            | -.5734 | -.5801         | -.5762         | .8538   |
|     |   | .168            | -.5606 | -.5673         | -.5477         | .9008   |
|     |   | .191            | -.5545 | -.5606         | -.5390999.9999 | .2615   |
|     |   | .255            | -.5316 | -.5624         | -.5624         | .9717   |
|     |   |                 |        |                |                | .2557   |

DEPENDENT VARIABLE CP

SECTION (1)SRB

| X/L | 0.027 | -.5915 | -.5916 | -.5841         | -.0654 | .7844 |
|-----|-------|--------|--------|----------------|--------|-------|
|     | .050  | -.5921 | -.5976 | -.5868         | .0016  | .8720 |
|     | .074  | -.6084 | -.784  | -.7413         | .0564  | .9464 |
|     | .098  | -.6009 | -.5895 | -.6320         | 1.668  | .0221 |
|     | .111  | -.6104 | -.6084 | -.5959         | .2441  | .8538 |
|     | .139  | -.5734 | -.5801 | -.5762         | .9008  | .2106 |
|     | .168  | -.5606 | -.5673 | -.5477         | .2615  | .9717 |
|     | .191  | -.5545 | -.5606 | -.5390999.9999 | .9721  | .2319 |
|     | .255  | -.5316 | -.5624 | -.5624         | .9717  | .2296 |
|     |       |        |        |                |        | .5299 |

DEPENDENT VARIABLE CP

| X/L | 0.027 | -.5915 | -.5916 | -.5841         | -.0654 | .7844 |
|-----|-------|--------|--------|----------------|--------|-------|
|     | .050  | -.5921 | -.5976 | -.5868         | .0016  | .8720 |
|     | .074  | -.6084 | -.784  | -.7413         | .0564  | .9464 |
|     | .098  | -.6009 | -.5895 | -.6320         | 1.668  | .0221 |
|     | .111  | -.6104 | -.6084 | -.5959         | .2441  | .8538 |
|     | .139  | -.5734 | -.5801 | -.5762         | .9008  | .2106 |
|     | .168  | -.5606 | -.5673 | -.5477         | .2615  | .9717 |
|     | .191  | -.5545 | -.5606 | -.5390999.9999 | .9721  | .2319 |
|     | .255  | -.5316 | -.5624 | -.5624         | .9717  | .2296 |
|     |       |        |        |                |        | .5299 |

DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

PAGE 139

## MSFC TWT 603 (SA28F) SRB - ALL PROTUBERANCES

(R11055)

SECTION 1 11SRB  
MACH ( 2 ) = .901 ALPHA ( 1 ) = 90.000

DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .344 | -.4533         | -.4497 | -.4480999.9999 | -.2134    | .9837  | 1.2377 | -.4530   |
|-----|------|----------------|--------|----------------|-----------|--------|--------|----------|
|     | .392 | .999.9999      | -.4722 | .999.9999      | .2682     | .9757  | .2381  | -.5068   |
|     | .667 | .999.9999      | -.4837 | .4632999.9999  | -.2145    | .9629  | .2383  | -.4797   |
|     | .702 | -.4763         | -.4837 | -.4599999.9999 | -.3196    | .9600  | .2384  | -.4632   |
|     | .724 | -.4482         | -.4538 | -.4629999.9999 | -.1721    | .9570  | .2370  | 999.9999 |
|     | .744 | -.5110         | -.5442 | -.8271999.9999 | -.1249    | .9564  | .2349  | -.7818   |
|     | .755 | -.5408999.9999 | -.5361 | -.5429         | .999.9999 | .2559  | .2413  | -.7400   |
|     | .869 | .999.9999      | -.5375 | .999.9999      | .1439     | .2456  |        |          |
|     | .902 | .999.9999      | -.5354 | -.5476         | .9028     | .1998  | .2440  | -.0226   |
|     | .923 | -.5300         | -.5401 | -.9221         | .6360     | .12409 |        | -.1.1109 |
|     | .945 | -.5075         |        | -.7307         |           | .1908  |        |          |

MACH ( 3 ) = 1.194 ALPHA ( 1 ) = 90.000 Q(PSF) = 9.1300 P0 = 22.010 P = 9.1500 RNL = 6.7000

SECTION 1 11SRB  
MACH ( 2 ) = 1.194 ALPHA ( 1 ) = 90.000 Q(PSF) = 9.1300 P0 = 22.010 P = 9.1500 RNL = 6.7000

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .027 | .5460          | -.5473 | -.5610         | .3435 | .0253 |
|-----|------|----------------|--------|----------------|-------|-------|
|     | .050 | -.5525         | -.5523 | -.5782         | .4011 | .1010 |
|     | .074 | -.5361         | -.5429 | -.5811         | .4424 | .1593 |
|     | .098 | -.5235         | -.5336 | -.4114         | .5300 | .2261 |
|     | .111 | -.5188         | -.5270 | -.5324         | .1988 | .5834 |
|     | .139 | -.5096         | -.5144 | -.5824         | .5819 | .4518 |
|     | .168 | -.4941         | -.4998 | -.5036         | .6032 | .5010 |
|     | .191 | -.4820         | -.4860 | -.5021         | .6059 | .5829 |
|     | .255 | -.4579         | -.4728 | -.4899999.9999 | .1238 | .4672 |
|     | .344 | -.4200         | -.4380 | -.4378999.9999 | .1239 | .5137 |
|     | .392 | -.4419         | -.4465 | -.4480999.9999 | .2047 |       |
|     | .667 | .999.9999      | -.4475 | -.4627999.9999 | .0984 | .3984 |
|     | .702 | -.4443         | -.4475 | -.4842999.9999 | .2026 | .4068 |
|     | .724 | -.4419         | -.4465 | -.4842999.9999 | .0468 | .4107 |
|     | .744 | -.4452         | -.4621 | -.4807999.9999 | .2488 | .4465 |
|     | .755 | -.4492999.9999 |        | -.4807999.9999 | .2888 | .4889 |
|     | .869 | -.5078         | -.5216 | -.4999.9999    | .6040 | .4760 |
|     | .902 | .999.9999      | -.5152 | -.4999.9999    | .5158 | .4048 |
|     | .923 | -.5161         | -.5636 | -.3894         | .5530 | .4056 |
|     | .945 | -.5023         | -.6505 | -.4726         | .9121 | .4058 |
|     | .982 | -.4229         |        | -.5032         |       | .3681 |

MSEC TWT 603 (SA2SF) SPB ~ ALL PROTRUSIONS

(R11051)

MACH (4) = 1.955 ALPHA (1) = 90.000 QIPSF1 = 11.000 PO = 30.000 P = 4.1100 RNL = 7.6000

SECTION 1 115RB DEPENDENT VARIABLE CP

THE1A .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027           | -.2511   | -.2576   | -.1812             | .6625   | 1.3137 |
|------|----------------|----------|----------|--------------------|---------|--------|
| .074 | -.2542         | -.2539   | -.2539   | -.1459             | .7004   | .3709  |
| .098 | -.2638         | -.2570   | -.2703   | -.0953             | .7939   | .4293  |
| .111 | -.2548         | -.2549   | -.2750   | -.0278             | .4061   | .9151  |
| .139 | -.2489         | -.2567   | -.2692   | -.2658             | .3327   | .8644  |
| .168 | -.2521         | -.2489   | -.2530   | -.2890999999999999 | .2798   | .8578  |
| .191 | -.2471         | -.2527   | -.2445   | -.2933999999999999 | .2911   | .4267  |
| .255 | -.2396         | -.2645   | -.2645   | -.3016999999999999 | .3010   | .8797  |
| .344 | -.2456         | -.2645   | -.2645   | -.3016999999999999 | .3010   | .4643  |
| .392 | -.2576         | -.2576   | -.2576   | -.3016999999999999 | .3010   | .6377  |
| .667 | 999.9999       | 999.9999 | 999.9999 | 999.9999           | .9167   | .6509  |
| .702 | 2398           | -.2415   | -.2455   | 999.9999           | .9167   | .6464  |
| .724 | -.2410         | -.2441   | -.2455   | -.3040999999999999 | .3081   | .4309  |
| .744 | -.2576         | -.2554   | -.2527   | -.2732999999999999 | .2496   | .4345  |
| .755 | -.2576999.9999 | -.2554   | -.2527   | -.2744999999999999 | .3961   | .4152  |
| .869 | -.2413         | -.2525   | -.2525   | -.2960033333333333 | .4158   | .8492  |
| .902 | 999.9999       | 999.9999 | 999.9999 | 999.9999           | .7742   | .6728  |
| .923 | -.2544         | -.2576   | -.2576   | -.3056             | .6399   | .4147  |
| .945 | -.2578         | -.2600   | -.2600   | -.110              | .1.5513 | .1072  |
| .982 | -.1363         | -.1363   | -.1363   | -.1650             | 1.6255  |        |

MACH (5) = 2.740 ALPHA (1) = 90.000 QIPSF1 = 6.3700 PO = 30.030 P = 1.2100 RNL = 5.1000

SECTION 1 115RB DEPENDENT VARIABLE CP

THE1A .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027           | -.0756         | -.0956   | -.0246                     | .7908                      | 1.5101 |
|------|----------------|----------------|----------|----------------------------|----------------------------|--------|
| .050 | -.0876         | -.0986         | -.0986   | -.0131                     | .8175                      | .5638  |
| .074 | -.0774         | -.1053         | -.1053   | -.0070                     | .8232                      | .5876  |
| .098 | -.0864         | -.1083         | -.1114   | -.0730                     | .8746                      | .6276  |
| .111 | -.0944         | -.1059         | -.1156   | -.0135                     | .4389                      | .9104  |
| .139 | -.0969         | -.1029         | -.1120   | -.1035                     | .1.7176                    | .5269  |
| .168 | -.1029         | -.0969         | -.1120   | -.1047999.9999999999999999 | .3794                      | .9437  |
| .191 | -.047          | -.0913         | -.1040   | -.1035999.9999999999999999 | .3799                      | .5305  |
| .255 | -.1047         | -.0805         | -.0805   | -.0950999.9999999999999999 | .3794                      | .5275  |
| .344 | -.1095         | -.0870         | -.0870   | -.0950999.9999999999999999 | .3794                      | .5281  |
| .392 | -.1363         | -.1363         | -.1363   | -.1363999.9999999999999999 | .3794                      | .7556  |
| .667 | 999.9999       | 999.9999       | 999.9999 | 999.9999                   | .9599                      | .7505  |
| .702 | -.1126         | -.0926         | -.1144   | -.1052999.9999999999999999 | .3819                      | .5178  |
| .724 | -.1114         | -.1162         | -.1120   | -.0895999.9999999999999999 | .3527                      | .5068  |
| .744 | -.1229         | -.1253         | -.1120   | -.1047999.9999999999999999 | .1.235999.9999999999999999 | .5064  |
| .755 | -.1210999.9999 | -.1210999.9999 | -.1120   | -.1314999.9999999999999999 | .4188                      | .5064  |

DATE 07 MAR 77

TABULATED SOURCE DATA, HSFC TWT 603 (SA28F)

PAGE 141

HSFC TWT 603 (SA28F) SRB - ALL PROTUBERANCES

(R11055)

MACH ( 5 ) = 2.740 ALPHA ( 1 ) = 90.000

SECTION ( 1 )SRB DEPENDENT VARIABLE CP

| X/L | .869 | -.1150   | -.1186 | 999.9999 | .9261  | 1.7587 |
|-----|------|----------|--------|----------|--------|--------|
|     | .902 | 999.9999 | -.1229 | 999.9999 | .8597  | 1.7658 |
|     | .923 | -.1156   | -.1071 | .0305    | .8527  | 1.7593 |
|     | .945 | -.1156   | -.1174 | .0129    | 1.0675 | 1.7775 |
|     | .982 | -.0014   |        | -.0105   |        | .8030  |

MACH ( 6 ) = 3.480 ALPHA ( 1 ) = 90.000 QPSF(1) = 6.8600 P0 = 60.030 P = .81000 RN/L = 7.0000

SECTION ( 1 )SRB DEPENDENT VARIABLE CP

| X/L | .027 | -.0122     | -.0463   | .0223      | .7833     | 1.5058    |
|-----|------|------------|----------|------------|-----------|-----------|
|     | .050 | -.0124     | -.0492   | .0296      | .9088     | 1.5459    |
|     | .074 | -.0339     | -.0531   | .0318      | .8092     | .5869     |
|     | .098 | -.0390     | -.0554   | .0991      | .8612     | 1.6320    |
|     | .111 | -.0441     | -.0542   | .0605      | .9477     | .9012     |
|     | .139 | -.0475     | -.0514   | .0531      | .3812     | .4580     |
|     | .168 | -.0514     | -.0469   | .0582      | .05429999 | .9501     |
|     | .191 | -.0535     | -.0424   | .05209999  | .9999     | .7954     |
|     | .256 | -.0531     | -.0570   | .998       | .9999     | .95259999 |
|     | .344 | -.0571     | -.0413   | -.04589999 | .9999     | .9999     |
|     | .392 | 999.9999   | -.0616   | .999       | .9999     | .9632     |
|     | .667 | 999.9999   | -.0458   | -.05429999 | .9999     | .7948     |
|     | .702 | -.0610     | -.0616   | -.05429999 | .9999     | .5565     |
|     | .724 | -.0594     | -.0616   | -.04139999 | .9999     | .7981     |
|     | .744 | -.0700     | -.0695   | -.06449999 | .9999     | .8016     |
|     | .755 | -.06729999 | 999.9999 | -.07009999 | .9999     | .7900     |
|     | .869 | -.0650     | -.0650   | .999       | .9999     | .0576     |
|     | .902 | 999.9999   | -.0678   | .999       | .9999     | .0521     |
|     | .923 | -.0627     | -.0566   | .024       | .847      | .5869     |
|     | .945 | -.0638     | -.0638   | .0533      | 1.0065    | .0817     |
|     | .982 | .0285      |          | .0217      |           | .0285     |

DATE 07 MAR 77

TABULATED SOURCE DATA, NSFC TWT 603 (SA28F)

PAGE 142

## NSFC TWT 603 (SA28F) SRB - ALL PROTUBERANCES

(111058) (22 AUG 75)

## REFERENCE DATA

| SREF  | 116.2600 SQ.FT. | XHARF | 1044.0000 IN. |
|-------|-----------------|-------|---------------|
| LREF  | .146.0000 IN.   | YHARF | .0000 IN.     |
| BREF  | .146.0000 IN.   | ZHARF | .0000 IN.     |
| SCALE | .0055           |       |               |

MACH (1) = .599 ALPHA (1) = 110.000 Q(PSF) = 3.5500

SECTION (1)SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000

| X/L | -0.027 | -0.508         | -0.607 | -0.6264        | -0.5541 | -0.3065       |
|-----|--------|----------------|--------|----------------|---------|---------------|
|     | .050   | -.4369         | -.5311 | -.9174         | -.5750  | .3175         |
|     | .074   | -.3112         | -.3117 | -.7141         | -.4537  | .4111         |
|     | .098   | -.2965         | -.3296 | -.3662         | -.2890  | .4758         |
|     | .111   | -.2979         | -.3239 | -.3359         | -.3479  | .4684         |
|     | .139   | -.3114         | -.3334 | -.3422         | -.3550  | .4967         |
|     | .168   | -.3130         | -.3579 | -.3634         | -.3297  | .6272         |
|     | .191   | -.3564         | -.3751 | -.362          | -.3651  | .3273         |
|     | .255   | -.3975         | -.4043 | -.4043         | -.2748  | .1589999.9999 |
|     | .344   | -.4299         | -.4158 | -.4144         | -.2684  | .9999         |
|     | .392   | 999.9999       | -.5736 | 999.9999       | .6017   | .8718         |
|     | .667   | 999.9999       | -.5454 | -.7275999.9999 | -.0809  | .1589999.9999 |
|     | .702   | -.5245         | -.5750 | -.7589999.9999 | .7325   | .9305         |
|     | .724   | -.5824         | -.5438 | -.5902999.9999 | .6531   | .1228         |
|     | .74    | -.5934         | -.5438 | -.6000999.9999 | .6610   | .4284         |
|     | .755   | -.6389999.9999 | -.7993 | 999.9999       | .9507   | .3987         |
|     | .869   | -.8328         | -.8324 | 999.9999       | .9775   |               |
|     | .902   | 999.9999       | -.9554 | -.9554         |         |               |
|     | .923   | -.7582         | -.7767 | -.4225         |         |               |
|     | .945   | -.5271         |        | -.4626         |         |               |
|     | .982   |                |        | -.1.2718       |         |               |

## PARAMETRIC DATA

RN-SCH = 1.000 PHI = .000

RN/L = 4.1000

DATE 07 MAR 77

**MSFC TWT 603 (JA28F) SRB - ALL PROTUBERANCES**

(R11057) 1 22 ADO 75 1  
PADE 143

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA2SF)

PAGE 144

MSFC TWT 603 (SA2SF) SRB - ALL PROTUBERANCES (R11057)

MACH ( 2 ) = .903 ALPHA ( 1 ) = 110.000

SECTION ( 1 )SRB

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000315.0000

| X/L  | DEPENDENT VARIABLE CP |
|------|-----------------------|
| .344 | -.4026 -.3992         |
| .392 | -.4026999.9999        |
| .667 | .999.9999             |
| .702 | -.5369                |
| .724 | -.5498                |
| .744 | -.5599                |
| .755 | -.6011999.9999        |
| .869 | -.7549                |
| .902 | .999.9999             |
| .923 | -.7533                |
| .945 | -.7529                |
| .982 | -.5027                |

MACH ( 3 ) = 1.198 ALPHA ( 1 ) = 110.000 Q(PSF) = 9.1500 PO = 22.020 P = 9.1000 RNL = 6.6000

SECTION ( 1 )SRB

| X/L  | DEPENDENT VARIABLE CP |
|------|-----------------------|
| .027 | -.3071                |
| .050 | -.4185                |
| .074 | -.3956                |
| .098 | -.3737                |
| .111 | -.3777                |
| .139 | -.3899                |
| .168 | -.4052                |
| .191 | -.4198                |
| .255 | -.4322                |
| .344 | -.4335                |
| .392 | -.4529                |
| .667 | .999.9999             |
| .702 | -.4188                |
| .724 | -.4405                |
| .744 | -.4515                |
| .755 | -.4597                |
| .869 | -.5543                |
| .902 | .999.9999             |
| .923 | -.5594                |
| .945 | -.5297                |
| .982 | -.2205                |

DATE 07 MAR 77

## TABULATED SOURCE DATA. MSFC TNT 603 (SA2FF)

PAGE 145

MACH (4) = 1.961    ALPHA (1) = 110.000    Q(PSF) = 10.970    PO = 30.020    P = 4.0700    RN/L = 7.5000  
 SECTION (1)SRB    DEPENDENT VARIABLE CP  
 THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .027 | -.2455    | -.2479   | -.2564    | .2826     | .7691   |
|-----|------|-----------|----------|-----------|-----------|---------|
|     | .050 | -.2483    | -.2498   | -.2363    | .3341     | .8347   |
|     | .074 | -.2507    | -.2517   | -.2147    | .3746     | .8894   |
|     | .098 | -.2539    | -.2577   | -.1364    | .4310     | .9430   |
|     | .111 | -.2567    | -.2552   | -.2980    | .4611     | .8646   |
|     | .139 | -.2533    | -.2570   | -.2746    | .7025     | .1.0290 |
|     | .168 | -.2548    | -.2526   | -.2723    | .2146     | .1.1694 |
|     | .191 | -.2559    | -.2539   | -.2578    | .2286     | .1.2198 |
|     | .255 | -.2638    | -.2656   | -.2889999 | .99999    | .2230   |
|     | .344 | -.2806    | -.2740   | -.2863999 | .99999    | .7613   |
|     | .392 | -.667     | 999.9999 | -.2459    | .999.9999 | .2643   |
|     | .702 | -.2492    | -.2391   | -.2821999 | .9999     | .7177   |
|     | .724 | -.2529    | -.2507   | -.2737999 | .9999     | .2550   |
|     | .744 | -.2395    | -.2412   | -.2811999 | .9999     | .8429   |
|     | .755 | -.2409999 | 99999    | -.2895999 | .9999     | .3494   |
|     | .869 | -.2603    | -.2651   | -.2651    | .4169     | .4169   |
|     | .902 | 999.9999  | -.2975   | 999.9999  | .7197     | .5119   |
|     | .923 | -.2691    | -.2620   | -.1062    | .7268     | .4557   |
|     | .945 | -.2762    | -.2976   | -.1055    | .8129     | .4.194  |
|     | .982 | .0185     |          | -.0920    |           | .6253   |

MACH (5) = 2.740    ALPHA (1) = 110.000    Q(PSF) = 6.3700    PO = 30.020    P = 1.2100    RN/L = 5.2000  
 SECTION (1)SRB    DEPENDENT VARIABLE CP  
 THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .027 | -.0750    | -.0919   | -.0880    | .4013     | .8800   |
|-----|------|-----------|----------|-----------|-----------|---------|
|     | .050 | -.0841    | -.0938   | -.0792    | .4346     | .9237   |
|     | .074 | -.0835    | -.1004   | -.0598    | .4560     | .9656   |
|     | .098 | -.0913    | -.1095   | -.0489    | .4689     | .9122   |
|     | .111 | -.1004    | -.1023   | -.1102    | .3618     | .1.0305 |
|     | .139 | -.1035    | -.1029   | -.1180    | .3272     | .8127   |
|     | .168 | -.1089    | -.0974   | -.1156    | .3374     | .7969   |
|     | .191 | -.1120    | -.0900   | -.1029999 | .9999     | .3127   |
|     | .255 | -.1154    | -.1180   | -.1180    | .999      | .8315   |
|     | .344 | -.1241    | -.0919   | -.0977999 | .9999     | .3315   |
|     | .392 | -.667     | 999.9999 | -.0919    | .999.9999 | .3315   |
|     | .702 | -.1217    | -.0644   | -.1191    | .993      | .7933   |
|     | .724 | -.1205    | -.1235   | -.1047999 | .9999     | .3030   |
|     | .744 | -.1156    | -.1186   | -.0974999 | .9999     | .2459   |
|     | .753 | -.1169999 | .966999  | -.1286999 | .9999     | .4195   |

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

PAGE 146

MSFC TWT 603 (SA28F) SRB - ALL PROTUBERANCES

(R11057)

MACH ( 5 ) = 2.740 ALPHA ( 1 ) = 110.000

SECTION ( 1 ) SRB

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

X/L

| MACH ( 6 ) | ALPHA ( 1 ) | P0     | P | P0     | P | RNL    | RNL      |
|------------|-------------|--------|---|--------|---|--------|----------|
| 3.480      | 110.000     | 0.8600 | - | 60.030 | - | .01000 | - 7.0000 |

SECTION ( 1 ) SRB

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

X/L

| DEPENDENT VARIABLE CP                     | DEPENDENT VARIABLE CP                         | DEPENDENT VARIABLE CP                      | DEPENDENT VARIABLE CP                      | DEPENDENT VARIABLE CP                        | DEPENDENT VARIABLE CP                                      | DEPENDENT VARIABLE CP                                    | DEPENDENT VARIABLE CP                                    |  |   |   |   |  |   |   |  |   |   |  |  |
|---|---|--|--|--|--|--|--|--|---|---|---|--|---|---|--|---|---|--|--|
| .869 -.1307 -.1265 .999 .9999 .8022 .6143 | .902 .999 .9999 -.1362 .999 .9999 .5718 .0408 | .923 -.1277 -.1168 .0386 .7587 .5374 .0257 | .945 -.1301 -.1302 .0123 .7047 .4583 .0330 | .982 -.1452 -.1452 .0542 .7514               |  |  |  |  |   |   |   |  |   |   |  |   |   |  |  |
| .027 -.0266 -.0401 -.0340 .4150 .8838     | .050 -.0339 -.0419 -.0255 .4415 .9209         | .074 -.0289 -.0469 -.0109 .4612 .9502      | .098 -.0368 -.0537 -.0272 .3924 .8573      | .111 -.0429 -.0599 -.0571 -.0103 .6426 .6415 | .139 -.0452 -.0503 -.0531 -.0610 .4084 .8387 .8483999.9999 | .168 -.0492 -.0447 -.0447 -.0605 .3508 .3452 .5610 .0364 | .191 -.0514 -.0395 -.0514 -.0503 .3561 .3745 .5756 .0565 | .255 -.0548 -.0593 -.0593 -.0605 .3691 .3632 .8539 .0543 | .344 -.0621 -.0390 -.0424999.9999 .3538 .3673 .8539 .0582 | .392 -.0679 999.9999 -.0683 .3555 .3695 .5802 .0533 | .667 999.9999 -.0683 999.9999 .3555 .3695 .5835 .0538 | .702 -.0678 -.0486 -.0531999.9999 .3485 .347 .5913 .0544 | .724 -.0667 -.0695 -.0466999.9999 .2392 .4349 .6365 .0420 | .744 -.0683 -.0683 -.0638999.9999 .4595 .6748 .6668 | .755 -.0706999.9999 -.0627999.9999 .4612 .8950 .999.9999 | .869 -.0712 -.0745 999.9999 .8190 .0579 .8326 .1152 | .902 999.9999 -.0762 999.9999 .5434 .7275 .6966 .1107 | .923 -.0700 -.0627 .0611 .0916 .7275 .6177 .4506 .0420 | .945 -.0723 -.0728 .0369 .0916 .6054 .7521 |

C.5

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

PAGE 147

MSFC TWT 603 (SA28F) SRB - ALL PROTUBERANCES

(IR11090) (22 AUG 75)

## REFERENCE DATA

| SREF  | 116.2600  | SO. F1. | XHPP | YHPP | ZHPP | 1044.0000 IN. | 1044.0000 IN. | 1044.0000 IN. |
|-------|-----------|---------|------|------|------|---------------|---------------|---------------|
| LREF  | .146.0000 | IN.     |      |      |      | .0000         | .0000         | .0000         |
| BREF  | .146.0000 | IN.     |      |      |      | .0000         | .0000         | .0000         |
| SCALE | .0055     |         |      |      |      |               |               |               |

MACH (1) = .598 ALPHA (1) = 130.100 Q(PSF) = 7.4700 PO = 38.020 P = 29.870 RN/L = 8.8000

## SECTION 1 1)SRB

## DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .027 | -.1846   | -.1846   | -.1949   | -.4600   | .0053    |
|-----|------|----------|----------|----------|----------|----------|
|     | .050 | .2077    | -.2113   | -.2193   | -.4322   | .0447    |
|     | .074 | -.2580   | -.2642   | -.2573   | -.3739   | .0475    |
|     | .098 | -.2829   | -.3007   | -.3015   | -.3677   | .0194    |
|     | .111 | -.2970   | -.3027   | -.3022   | -.2360   | -.7108   |
|     | .139 | -.3223   | -.3219   | -.3296   | -.3203   | -.3236   |
|     | .168 | -.3481   | -.3431   | -.3419   | -.3445   | -.4930   |
|     | .191 | -.3687   | -.3605   | -.3512   | -.3389   | -.5613   |
|     | .255 | -.4147   | -.4182   | -.4182   | -.0254   | -.5797   |
|     | .344 | -.4611   | -.4662   | -.4903   | -.4660   | -.6029   |
|     | .392 | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 6156     |
|     | .667 | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 6124     |
|     | .702 | -.5570   | -.4949   | -.6418   | -.0668   | -.8442   |
|     | .724 | -.6405   | -.5631   | -.6291   | -.5280   | -.6512   |
|     | .744 | -.6296   | -.5201   | -.6746   | -.5280   | -.7244   |
|     | .755 | -.7280   | 999.9999 | -.6371   | -.7674   | -.6899   |
|     | .869 | -.8366   | 999.9999 | -.4383   | -.0736   | -.0227   |
|     | .902 | 999.9999 | 999.9999 | 999.9999 | -.0339   | 999.9999 |
|     | .923 | -.7918   | -.9130   | -.9337   | -.5605   | -.5616   |
|     | .945 | -.8084   | -.9662   | -.9662   | -.0218   | -.7186   |
|     | .982 | -.3952   |          |          | -.134    | -.5952   |
|     |      |          |          |          | -.9950   | -.5269   |
|     |      |          |          |          |          | -.7923   |
|     |      |          |          |          |          | .9530    |

MACH (1) = .904 ALPHA (1) = 130.100 Q(PSF) = 7.4200 PO = 22.020 P = 12.950 RN/L = 6.3000

## SECTION 1 1)SRB

## DEPENDENT VARIABLE CP

| X/L | .027 | -.2584 | -.2838 | -.2849 | -.4838 | .1140  |
|-----|------|--------|--------|--------|--------|--------|
|     | .050 | -.2638 | -.2734 | -.3591 | -.5166 | -.0395 |
|     | .074 | -.2833 | -.2998 | -.2916 | -.4294 | .0022  |
|     | .098 | -.3018 | -.3243 | -.3184 | -.5129 | -.1038 |
|     | .111 | -.3169 | -.3236 | -.3446 | -.4871 | .0300  |
|     | .139 | -.3286 | -.3399 | -.3560 | -.4284 | .3725  |
|     | .168 | -.3504 | -.3549 | -.3549 | -.0978 | .5456  |
|     | .191 | -.3628 | -.3668 | -.3549 | -.0414 | .6044  |
|     | .225 | -.3979 | -.3902 | -.3549 | -.3802 | -.6272 |
|     |      |        |        |        | .0107  | .6547  |

DATE 07 MAR 77

TABULATED SOURCE DATA. MSFC TWT 603 (SA2SF)

PAGE 148

MSFC TWT 603 (SA2SF) SRB - ALL PROTERANCES

(R11058)

MACH ( 2 ) = .904 ALPHA ( 1 ) = 130.100

SECTION I 11SRB DEPENDENT VARIABLE CP

THTA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .344     | - .4528  | - .4394         | - .4465999.9999 | - .3116       | .5080   | .6732    | - .5274  |
|------|----------|----------|-----------------|-----------------|---------------|---------|----------|----------|
| .392 | .667     | 999.9999 | - .4993         | - .6367         | .6864999.9999 | .0313   | .5954    | - .6707  |
| .702 | - .724   | - .5565  | - .5828         | - .6097999.9999 | - .7180       | - .0027 | .7241    | - .5963  |
| .744 | - .6299  | - .5290  | - .5437999.9999 | - .0408         | .7871         | .2257   | .7810    | - .6941  |
| .755 | - .6193  | - .5290  | - .5539999.9999 | - .1484         | .6266         | .9768   | - .7603  | 999.9999 |
| .869 | - .8016  | - .7622  | - .7622         | .999.9999       | .0662         | .8252   | - .6894  |          |
| .902 | 999.9999 | - .6116  | - .6116         | .999.9999       | .3434         | .7906   |          |          |
| .923 | - .7274  | - .9363  | - .9363         | - .0033         | .2438         | .2495   | - 1.0475 |          |
| .945 | - .6596  | - .6115  | - .9109         | .3532           | .6331         | .6642   | - .9086  |          |
| .982 | - .3784  | - .5315  | - .5315         |                 | 1.1066        |         |          |          |

MACH ( 3 ) = 1.202 ALPHA ( 1 ) = 130.100 Q1PSF = 9.1600 PO = 22.020 P = 9.0600 PN/L = 6.7000

SECTION I 11SRB DEPENDENT VARIABLE CP

| X/L  | .027            | - .2806  | - .2952         | - .2978         | - .3297         | .0909 |               |          |
|------|-----------------|----------|-----------------|-----------------|-----------------|-------|---------------|----------|
| .050 | .074            | - .6895  | - .2812         | - .4171         | - .2796         | .1554 |               |          |
| .098 | - .2773         | - .2855  | - .2948         | - .2346         | .1970           |       |               |          |
| .111 | - .2930         | - .3094  | - .3149         | - .3859         | - .0186         |       |               |          |
| .139 | - .3094         | - .3159  | - .3591         | - .3970         | - .0381         | .4572 | - .0662       | - .3192  |
| .168 | - .3139         | - .3244  | - .3227         | - .3159         | - .1647         | .3293 | - .3097       | - .3354  |
| .191 | - .3315         | - .3358  | - .3363         | - .3233999.9999 | - .1515         | .6117 | .1712999.9999 | - .3456  |
| .255 | - .3638         | - .3465  | - .3423999.9999 | - .3423999.9999 | - .1116         | .2132 | .6531         | .2075    |
| .344 | - .3811         | - .3684  | - .3693         | - .4236999.9999 | - .0384         | .6561 | .8058         | .3509    |
| .392 | 667             | 999.9999 | - .4093         | - .4659         | - .4575999.9999 | .2738 | .8146         | .3723    |
| .702 | - .5304         | - .4971  | - .4971         | - .4763999.9999 | - .3397         | .8274 |               |          |
| .724 | - .4466         | - .5170  | - .4466         | - .4742999.9999 | .3362           | .8306 | .3958         |          |
| .755 | - .4827999.9999 | - .6110  | - .5680         | - .5514999.9999 | .2245           | .8276 | .4359         |          |
| .869 | - .5911         | - .5997  | - .5997         | - .5997         | .3431           | .8293 | .8773         | - .4203  |
| .902 | 999.9999        | - .5682  | - .5682         | - .5682         | .0211           | .9500 | .9544         | - .5581  |
| .923 | - .5988         | - .5988  | - .5988         | - .5988         | .5204           | .3779 | .4400         | 999.9999 |
| .945 | - .5682         | - .5682  | - .5682         | - .5682         | .5747           | .8267 | .1.1551       | - .5541  |
| .982 | - .1359         | - .1359  | - .1359         | - .1359         | .1000           | .0036 | .4409         | - .5673  |

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

MSFC TWT 603 (SA28F) SRB - ALL PROTUBERANCES

MACH ( 4 ) = 1.969 ALPHA ( 1 ) = 130.080 Q (PSF) = 10.920 PO = 30.000 P = 4.0300 RN/L = 7.5000

SECTION ( 1 )SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027           | -.2305         | -.2287         | -.2330        | -.0123 | .2740         |
|------|----------------|----------------|----------------|---------------|--------|---------------|
| .050 | -.2255         | -.2219         | -.2328         | -.0206        | .3138  |               |
| .074 | -.2310         | -.2362         | -.2484         | -.0355        | .3210  |               |
| .098 | -.2512         | -.2643         | -.2788         | -.0002        | .2437  |               |
| .111 | -.2515         | -.2557         | -.2750         | .1673         | .7358  | .4125         |
| .139 | -.2639         | -.2655         | -.2624         | .0958         | .8049  | .4770999.9999 |
| .168 | -.2700         | -.2733         | -.2695         | .2984999.9999 | .9594  | .4706         |
| .191 | -.2755         | -.2758         | -.2759         | .2970999.9999 | .8008  | .4706         |
| .344 | -.2703         | -.2757         | -.2757         | .2992999.9999 | .1006  | .8138         |
| .392 | .667 999.9999  | .667 999.9999  | .667 999.9999  | .99.9999      | .9639  | .9639         |
| .702 | -.2425         | -.2482         | -.2492         | .2594999.9999 | .4303  | .9763         |
| .724 | -.2532         | -.2506         | -.2506         | .2889999.9999 | .1323  | .9614         |
| .744 | -.2260         | -.2418         | -.2418         | .2949999.9999 | .0744  | .1262         |
| .755 | -.2272999.9999 | -.2272999.9999 | -.2272999.9999 | .4.81         | .1.291 | .1.6516       |
| .869 | -.2520         | -.2582         | -.2582         | .2840999.9999 | .3520  | .1.1542       |
| .902 | .902 999.9999  | .902 999.9999  | .902 999.9999  | .99.9999      | .5208  | .1.3308       |
| .923 | -.2538         | -.2634         | -.2634         | .2871         | .0923  | .1.0845       |
| .945 | -.2520         | -.2755         | -.2755         | .2919         | .5657  | .3.64         |
| .982 | .1642          | .1642          | .1642          | .1440         | .4617  | .1.1007       |
|      |                |                |                |               | .7961  | -.2792        |
|      |                |                |                |               | 1.5438 |               |

MACH ( -5 ) = 2.740 ALPHA ( 1 ) = 130.100 Q (PSF) = 6.3800 PO = 30.040 P = 1.2100 RN/L = 5.2000

SECTION ( 1 )SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027           | -.1028         | -.1195         | -.1363         | -.0666 | .0471     |
|------|----------------|----------------|----------------|----------------|--------|-----------|
| .050 | -.1108         | -.1235         | -.1308         | -.1356         | -.0507 | .0567     |
| .074 | -.1034         | -.1308         | -.1338         | -.1405         | -.0434 | .0742     |
| .098 | -.1108         | -.1338         | -.1393         | -.1345         | -.0937 | .0700     |
| .111 | -.1210         | -.1314         | -.1393         | -.1332         | -.0027 | .1513     |
| .139 | -.1217         | -.1271         | -.1393         | -.132          | -.0629 | .3285     |
| .168 | -.1296         | -.1191         | -.1411         | -.1308999.9999 | -.0055 | .1743     |
| .191 | -.1326         | -.1137         | -.1417         | -.1247999.9999 | -.0059 | .3542     |
| .205 | -.1339         | -.1114         | -.1417         | -.1204999.9999 | -.0014 | .3535     |
| .344 | -.1399         | -.1114         | -.1526         | -.999.9999     | .1755  | .4359     |
| .592 | .667 999.9999  | .667 999.9999  | .667 999.9999  | .999.9999      | .1507  | .4407     |
| .702 | -.1538         | -.1228         | -.1290999.9999 | -.0246         | .3.101 | .4.262    |
| .724 | -.1527         | -.1593         | -.1216999.9999 | -.0944         | .0082  | .3.936    |
| .744 | -.1538         | -.1551         | -.1575999.9999 | .1567          | .8582  | .999.9999 |
| .755 | -.1544999.9999 | -.1544999.9999 | -.1538999.9999 | -.0829         | .613   | .5293     |

PAGE 149

(R11058)

(RI10591)

## MSFC TWT 603 (SA28F) SRB - ALL PROTUBERANCES

SECTION I 11SRB

## DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000

| X/L | .869 | -.1551 | -.1539 | .999   | .9999  | .2029 | .5342  |
|-----|------|--------|--------|--------|--------|-------|--------|
|     | .902 | .999   | .9999  | -.1557 | .999   | .9999 | -.0255 |
|     | .923 | -.1502 | -.1490 | -.1026 | -.0255 | .1355 | .0904  |
|     | .945 | -.1514 | -.1508 | -.1423 | .0584  | .2708 | .4564  |
|     | .962 | .0465  | -.0197 | -.7745 |        |       | -.1108 |

MACH (.6) = 3.480 ALPHA (.1) = 130.080 Q(PSF) = 6.8600 P0 = 60.010 P = .01000 RPL = 7.0000

## SECTION I 11SRB

## DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000

| X/L | .027 | -.0283     | -.0429 | -.0632     | .1058     | .3222   |
|-----|------|------------|--------|------------|-----------|---------|
|     | .050 | -.0384     | -.0475 | -.0615     | .1346     | .3585   |
|     | .074 | -.0390     | -.0531 | -.0480     | .1475     | .3735   |
|     | .098 | -.0480     | -.0582 | -.0565     | .1503     | .3617   |
|     | .111 | -.0542     | -.0576 | -.0582     | .2811     | .5155   |
|     | .139 | -.0570     | -.0525 | -.0604     | .2185     | .5499   |
|     | .168 | -.0621     | -.0486 | -.0655     | .05549999 | .5699   |
|     | .191 | -.0655     | -.0429 | -.0693     | .05089999 | .5999   |
|     | .255 | -.0689     | -.0683 | -.0683     | .2157     | .5274   |
|     | .344 | -.0734     | -.0424 | -.0424     | .04809999 | .6999   |
|     | .392 | -.667      | .9999  | -.0734     | .2190     | .5468   |
|     | .702 | -.0824     | -.0475 | -.05549999 | .1796     | .8115   |
|     | .724 | -.0807     | -.0835 | -.05549999 | .0483     | .1926   |
|     | .744 | -.0779     | -.0790 | -.07409999 | .9999     | .2637   |
|     | .755 | -.07909999 | .9999  | -.04929999 | .5079     | .9999   |
|     | .869 | -.0930     | -.0779 | -.04929999 | .4445     | .1.7342 |
|     | .902 | .9999      | -.0796 | .999       | .6018     | .2.0098 |
|     | .923 | -.0711     | -.0717 | -.0122     | .1711     | .1.3188 |
|     | .945 | -.0666     | -.0734 | -.0621     | .4693     | .1.1998 |
|     | .982 | .3194      |        | .1820      | .3431     | .1.3875 |
|     |      |            |        |            | .7528     | .1.1248 |
|     |      |            |        |            | .6564     | .0049   |

DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC TWT 603 (SA26F)

PAGE 151

MSFC TWT 603 (SA26F) SRB - ALL PROTUBERANCES

(R11059) (22 AUG 75)

## REFERENCE DATA

|       |                   |      |                 |
|-------|-------------------|------|-----------------|
| SREF  | * 116.2600 SO.F1. | XHPP | = 1044.0000 IN. |
| LREF  | * 146.0000 IN.    | YHPP | = .0000 IN.     |
| BREF  | * 146.0000 IN.    | ZHPP | = .0000 IN.     |
| SCALE | * .0055           |      |                 |

MACH (1) = .603 ALPHA (1) = 149.000 Q(PSF) = 7.3600

PO = 39.030 P = 29.750

RN/L = 8.8000

DEPENDENT VARIABLE CP

SECTION 1 115RB THETA .0000 22.5000 45.0000 67.5000 90.0000 112.5000135.0000157.5000180.0000225.0000270.0000315.0000

## PARAMETRIC DATA

| X/L   |                       | RN-SCH = 2.000 | PHI = .000      |
|---|-----------------------|----------------|-----------------|
| .027  | - .0264               | - .0125        | - .0316         |
| .050  | - .0679               | - .0606        | - .0665         |
| .074  | - .1210               | - .1294        | - .1102         |
| .098  | - .2369               | - .1928        | - .2793         |
| .111  | - .3617               | - .3518        | - .3477         |
| .139  | - .2397               | - .2785        | - .2655         |
| .168  | - .2917               | - .2932        | - .2816         |
| .191  | - .2645               | - .3029        | - .2568999.9999 |
| .255  | - .2854               | - .3401        | - .2588999.9999 |
| .344  | - .3150               | - .3025        | - .4.39999.9999 |
| .392  | .667 999.9999         | - .4040        | .999.9999       |
| .702  | - .7013               | - .3226        | - .519999.9999  |
| .724  | - .5304               | - .6786        | - .593999.9999  |
| .744  | .0343                 | .0455          | - .781999.9999  |
| .755  | - .1560999.9999       | - .5111        | - .5618999.9999 |
| .869  | .3676                 | - .4550        | .999.9999       |
| .902  | .902 999.9999         | - .4268        | .6924           |
| .923  | .3890                 | - .4780        | - .6371         |
| .945  | - .3590               | - .6430        | - .6430         |
| .982  | - .1361               | - .6430        | - .6430         |
| MACH (2) = .899 ALPHA (2) = 149.000 Q(PSF) = 7.3700   | PO = 22.020           | P = 13.030     | RN/L = 8.3000   |
| SECTION 1 115RB THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 | DEPENDENT VARIABLE CP |                |                 |

| X/L   |                       | RN-SCH = 2.000 | PHI = .000    |
|---|-----------------------|----------------|---------------|
| .027  | - .0714               | - .0620        | - .0258       |
| .050  | - .1326               | - .1117        | - .0818       |
| .074  | - .2074               | - .2674        | - .1821       |
| .098  | - .3150               | - .3437        | - .2296       |
| .111  | - .4115               | - .3934        | - .5254       |
| .139  | - .2869               | - .2967        | - .3677       |
| .168  | - .2852               | - .3032        | - .0969       |
| .191  | - .2891               | - .3032        | - .0753       |
| .255  | - .3095               | - .3354        | - .1763       |
| MACH (2) = .899 ALPHA (2) = 149.000 Q(PSF) = 7.3700   | PO = 22.020           | P = 13.030     | RN/L = 8.3000 |
| SECTION 1 115RB THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 | DEPENDENT VARIABLE CP |                |               |

MSFC TWT 603 (SA28F) SRB - ALL PROTUBERANCES (M110591)

SECTION 1 (1)SRB DEPENDENT VARIABLE CP

THTA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | MACH ( 2 ) = .899 | ALPHA ( 1 ) = 149.000 | Q1PSF1 = 4136999.9999 | Q2PSF1 = 2405 | PO = 1647 | P = 2610 | RNL = .7688 |
|------|-------------------|-----------------------|-----------------------|---------------|-----------|----------|-------------|
| .392 | - .3529           | - .3523               | - .4136999.9999       | - .2405       | .1647     | .2610    | .7688       |
| .667 | .999 .9999        | .999 .9999            | .999 .9999            | .0132         | .0132     | .0132    | .0132       |
| .702 | - .3667           | - .3251               | - .4036999.9999       | - .2525       | .4901     | .9618    | .9618       |
| .724 | - .4154           | - .4133               | - .4036999.9999       | - .4602       | .4438     | .3355    | .999 .9999  |
| .744 | - .2623           | - .2647               | - .2620999.9999       | - .2481       | .7219     | .7219    | .8776       |
| .755 | - .3695999.9999   | .66                   | - .2818999.9999       | .0731         | .375      | .5122    | .8776       |
| .869 | .999 .9999        | .999 .9999            | .999 .9999            | .0565         | .3967     | .0728    | .0728       |
| .902 | .999 .9999        | .999 .9999            | .999 .9999            | .0258         | .6203     | .6203    | .6203       |
| .923 | - .4507           | - .4398               | - .3036               | .0771         | .5741     | .5680    | .5680       |
| .945 | - .4664           | - .4373               | - .4669               | .6215         | .5741     | .5741    | .5741       |
| .982 | - .2074           |                       | - .4628               | .9701         |           |          |             |

MACH ( 3 ) = 1.206 ALPHA ( 1 ) = 149.000 Q1PSF1 = 9.1700 PO = 22.020 P = 9.0100 RNL = .67000

SECTION 1 (1)SRB DEPENDENT VARIABLE CP

| X/L  | MACH ( 3 ) = 1.206 | ALPHA ( 1 ) = 149.000 | Q1PSF1 = 9.1700 | PO = 22.020 | P = 9.0100   | RNL = .67000 |
|------|--------------------|-----------------------|-----------------|-------------|--------------|--------------|
| .027 | - .2006            | - .1877               | - .1774         | - .1770     | - .2397      | - .2397      |
| .050 | - .2618            | - .2359               | - .2602         | - .1889     | - .3037      | - .3037      |
| .074 | - .3440            | - .3077               | - .3338         | - .4842     | - .3217      | - .3217      |
| .098 | - .4433            | - .4514               | - .4121         | - .5705     | - .4112      | - .4112      |
| .111 | - .4622            | - .4665               | - .4274         | - .1297     | .0852        | .1787        |
| .139 | - .3418            | - .3207               | - .3150         | - .2421     | .1908        | .2124        |
| .168 | - .3213            | - .3069               | - .3004         | - .2778     | .2082        | .153999.9999 |
| .191 | - .3331            | - .3035               | - .2829999.9999 | - .2152     | .153999.9999 | .153999.9999 |
| .255 | - .2863            | - .3032               | - .3032         | - .0113     | .2303        | .3295        |
| .344 | - .2329            | - .2471               | - .3013999.9999 | - .1953     | .2384        | .3945        |
| .392 | .999 .9999         | .999 .9999            | .999 .9999      | .0064       | .3310        | .3310        |
| .667 | .999 .9999         | .999 .9999            | .999 .9999      | .1265       | .2686        | .3448        |
| .702 | - .2917            | - .3605               | - .3139         | .0227       | .3840        | .3840        |
| .724 | - .4844            | - .4650               | - .3861999.9999 | - .2105     | .3975        | .4952        |
| .744 | - .1859            | - .1372               | - .1115999.9999 | - .4290     | .2945        | .5046        |
| .755 | - .2901999.9999    | .9899                 | - .3884999.9999 | .3890       | .6923        | .999 .9999   |
| .869 | .4511              | .5682                 | .995 .9999      | .2519       | .6300        | .7198        |
| .902 | .999 .9999         | .5051                 | .995 .9999      | .1716       | .5148        | .5148        |
| .945 | - .4124            | - .5196               | .995 .9999      | .1454       | .0088        | .0088        |
| .953 | - .4295            | - .4930               | .995 .9999      | .5150       | .2251        | .2251        |
| .982 | - .0314            |                       |                 |             |              |              |



(R11059)

## NSFC THT 603 (SA28F), SFB - ALL PROBABILITIES

| SECTION 1 1:5RB  |  | DEPENDENT VARIABLE CP |                  |             |                        |
|--|--|-----------------------|------------------|-------------|------------------------|
| MACH (5) = 2.740   | ALPHA (1) = 149.000  | MACH (1) = 149.000    | Q1PSF1 = 6.98600 | P0 = 60.010 | P = 91000 RNL = 7.0000 |
| THETA .0003 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000   | X/L  | X/L                   | X/L              | X/L         | X/L                    |
| .869 -.1162 -.1258 .999 .9999 .2275 .4172<br>.902 .999 .9999 -.1270 .999 .9999 .0279 .0661<br>.923 -.1149 -.1283 -.0562 .2654 .4320 .0749<br>.945 -.1271 -.1380 -.1149 .0384 .1582 -.1119<br>.982 .2606 .2418 .2418 .11451 | .027 -.0525 -.0582 -.0539 .0339 .0309<br>.050 -.0514 -.0565 -.0565 -.0266 .0392<br>.074 -.0582 -.0627 -.0666 -.0192 .0449<br>.098 -.0621 -.0666 -.0723 -.0723 -.0114 .0545<br>.111 -.0649 -.0632 -.0689 -.0689 .2157 .2100 .0328<br>.139 -.0644 -.0576 -.0627 -.0627 .1221 .2286 .4428<br>.168 -.0655 -.0548 -.0649 -.0649 .0815 .2226 .2252<br>.191 -.0655 -.0525 -.0615 -.0615 .0957 .3876 .4445<br>.255 -.0655 -.0536 -.0646 -.0646 .0999 .3819 .4417<br>.344 -.0646 -.0536 -.0646 -.0646 .1114 .2314 .4447<br>.392 .999 .9999 -.0734 -.0734 .2395 .2395 .0407<br>.667 .999 .9999 -.0627 -.0627 .0754 .4400 .0508<br>.702 -.0807 -.0880 -.0880 -.064999 .064999 .0015 .0551 .0893<br>.724 -.0875 -.0880 -.0880 -.064999 .064999 .2479 .8870 .0099<br>.744 -.0452 -.0486 -.0486 -.076293 .076293 .2219 .6850 .0043<br>.755 -.054849 .9399 .9399 .062199 .062199 .9999 .5043<br>.869 -.0661 -.0717 .0717 .061699 .061699 .9999 .5093<br>.902 .999 .9999 -.0734 -.0734 .0483 .0483 .1013<br>.923 -.0627 -.0734 -.0734 .062199 .062199 .9999 .3859 .1762<br>.945 -.0700 -.0768 -.0768 .0599 .0599 .2343 .0167 .0582<br>.982 .2940 .2940 .2940 .2720 .2720 .9405 | X/L                   | X/L              | X/L         | X/L                    |

DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

MSFC TWT 603 (SA28F) SRB - ALL PROTUBERANCES

PAGE 155

( 22 ADO 75 )

## REFERENCE DATA

| SREF  | 116.2600 SQ.FT. | XHPP | 1044.0000 IN. | RN-SCH | 2.000 | PHI | .000 |
|-------|-----------------|------|---------------|--------|-------|-----|------|
| LREF  | 146.0000 IN.    | YHPP | .0000 IN.     |        |       |     |      |
| BREF  | 146.0000 IN.    | ZHPP | .0000 IN.     |        |       |     |      |
| SCALE | .0055           |      |               |        |       |     |      |

MACH ( 1 ) = .603 ALPHA ( 1 ) = 169.900 Q(PST) = 7.5800

SECTION ( 1 )SRB DEPENDENT VARIABLE CP

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

X/L .027 .0922 .0987 .1104 .1164 .1203

.050 .0483 .0524 .0785 .0789 .0639

.074 -.0052 -.0145 .0092 .0013 .0375

.098 -.1392 -.1617 -.1537 .0209 .3138

.111 -.3422 -.3571 -.4014 -.4133 -.5359 -.5416 -.6827 -.7054

.139 -.0992 -.1025 -.1253 -.1978 -.6688 -.256 -.0935 -.0845

.168 -.0749 -.0735 -.0855 -.1230999.9999 -.0892 -.0101 -.0155

.191 -.0537 -.0639 -.0657 -.1131999.9999 -.0793 -.0101 -.0147

.255 -.0601 -.0628 -.0567 .999.9999 -.0987999.9999 -.08923 -.0145

.344 -.0574 -.0528 -.0528 .999.9999 -.0987999.9999 -.08923 -.0095

.392 .999.9999 .0310 .999.9999 .0474 .0095 -.0095

.667 .999.9999 .0599 -.0556999.9999 -.0814 -.0204

.702 .0635 .0599 -.0556999.9999 -.0814 .0097 .0277

.724 -.0813 -.1039 -.2079999.9999 .3186 .0157 -.0636

.744 .0611 .0776 .0529999.9999 .2819 .3599 -.3599

.755 .0362999.9999 .0006999.9999 .1361 .4239 .4456

.869 -.3552 -.3879 .999.9999 -.0455 .2349 .2582

.902 .999.9999 -.4171 .999.9999 .4992 .0771

.923 -.4307 -.4526 -.4834 .4834 .4616

.945 -.3856 -.4172 -.4806 -.4806

.982 -.4497 -.4913 -.4913 -.6125

.992 .999.9999 .4913 -.4913 -.4772

.999.9999 -.4913 -.4913 -.5048

MACH ( 2 ) = .900 ALPHA ( 1 ) = 169.880 Q(PST) = 7.3800

SECTION ( 1 )SRB DEPENDENT VARIABLE CP

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

X/L .027 .0558 .0472 .0562 .0641 .0673

.050 .0203 .0018 .0149 .0384 .0408

.074 -.0532 -.0792 .1493 .2086 .2309

.098 -.1962 .0892 .3209 .3622 .3670

.111 -.3557 -.3721 -.4051 -.4187 .6281 .3000

.139 -.1142 -.1234 -.1457 -.1496 .0651 .0492

.168 -.0793 -.0828 -.0900 -.1098999.9999 -.0589

.191 -.0661 -.0725 -.0664 -.1026999.9999 -.0559

.255 -.0658 -.0664 .999.9999 -.0282 .0070

.999.9999 -.0664 .0070 .0172

.999.9999 -.0664 .0070 .0172

.999.9999 -.0664 .0070 .0172

.999.9999 -.0664 .0070 .0172

.999.9999 -.0664 .0070 .0172

MSFC TNT 603 (SA28F) SRB - ALL PROTERANCES

(TR110601)

MACH ( 2 ) = .900 ALPHA ( 1 ) = 169.880

SECTION 1 11SRB

DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.000112.5000135.0000157.5000160.0000225.0000270.0000315.0000

| X/L | .394 | -.0821         | -.0899 | -     | .1270999.9999  | -.1061 | -     | .0191 | -     | .0031 | -     | .382 |           |
|-----|------|----------------|--------|-------|----------------|--------|-------|-------|-------|-------|-------|------|-----------|
|     | .667 | 999.9999       |        | .0404 | 999.9999       |        | .0764 |       | .0614 |       | .0132 |      | .1594     |
|     | .702 | -.0037         | -.0126 |       | .0525999.9999  | -.0692 |       |       | .3032 |       | .1260 |      | .3390     |
|     | .724 | -.0133         | -.0329 |       | .1699999.9999  | -.2615 |       |       | .3563 |       | .0398 |      | .0546     |
|     | .744 | -.0927         | -.0702 |       | .08020999.9999 | -.1317 |       |       |       |       | .3077 |      | .999.9999 |
|     | .755 | -.1446999.9999 |        | .4285 | -.1326999.9999 | .0309  |       |       |       |       | .4085 |      | .0192     |
|     | .869 | -.1074         |        | .3981 | 999.9999       |        | .3184 |       | .2038 |       | .2378 |      | .0787     |
|     | .902 | 999.9999       |        | .3982 | 999.9999       |        | .4460 |       |       |       | .4652 |      |           |
|     | .923 | -.3322         |        | .3473 | -.4282         |        | .4851 |       |       |       | .4950 |      | .4377     |
|     | .945 | -.3123         |        |       |                |        | .5063 |       |       |       | .5532 |      | .4085     |
|     | .982 | -.3221         |        |       |                |        | .3517 |       |       |       |       |      |           |

MACH ( 3 ) = 1.198 ALPHA ( 1 ) = 169.900 Q(PSF) = 9.1400 P0 = 22.010 P = 9.1000 RNL = 6.7000

SECTION 1 11SRB

DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.000112.5000135.0000157.5000160.0000225.0000270.0000315.0000

| X/L | .027 | .0102          | -.0099 | -     | .0080          |                | .0168  | - | .0211 | - | .0165 | - |               |
|-----|------|----------------|--------|-------|----------------|----------------|--------|---|-------|---|-------|---|---------------|
|     | .050 | -.0417         | -.0112 |       | -.0718         |                | -.0707 |   |       |   |       |   |               |
|     | .074 | -.1762         | -.2068 |       | -.2619         |                | -.4181 |   |       |   |       |   |               |
|     | .098 | -.5565         | .5073  |       | .5027          |                | .5295  |   |       |   | .5160 |   |               |
|     | .111 | -.2100         | -.1993 |       | .1955          | -.4893         | -.0563 |   | .0570 |   | .0198 |   | .0539         |
|     | .139 | -.0542         | -.0411 |       | .0335          | -.0647         | .0422  |   | .0056 |   | .0748 |   | .0637999.9999 |
|     | .168 | -.0313         | -.0291 |       | .0209          | -.0542999.9999 | .0059  |   | .0228 |   | .0165 |   | .0800         |
|     | .191 | -.0384         | -.0318 |       | .0318          | -.0516999.9999 | -.0176 |   | .0141 |   | .0180 |   | .0269         |
|     | .255 | -.0646         |        | .0614 |                | .3980999.9999  | .0096  |   | .0102 |   | .0355 |   |               |
|     | .344 | -.0373         | -.0400 |       |                |                | .0546  |   | .0233 |   | .0359 |   |               |
|     | .392 |                |        |       |                |                |        |   |       |   | .0690 |   |               |
|     | .667 | 999.9999       |        | .0105 | 999.9999       |                | .0455  |   |       |   | .0165 |   |               |
|     | .702 | -.0205         | -.0279 |       | -.1896999.9999 | -.2399         |        |   |       |   | .0140 |   |               |
|     | .724 | -.1445         | -.1819 |       | -.3356999.9999 | -.4215         |        |   |       |   | .1205 |   | .1107         |
|     | .744 | -.0247         | -.0053 |       | .0017999.9999  | .3108          |        |   |       |   | .4347 |   | .999.9999     |
|     | .755 | -.0596999.9999 |        |       | .0518999.9999  | .2191          |        |   |       |   | .5945 |   | .1879         |
|     | .869 | -.3364         |        | .3463 | 999.9999       |                | .0764  |   |       |   | .4021 |   | .1258         |
|     | .902 | 999.9999       |        | .3521 | 999.9999       |                | .3255  |   |       |   |       |   |               |
|     | .923 | -.3210         |        | .3441 | -.3815         |                | .3391  |   |       |   |       |   |               |
|     | .945 | -.3002         |        | .3338 | -.4091         |                | .5500  |   |       |   |       |   |               |
|     | .982 | -.1746         |        |       | .2935          |                | .1176  |   |       |   |       |   |               |

DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC TWT 603 (SA28F) PAGE 157

MSFC TWT 603 (SA28F) SRB - ALL PROTUBERANCES (R11080)

MACH ( 41 = 1.959 ALPHA ( 11 = 169.900 QIPSFL = 10.980 PO = 30.020 P = 4.0900 RNL = 7.5000

SECTION 11SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L   | .027           | -.0305         | -.0333         | -.0405         | -.0310   | -.0159   |
|---|----------------|----------------|----------------|----------------|----------|----------|
| .050  | -.1313         | -.1143         | -.0990         | -.1299         | -.1930   | -.1930   |
| .074  | -.1906         | -.1804         | -.1490         | -.2036         | -.2116   | -.2116   |
| .098  | -.2065         | -.2157         | -.1809         | -.2296         | -.2193   | -.2193   |
| .111  | -.0252         | -.0261         | -.0726         | -.1913         | .0073    | .0208    |
| .139  | -.0035         | -.0124         | -.0437         | -.0225         | -.0272   | -.0673   |
| .166  | -.0110         | -.0172         | -.0402         | -.2999         | -.0340   | -.0154   |
| .191  | -.0194         | -.0301         | -.0529         | -.9999         | -.0407   | -.0200   |
| .225  | -.0229         | -.0303         | -.999          | -.9999         | -.0166   | -.0235   |
| .344  | .0175          | -.0087         | -.0814         | -.9999         | -.0308   | -.0351   |
| .392  | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999 | 999.9999 |
| .667  | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999 | 999.9999 |
| .702  | -.0674         | -.1249         | -.1155         | -.9999         | -.1061   | -.0179   |
| .724  | -.2210         | -.2182         | -.2247         | -.9999         | -.2140   | -.2069   |
| .744  | .0968          | .1314          | .0178          | -.9999         | .0854    | .3562    |
| .755  | .0597999.9999  | .0597999.9999  | .0483          | -.9999         | .0891    | .1321    |
| .869  | -.1425         | -.1529         | -.1529         | 999.9999       | -.0166   | .0296    |
| .902  | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999 | 999.9999 |
| .923  | -.1979         | -.1863         | -.1378         | -.1378         | -.1138   | -.1717   |
| .945  | -.2006         | -.2239         | -.2812         | -.2812         | -.2647   | -.2011   |
| .982  | .0792          | -.0061         | -.0061         | -.0061         | -.1713   | -.2686   |
| MACH ( 51 = 2.740 ALPHA ( 11 = 169.900 QIPSFL = 6.3800 PO = 30.060 P = 1.2100 RNL = 5.2000          |                |                |                |                |          |          |
| SECTION 11SRB   |                |                |                |                |          |          |
| THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 |                |                |                |                |          |          |
| X/L   | .027           | -.0505         | -.0587         | -.0544         | -.0611   | -.0458   |
| .050  | -.0769         | -.0792         | -.0684         | -.0927         | -.0926   |          |
| .074  | -.0838         | -.0932         | -.0879         | -.1078         | -.1169   |          |
| .098  | -.0932         | -.1066         | -.0938         | -.1223         | -.1110   |          |
| .111  | -.0247         | -.0211         | -.0435         | -.0657         | -.0261   | -.0168   |
| .139  | -.0125         | -.0108         | -.0168         | -.0252         | -.0237   | -.0364   |
| .168  | -.0181         | -.0222         | -.0218         | -.0326         | -.0302   | -.0400   |
| .191  | -.0241         | -.0241         | -.0404         | -.6666         | -.0269   | -.0206   |
| .255  | -.0241         | -.0235         | -.0460         | -.6666         | -.0255   | -.0261   |
| .344  | -.0144         | -.0235         | -.0460         | -.6666         | -.0203   | -.0321   |
| .392  | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999 | 999.9999 |
| .667  | 999.9999       | 999.9999       | 999.9999       | 999.9999       | 999.9999 | 999.9999 |
| .702  | -.0278         | -.0645         | -.0732         | -.9999         | -.0457   | -.0243   |
| .724  | -.1120         | -.1116         | -.0956         | -.9999         | -.0935   | -.0935   |
| .744  | .0283          | .0485          | .0505          | -.0505         | -.1492   | -.2566   |
| .755  | -.0047999.9999 | -.0047999.9999 | -.0266699.9999 | -.0266699.9999 | -.0631   | .0939    |



DATE 07 MAR 77

TABULATED SOURCE DATA. MSFC TWT 603 (SA2BF)

PAGE 159

MSFC TWT 603 (SA2BF) SRB - ALL PROTUBERANCES

REFERENCE DATA

PN-55H = 2.000 PH1 = .000

MACH ( 1 ) = .598 ALPHA ( 1 ) = 179.900 Q(PSF) = 7.4800 PO = 38.020 P = 29.960 RNL = -8.8000

SECTION 1 ISSB DEFINITION OF AVAILABILITY

卷之三

|      | $\beta_1$ | $\beta_2$ | $\beta_3$ | $\beta_4$ | $\beta_5$ |
|------|-----------|-----------|-----------|-----------|-----------|
| .050 | .0655     | .0866     | .0796     | .0747     | .0763     |
| .050 | .0655     | .0866     | .0796     | .0747     | .0763     |

|  |
|--|
|  |
|--|

|         |         |         |         |         |
|---------|---------|---------|---------|---------|
| -0.0496 | -0.0495 | -0.0494 | -0.0493 | -0.0492 |
| -0.0491 | -0.0490 | -0.0489 | -0.0488 | -0.0487 |
| -0.0486 | -0.0485 | -0.0484 | -0.0483 | -0.0482 |
| -0.0481 | -0.0480 | -0.0479 | -0.0478 | -0.0477 |
| -0.0476 | -0.0475 | -0.0474 | -0.0473 | -0.0472 |

|  |
|--|
|  |
|--|

2028 - 286. - 1,777,- 1,777,- 1,777,- 1,777,-

MACH = -2.1 = .904 ALPHA = -11 = .41008

SECTION ( 1 )SRB DEPENDENT VARIABLE CP

THE JOURNAL OF CLIMATE, VOL. 17, 2004

1500 - 1550 - 1600 - 1650 - 1700 - 1750 - 1800 - 1850 - 1900 - 1950 - 2000

DATE 07 MAR 77

## TABULATED SOURCE DATA, HFPC TWT 603 (SA28F)

NSFC TWT 603 (SA28F) SRB - ALL PROTUBERANCES

(R11061)

MACH 1 21 = .904 ALPHA ( 1 ) = 179.900

SECTION 1 11SRB

DEPENDENT VARIABLE CP

THETA .00000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .344 | -.0515    | -.0357    | -.0784    | 999.9999  | -.0793 | -.0666 | -.0733 | -.0818 |
|-----|------|-----------|-----------|-----------|-----------|--------|--------|--------|--------|
|     | .392 | .667      | .999.9999 | .1910     | .999.9999 | .1182  | -.1129 | -.1129 | -.1171 |
|     | .702 | .1819     | .1649     | .1473     | .999.9999 | .1139  | .1029  | .1135  | .1224  |
|     | .724 | .0387     | .0498     | .0529     | .999.9999 | .0339  | .0316  | .0299  | .0299  |
|     | .744 | .1604     | .1209     | .0970     | .999.9999 | .0826  | .0845  | .0980  | .0676  |
|     | .755 | .1182     | .999.9999 | .0565     | .999.9999 | .0501  | .0549  | .0633  | .0377  |
|     | .869 | -.3179    | -.3475    | .999.9999 | -.3428    | -.3671 | -.3970 | -.3169 |        |
|     | .902 | .999.9999 | -.3783    | .999.9999 | -.3571    | -.3571 |        |        |        |
|     | .923 | -.4246    | -.4073    | -.3771    | -.4009    | -.4198 | -.3740 |        |        |
|     | .945 | -.4837    | -.4004    | -.3709    | -.3980    | -.4830 | -.3579 |        |        |
|     | .982 | -.6024    |           | -.5835    |           | -.6212 |        |        |        |

MACH 1 31 = 1.199 ALPHA ( 1 ) = 179.900 QIPSF1 = 9.1500 P0 = 22.010 P = 9.1000 PNL = 6.8000

SECTION 1 11SRB

DEPENDENT VARIABLE CP

THETA .00000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .027 | .0312     | .0239     | .0231     | .0220      | .0239  | .0220  | .0239  | .0239     |
|-----|------|-----------|-----------|-----------|------------|--------|--------|--------|-----------|
|     | .050 | -.0498    | -.0677    | -.0537    | -.0580     | -.0455 | -.0455 | -.0455 | -.0455    |
|     | .074 | -.2741    | -.2115    | -.2175    | -.2013     | -.1780 | -.1780 | -.1780 | -.1780    |
|     | .098 | -.5362    | -.5487    | -.4471    | -.5674     | -.5391 | -.5391 | -.5391 | -.5391    |
|     | .111 | -.1252    | -.1318    | -.1475    | -.1973     | -.1940 | -.2203 | -.2290 | -.2127    |
|     | .139 | -.0110    | -.0143    | -.0217    | -.0165     | -.0312 | -.0496 | -.0690 | -.0780    |
|     | .168 | -.0077    | -.0143    | -.0187    | -.0218     | -.0351 | -.0447 | -.0512 | -.0373    |
|     | .191 | -.0083    | -.0176    | -.0176    | -.0377     | -.0509 | -.0597 | -.0611 | -.0239    |
|     | .255 | -.0748    | -.0870    | -.0870    | -.999.9999 | -.0658 | -.0758 |        |           |
|     | .344 | .0135     | -.0312    | -.1777    | .999.9999  | -.0878 | -.0471 | -.0471 | -.1226    |
|     | .392 | .999.9999 | -.1541    | .999.9999 | -.0023     | .1020  | -.0170 | -.0170 | -.0695    |
|     | .667 | .999.9999 |           | .0034     | .999.9999  |        | .0397  | .0397  | .1202     |
|     | .702 | -.0649    | -.0151    | -.1741    | .999.9999  | .1895  | -.1783 | -.1783 | .0354     |
|     | .724 | -.1535    | -.1718    | -.2732    | .999.9999  | .2472  | .2603  | .2603  | .999.9999 |
|     | .744 | .3902     | .2915     | .1881     | .999.9999  | .1728  | .1815  | .1815  | .1421     |
|     | .755 | .2732     | .999.9999 | -.2059    | .999.9999  | -.2047 | -.1894 | -.1894 | .1081     |
|     | .869 | -.1899    |           | .4161     | .999.9999  | -.4062 | -.4148 | -.4148 |           |
|     | .902 | .999.9999 |           | -.5085    | -.4461     | -.4971 | -.4318 | -.4318 |           |
|     | .923 | -.4314    |           | -.5971    | -.6076     | -.6088 | -.5794 | -.5794 |           |
|     | .945 | -.5598    |           |           |            |        |        |        |           |
|     | .982 | -.2179    |           |           |            |        |        |        |           |

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

MSFC TWT 603 (SA28F) SRB - ALL PROTUBERANCES

PAGE 161

MACH ( 4 ) = 1.981

ALPHA ( 1 ) = 179.900

Q(FSF) = 10.970

PO = 30.010

P = 4.0800

RNL = 7.6000

## SECTION ( 1 ) SRB

## DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000223.0000270.0000315.0000

X/L .027 .0238 .0171 .0136 .0185 .0192

.050 -.1217 -.1002 -.0854 -.0550 -.0452

.074 -.1581 -.1423 -.1458 -.1453 -.1453

.098 -.1883 -.1795 -.1567 -.1551 -.1907

.111 -.0193 .0192 -.0068 -.1468 -.0286

.139 .0538 .0443 .0393 .0344 .0286

.169 .0594 .0291 .0316 .0164999.9999 .0002

.191 .0284 .0256 .0055 .0029999.9999 .0032

.255 -.0018 .0312 -.0124 -.0328999.9999 .0076

.392 999.9999 .992 .0198 .999.9999 .0258

.702 -.0463 -.0427 -.0240999.9999 -.0258 -.0456

.724 -.2017 -.1921 -.1909999.9999 -.1813 -.1797

.744 .2357 .2356 .2148999.9999 .1930 .2421

.755 .2080999.9999 .1497999.9999 .1391 .1595

.689 .0657 .0656 .1946 .999.9999 .0632 .1595

.902 999.9999 .1546 .1704 .1535 .1922

.933 .1546 .1704 .1535 .1708 .1513

.945 .2648 .2757 .2802 .2705 .2649

.982 .0658 .0658 .0841 .0841 .0919

MACH ( 5 ) = 2.740 ALPHA ( 1 ) = 179.900 Q(FSF) = 6.3800 PO = 30.050 P = 1.2100 RNL = 5.2000

## SECTION ( 1 ) SRB

## DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000223.0000270.0000315.0000

X/L .027 -.0121 -.0067 -.0053 -.0040 -.0015

.050 -.0583 -.0564 -.0544 -.0519 -.0519

.074 -.0739 -.0807 -.0707 -.0792 -.0766

.098 -.0819 -.0902 -.0810 -.0974 -.0938

.111 -.0665 .0170 .0081 .0071 .0120

.139 .0211 .0270 .0166 .0128 .0015

.168 .0173 .0197 .0126 .0027999.9999 .0059

.191 .0055 .0111 .0111 .0041999.9999 .0039

.225 .0115 .0115 .0114 .0115993.9999 .0006

.392 .0244 .0114 .0114 .0115993.9999 .0006

.667 999.9999 .0131 -.0087999.9999 -.0064 -.0154

.702 .0240 .0243 -.0087999.9999 -.0064 -.0154

.724 -.1114 -.0988 -.0988 -.0909 -.0919

.744 .1488 .1470 .1470 .1255999.9999 .1185 .1610

.755 .1343999.9999 .0742 .0716999.9999 .0688 .0688

.999.9999 .0791 .0791 .0791 .0791 .0791

(R11081)



DATE 07 MAR 77

TABULATED SOURCE DATA. MSFC TMI 603 (SA28F) MSFC TMI 603 (SA28F) 598 - ALL PROTEINANCES

PAGE 183

(RI) 10821

REFERENCE DATA

DATE 07 MAR 77

TABULATED SOURCE DATA. MSFC TWT 603 (SA28F)

PAGE 164

MSFC TWT 603 (SA28F) SRB - ALL PROTUBERANCES

(111063) (22 AUG 75)

## REFERENCE DATA

|       |   |          |         |      |   |               |
|-------|---|----------|---------|------|---|---------------|
| SREF  | = | 116.2600 | SO. FT. | XMRP | = | 1044.0000 IN. |
| LREF  | = | 146.0000 | IN.     | YMRP | = | .0000 IN.     |
| BREF  | = | 146.0000 | IN.     | ZMRP | = | .0000 IN.     |
| SCALE | = | .0055    |         |      |   |               |

MACH (1) = .596 ALPHA (1) = 70.000 Q(PSF) = 7.4400 PO = 38.020 P = 29.900 RN/L = 8.7000

## SECTION 1 11SRB

THETA .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000

## DEPENDENT VARIABLE CP

| X/L  | 0.027    | -1.4549 | -1.8458 | -1.8957 | -1.9446  | 1.0004     |
|--|----------|---------|---------|---------|----------|------------|
| 0.50   | - .8661  | -1.5432 | -1.5840 | -1.2902 | -1.0468  |            |
| .074   | - .7757  | -1.2988 | -1.1448 | -1.2446 | -1.0770  |            |
| .098   | - .7252  | - .9078 | -1.7003 | -1.2104 | -1.0964  |            |
| .111   | -1.0956  | -1.0342 | -1.0345 | -1.2803 | -1.6046  | -1.1096    |
| .139   | - .7209  | - .7665 | - .7762 | -1.7233 | -1.3863  | -1.8233999 |
| .168   | - .6735  | - .7586 | - .7811 | -1.7892 | -1.0530  | -1.8264    |
| .191   | - .6599  | - .6885 | - .6724 | -1.908  | -1.0301  | -1.483     |
| .255   | - .5828  | - .5330 | - .6762 | -.6762  | 999.9999 | .9952      |
| .344   | - .4787  | - .4686 | - .4620 | -1.767  | -1.940   | -1.3943    |
| .392   | .9999    | .9999   | .5317   | - .6568 | .6568    | -1.9158    |
| .667   | .9999    | .9999   | .5383   | - .6987 | 999.9999 | .9966      |
| .702   | .5432    | .5383   | .5605   | - .8271 | .9889    | .9956      |
| .724   | .5264    | .5070   | .6414   | -1.750  | .9834    | -1.0558    |
| .744   | .5517    | .5380   | .6414   | -1.9877 | .8917    | .999.9999  |
| .755   | .5165999 | .9999   | .4985   | -1.6356 | -1.2166  | -1.0823    |
| .869   | .4686    | .5053   | .5060   | -1.5747 | 999.9999 | .9759      |
| .902   | .9999    | .9999   | .5060   | -1.7247 | .2656    | .9734      |
| .923   | .4654    | .4868   | .4868   | -1.6069 | -.1913   | .0570      |
| .945   | .4599    | .4181   |         | -1.9241 |          | .5998      |
| .982   |          |         |         |         |          | -1.3558    |
| MACH (2) = .900 ALPHA (2) = 70.000 Q(PSF) = 7.3800 PO = 22.000 P = 13.010 RN/L = 6.3000                    |          |         |         |         |          |            |
| SECTION 1 11SRB  |          |         |         |         |          |            |
| THETA .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000 |          |         |         |         |          |            |
| X/L  | 0.027    | - .7507 | - .7481 | - .7479 | .2261    | 1.1362     |
| 0.50   | - .7550  | - .7542 | - .7536 | .2521   | .1860    |            |
| .074   | - .7548  | - .7515 | - .7347 | .2627   | .2159    |            |
| .098   | - .7522  | - .7610 | - .7385 | .2749   | .2314    |            |
| .111   | - .7467  | - .7651 | - .8224 | .5876   | .0263    | .3504      |
| .139   | - .7149  | - .7319 | - .7524 | -1.0190 | .1.0190  | - .7258    |
| .168   | - .6905  | - .6991 | - .6863 | -1.0561 | .6210    | - .8174999 |
| .191   | - .6669  | - .6767 | - .6760 | -1.0524 | -1.0524  | - .6895    |
| .255   | - .5788  |         |         | -1.9736 | -1.9736  | - .6818    |
|  |          |         |         | - .7739 | 999.9999 | - .6446    |
|  |          |         |         |         | .9382    | -1.327     |

DATE 07 MAR 77

## TABULATED SOURCE DATA: MSFC TWT 603 (SA28F1)

PAGE 162

MSFC TWT 603 (SA28F1) SRB - ALL PROTUBERANCES

MACH ( 2 ) = .900 ALPHA ( 1 ) = 70.000

## SECTION 1 (1)SRB

## DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | Y/L            | Z/L    | CP     | Y/L    | Z/L      | CP      | Y/L    | Z/L    | CP       |
|------|----------------|--------|--------|--------|----------|---------|--------|--------|----------|
| .344 | -.4962         | -.4919 | -.4994 | -.5781 | -.7045   | .9024   | -.1129 | -.4983 | -.4773   |
| .392 | -.4926         | -.4919 | -.4926 | -.4935 | .999999  | .8694   | .1091  | -.4710 | -.4535   |
| .657 | 999.9999       | 6      | -.4374 | -.4307 | -.5002   | -.7001  | .9634  | .0867  | 999.9999 |
| .702 | -.4306         | -.4315 | -.4064 | -.5321 | -.6087   | .9634   | .1927  | -.2231 | -.5435   |
| .724 | -.4262         | -.4196 | -.4576 | -.5696 | -.6283   | .9821   | .0976  | -.4810 | -.4810   |
| .744 | -.4131         | -.4166 | -.4041 | -.4329 | -.5011   | .6505   | .8932  | .0739  | -.4995   |
| .755 | -.4171999.9999 | 6      | -.4058 | -.4584 | -.999999 | .999999 | .1819  | .1821  | -.5409   |
| .869 | -.3941         | -.3604 | -.4058 | -.6505 | -.0768   | .0768   | .0971  | -.3604 | -.3604   |
| .902 | 999.9999       | 6      | -.3569 | -.3591 | -.7129   | .0978   | .2686  | -.3569 | -.3569   |
| .923 | -.3503         | -.3255 | -.3569 | -.7532 | -.7532   | -.7532  | -.7532 | -.7532 | -.7532   |
| .945 | -.3457         | -.3255 | -.3569 | -.7532 | -.7532   | -.7532  | -.7532 | -.7532 | -.7532   |
| .982 | -.3255         | -.3255 | -.3569 | -.7532 | -.7532   | -.7532  | -.7532 | -.7532 | -.7532   |

MACH ( 2 ) = 1.197 ALPHA ( 1 ) = 70.000 Q(PSF1) = 9.1400 P0 = 22.010 P = 9.1100 R/V/L = 6.7000

## SECTION 1 (1)SRB

## DEPENDENT VARIABLE CP

| X/L  | Y/L           | Z/L    | CP     | Y/L    | Z/L        | CP            | Y/L    | Z/L    | CP     |
|------|---------------|--------|--------|--------|------------|---------------|--------|--------|--------|
| .027 | -.7212        | -.7111 | -.5938 | -.5848 | .6004      | .6004         | 1.3256 | 1.3551 | 1.3551 |
| .050 | -.7102        | -.7164 | -.5636 | -.6139 | .6139      | .6139         | 1.3874 | 1.3874 | 1.3874 |
| .074 | -.6390        | -.6783 | -.5607 | -.6231 | .6231      | .6231         | 1.4048 | 1.4048 | 1.4048 |
| .098 | -.6052        | -.6097 | -.5531 | -.6352 | .6352      | .6352         | 1.2275 | 1.2275 | 1.2275 |
| .111 | -.5959        | -.5939 | -.5856 | -.0844 | .1228      | .2699         | 1.3538 | 1.3538 | 1.3538 |
| .139 | -.5234        | -.5234 | -.5254 | -.4536 | -.1204     | .1847999.9999 | 1.1981 | 1.3593 | 1.3593 |
| .168 | -.4989        | -.4913 | -.4950 | -.4817 | -.1040     | .1690         | 1.1580 | 1.3577 | 1.3577 |
| .191 | -.4751        | -.4757 | -.4913 | -.5159 | -.1735     | .999.9999     | 1.1580 | 1.3577 | 1.3577 |
| .235 | -.4419        | -.3743 | -.4447 | -.5573 | -.1735     | .3033         | 1.1230 | 1.2835 | 1.2835 |
| .344 | -.3688        | -.3743 | -.3730 | -.5091 | -.1254     | .999.9999     | 1.1230 | 1.2835 | 1.2835 |
| .392 | -.3509        | -.4768 | -.4768 | -.5926 | -.1254     | .999.9999     | 1.1230 | 1.2835 | 1.2835 |
| .667 | 999.9999      | 6      | -.4768 | -.5926 | -.999.9999 | .999.9999     | 1.0951 | .2686  | 1.0951 |
| .702 | -.4775        | -.4690 | -.4553 | -.5717 | -.2128     | 1.0951        | 1.2835 | 1.2835 | 1.2835 |
| .724 | -.4527        | -.4234 | -.4088 | -.5843 | -.1389     | 1.1777        | 1.3634 | 1.3634 | 1.3634 |
| .744 | -.4731        | -.4767 | -.4273 | -.6606 | -.1730     | 1.1925        | 1.3551 | 1.3551 | 1.3551 |
| .755 | -.568999.9999 | 6      | -.5279 | -.6533 | -.1254     | .999.9999     | 1.1099 | 1.2800 | 1.2800 |
| .869 | -.4350        | -.4872 | -.4872 | -.6284 | -.999.9999 | .999.9999     | 1.2800 | 1.2800 | 1.2800 |
| .902 | 999.9999      | 6      | -.4446 | -.5506 | -.999.9999 | .999.9999     | 1.2800 | 1.2800 | 1.2800 |
| .923 | -.4179        | -.3958 | -.4084 | -.4073 | -.3616     | 1.2800        | 1.3634 | 1.3634 | 1.3634 |
| .945 | -.4153        | -.4084 | -.4084 | -.4241 | -.4202     | 1.2800        | 1.3634 | 1.3634 | 1.3634 |
| .982 | -.3619        | -.3619 | -.3619 | -.4659 | -.6659     | 1.2800        | 1.3634 | 1.3634 | 1.3634 |

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA2SF1)

MSFC TWT 603 (SA2SF1) SRB - ALL PROTEINANCES

MACH (4) = 1.954 ALPHA (1) = 70.000 Q(PSF) = 11.010 PO = 30.010 P = 4.1200 RNL = 7.4000

SECTION 1 11SRB

## DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000

| X/L   | 0.027         | -2953 | -3225 | -1089 | 9067     | 6175          | 6249     |
|-------|---------------|-------|-------|-------|----------|---------------|----------|
| 0.050 | -2828         | -3161 | -1082 | .9063 | .9053    | .9157         | .9237    |
| 0.074 | -2820         | -2868 | -1063 | .9232 | .9257    | .9259         | .9277    |
| 0.088 | -2885         | -2799 | -1232 | .0899 | .8806    | 1.4316        | 5927     |
| 0.111 | -2902         | -2650 | -2754 | -1350 | .0640    | .0670         | .5603    |
| 0.139 | -2694         | -2636 | -2611 | -2735 | -1071    | 1.468999.9999 | 1.3730   |
| 0.168 | -2591         | -2517 | -2588 | -2735 | -1508    | 1.473         | 1.3402   |
| 0.191 | -2533         | -2512 | -2381 | -2364 | -1477    | 999.9999      | 1.3355   |
| 0.205 | -2074         | -2125 | -2122 | -2136 | -1472    | 1.3220        | 4690     |
| 0.292 | 999.9999      | -2618 | -2589 | -1314 | 999.9999 | 1.3406        | 1295     |
| 0.667 | 999.9999      | -2583 | -2589 | -1389 | 1654     | 1.5194        | 6661     |
| 0.702 | -2534         | -2534 | -2647 | -0821 | 1822     | 1.492         | 6804     |
| 0.724 | -2642         | -2534 | -2647 | -1765 | 1416     | 1.3942        | 6771     |
| 0.744 | -2604         | -2580 | -2586 | -1501 | 2412     | 1.3942        | 999.9999 |
| 0.755 | -2642999.9999 | -2670 | -2586 | -1501 | 2412     | 999.9999      | 5903     |
| 0.869 | -2642         | -2506 | -2506 | -0654 | 999.9999 | 4.9718        | 1.159    |
| 0.902 | 999.9999      | -2560 | -2560 | -1356 | 7353     | 6798          | 1.1217   |
| 0.923 | -2560         | -2560 | -2613 | -0653 | 7069     | 5336          | 1.1151   |
| 0.945 | -2495         | -2495 | -2613 | -0653 | 7069     | 5336          | 1.1151   |
| 0.982 | -2438         | -2438 | -2868 | -2986 | 7449     | 5624          | 1.1151   |

MACH (5) = 2.740 ALPHA (1) = 70.000 Q(PSF) = 6.3700 PO = 30.010 P = 1.2100 RNL = 5.2000

## DEPENDENT VARIABLE CP

| X/L   | 0.027         | -0907 | -1071 | -0436 | 1.0279 | 1.7621   | 1.7621 |
|-------|---------------|-------|-------|-------|--------|----------|--------|
| 0.050 | -0979         | -120  | -0497 | .0538 | 1.0054 | .7633    | .7633  |
| 0.074 | -0846         | -126  | -0497 | .0497 | .9865  | .9865    | .9865  |
| 0.098 | -0643         | -1077 | -0149 | .0149 | 1.0127 | .7554    | .7554  |
| 0.111 | -1004         | -1132 | -1119 | -1137 | 1.0189 | 1.0210   | 1.0202 |
| 0.139 | -1053         | -1035 | -1083 | -120  | 1.0483 | 1.4771   | 6813   |
| 0.168 | -1053         | -0988 | -1046 | -1165 | 1.0805 | 1.6404   | 6382   |
| 0.191 | -1029         | -0932 | -1004 | -1004 | 1.0917 | 1.4547   | 6030   |
| 0.255 | -1040         | -1070 | -1070 | -1070 | 1.0119 | 1.4547   | 5817   |
| 0.344 | -0985         | -0882 | -0882 | -0944 | 1.0021 | 1.4281   | 5665   |
| 0.392 | -0985         | -0882 | -0882 | -0944 | 1.003  | 1.4281   | 5605   |
| 0.667 | 999.9999      | -1149 | -1149 | -1149 | 0.046  | 999.9999 | 5502   |
| 0.702 | -1107         | -1004 | -1095 | -1095 | 0.005  | 2997     | 1.4524 |
| 0.724 | -1077         | -125  | -0732 | -0732 | 0.070  | 3070     | 1.7390 |
| 0.744 | -1204         | -1216 | -1259 | -1259 | 0.0609 | 2038     | 1.9823 |
| 0.755 | -1192999.9999 | -1307 | -1307 | -1307 | 0.0214 | 3058     | 1.5702 |

PAGE 166

(RI10031)

SECTION 1 11SRB

## DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000

| X/L   | 0.027         | -0907 | -1071 | -0436 | 1.0279 | 1.7621   | 1.7621 |
|-------|---------------|-------|-------|-------|--------|----------|--------|
| 0.050 | -0979         | -120  | -0497 | .0538 | 1.0054 | .7633    | .7633  |
| 0.074 | -0846         | -126  | -0497 | .0497 | .9865  | .9865    | .9865  |
| 0.098 | -0643         | -1077 | -0149 | .0149 | 1.0127 | .7554    | .7554  |
| 0.111 | -1004         | -1132 | -1119 | -1137 | 1.0189 | 1.0210   | 1.0202 |
| 0.139 | -1053         | -1035 | -1083 | -120  | 1.0483 | 1.4771   | 6813   |
| 0.168 | -1053         | -0988 | -1046 | -1165 | 1.0805 | 1.6404   | 6382   |
| 0.191 | -1029         | -0932 | -1004 | -1004 | 1.0917 | 1.4547   | 6030   |
| 0.255 | -1040         | -1070 | -1070 | -1070 | 1.0119 | 1.4547   | 5817   |
| 0.344 | -0985         | -0882 | -0882 | -0944 | 1.0021 | 1.4281   | 5665   |
| 0.392 | -0985         | -0882 | -0882 | -0944 | 1.003  | 1.4281   | 5605   |
| 0.667 | 999.9999      | -1149 | -1149 | -1149 | 0.046  | 999.9999 | 5502   |
| 0.702 | -1107         | -1004 | -1095 | -1095 | 0.005  | 2997     | 1.4524 |
| 0.724 | -1077         | -125  | -0732 | -0732 | 0.070  | 3070     | 1.7390 |
| 0.744 | -1204         | -1216 | -1259 | -1259 | 0.0609 | 2038     | 1.9823 |
| 0.755 | -1192999.9999 | -1307 | -1307 | -1307 | 0.0214 | 3058     | 1.5702 |

PAGE 166

999.9999

## TABULATED SOURCE DATA. MSFC TWT 603 (SA2BF)

MSFC TWT 603 (SA2BF) SRB - ALL PROTUBERANCES

(R11083)

SECTION 11SRB

## DEPENDENT VARIABLE CP

MACH ( 5 ) = 2.770 ALPHA ( 11 ) = 70.000

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000225.0000270.0000315.0000

X/L .027 -.0310 -.0146 .0873 1.0489 1.7960

.050 -.0395 -.0168 .0964 1.0265 1.8076

.071 -.0315 -.0513 .0919 1.0068 1.8099

.098 -.0367 -.0547 .0558 -.0553 .0220 .1738 1.0852 1.5401 1.7024 .9080 .0603 .0502

.111 -.0423 -.0547 -.0558 -.0553 .0660 .0220 .1738 1.0852 1.5401 1.5017 1.6603 .8670 .0445999.9999

.139 -.0460 -.0507 -.0507 -.0535 .0806 .2230 .6710 1.5017 1.6603 .6377 .8499 .0377 .0491

.168 -.0479 -.0423 -.0536 -.0536 .0406 .2669 .9999 1.9915 1.9915 .6292 .6292 .0373

.191 -.0502 -.0383 -.0473 .0231 .2669 1.4625 1.4625 1.4625 1.4625 .6292 .6292 .0373

.255 -.0502 -.0536 .0349 .0349 .2614 .9999 1.9999 1.9999 1.9999 .6155 .6155 .0473

.344 -.0502 -.0344 -.0434 .0478 .0478 .2614 .9999 1.9999 1.9999 .6032 .6032 .0490

.392 -.0502 -.0344 -.0434 .0478 .0478 .2614 .9999 1.9999 1.9999 .5913 .5913 .0626

.667 999.9999 -.0598 .0541 .0541 .3352 1.5171 1.5171 1.5171 .6424 .6424 .0773

.702 -.0581 -.0417 -.0479 .0513 .3352 1.5171 1.5171 1.5171 .6424 .6424 .0773

.724 -.0569 -.0604 -.0344 .0344 .1263 .3476 1.8245 1.8245 .9791 .9791 .0169

.744 -.0688 -.0671 -.0566 -.0566 .0099 .1946 .9159 .9159 .9452 .9452 .0338

.755 -.0700999.9999 -.0733 .0186 .0186 .2795 .1.5429 1.8234 1.8234 .9069 .9069 .0818

.869 -.0637 -.0637 .0637 .0637 999.9999 1.6571 1.6571 1.6571 .9820 .9820 .0423

.902 999.9999 -.0637 .0637 .0637 999.9999 2.031 2.031 2.031 .9069 .9069 .0818

.923 -.0654 -.0547 .0547 .0547 .8363 1.7299 1.7299 1.7299 .5412 .5412 .0423

.945 -.0632 -.0609 -.0609 -.0609 .9069 .9069 .9069 .9069 .5412 .5412 .0423

.982 -.0490 -.0654 -.0654 -.0654 .9069 .9069 .9069 .9069 .5412 .5412 .0423

MSFC TWT 603 (SA2EF), SRF - All Preferences  
 (R11054) 1 22 AUG 75 1

## REFERENCE DATA

SREF = 116.2600 SO.FT. XHPP = 1044.0000 IN.  
 LREF = 116.0000 IN. YHPP = 0000.0000 IN.  
 BREF = 116.0000 IN. ZHPP = 0000.0000 IN.  
 SCALE = .0055

MACH (1) = .598 ALPHA (1) = 90.000 Q(PSF) = 3.5400 P0 = 16.000 P = 14.140 RMA/L = 4.1000

## SECTION 11: SRF

## DEPENDENT VARIABLE CP

THE 1A .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000235.0000270.0000315.0000

## PARAMETRIC DATA

RN-SCH = 1.000 PHI = 45.000

DATE 07 MAR 77

TABULATED SOURCE DATA. NSFC TWT 603 (SA28F)

NSFC TWT 603 (SA28F) SRB - ALL PROTRUSANCES

## REFERENCE DATA

|       |          |         |       |               |
|-------|----------|---------|-------|---------------|
| SREF  | 116.2600 | SO. FT. | XHARF | 1044.0000 IN. |
| LREF  | 146.0000 | IN.     | YHARF | .0000 IN.     |
| BREF  | 146.0000 | IN.     | ZHARF | .0000 IN.     |
| SCALE | .0055    |         |       |               |

MACH ( 1 ) = .598 ALPHA ( 1 ) = 90.000 QIPSF = 7.4800 PO = 38.000 P = 29.830 RNL = 8.8000

## SECTION ( 1 ) SRB DEPENDENT VARIABLE CP

|       |       |         |         |         |         |          |          |          |          |          |          |          |
|-------|-------|---------|---------|---------|---------|----------|----------|----------|----------|----------|----------|----------|
| THETA | .0000 | 22.5000 | 45.0000 | 67.5000 | 90.0000 | 112.5000 | 135.0000 | 157.5000 | 180.0000 | 225.0000 | 270.0000 | 315.0000 |
|-------|-------|---------|---------|---------|---------|----------|----------|----------|----------|----------|----------|----------|

| X/L   | PARAMETRIC DATA |         |         |         |          |                  |           |          |          |          |          |                |
|---|-----------------|---------|---------|---------|----------|------------------|-----------|----------|----------|----------|----------|----------------|
|   | RH-SCH =        | 2.000   | PHI =   | 45.000  | RH-SCH = | 2.000            | PHI =     | 45.000   | RH-SCH = | 2.000    | PHI =    | 45.000         |
| .027  | -.7091          | -.9393  | -.7660  | -.5053  | .6953    |                  |           |          |          |          |          |                |
| .050  | -.6596          | -.6341  | -.6446  | -.4305  | .7660    |                  |           |          |          |          |          |                |
| .074  | -.6645          | -.6551  | -.6548  | -.4165  | .8296    |                  |           |          |          |          |          |                |
| .098  | -.6824          | -.6812  | -.7105  | -.5209  | .9362    | -1.1910          | .6608     | .9708    | -.1710   | -.7256   | -.7547   |                |
| .111  | -.6812          | -.6826  | -.7053  | -.5209  | .9354    | -1.3075          | .6581     | .7913    | -.0918   | -.2204   | -.1      | .56659999 9999 |
| .139  | -.6428          | -.6275  | -.6250  | -.7085  | .9295    | -1.4265          | .6265     | .9044    | -.0918   | -.2289   | -.6333   | -6150          |
| .168  | -.6201          | -.6019  | -.6023  | -.5796  | .8759    | -1.15849999 9999 | .7999     | .1081    | -.0962   | -.6704   |          |                |
| .191  | -.6003          | -.5745  | -.5636  | -.5636  | .7469    | -1.1937          | .7933     | .0961    | -.0962   | -.6704   |          |                |
| .255  | -.5025          | -.5254  | -.5254  | -.5631  | .6531    | -1.1937          | .7933     | .0961    | -.0962   | -.6704   |          |                |
| .344  | -.5403          | -.5260  | -.5260  | -.5624  | .7152    | -1.1516          | .8179     | .1010    | -.1      | -.0221   |          |                |
| .392  |                 |         |         |         | .6820    |                  |           |          |          |          |          |                |
| .667  | 999.9999        | -.5490  | -.5490  |         | .9659    | 999.9999         | .8131     | .0960    |          |          |          |                |
| .702  | 5536            | -.5439  | -.5439  |         | .5502    | .9746            | -1.1137   | .8001    | .0986    |          |          |                |
| .724  | 5234            | -.5214  | -.5214  |         | .5674    | .9594            | -.9112    | .8036    | .0986    |          |          |                |
| .744  | 4926            | -.5195  | -.5195  |         | .5474    | .6631            | -.8948    | .8277    | .1010    |          |          |                |
| .755  | 4926999.9999    |         |         |         | .5339    | .6364            | -.7548    |          |          |          |          |                |
| .866  | 5116            |         |         |         | .6116    | .7235            | .996.9999 |          | .0985    |          |          |                |
| .902  | 666.6999        |         |         |         | .6239    | .6968            | .999.9999 |          | .0986    |          |          |                |
| .923  | 6450            |         |         |         | .6470    | -1.1275          |           |          |          |          |          |                |
| .945  | 6452            |         |         |         | .6396    | -.6396           |           |          |          |          |          |                |
| .982  | 8633            |         |         |         |          | -2.0711          |           |          |          |          |          |                |
| MACH ( 2 ) = .903 ALPHA ( 1 ) = 90.000 QIPSF = 7.4100 PO = 22.010 P = 12.970 RNL = 6.3000 |                 |         |         |         |          |                  |           |          |          |          |          |                |
| THETA   | .0000           | 22.5000 | 45.0000 | 67.5000 | 90.0000  | 112.5000         | 135.0000  | 157.5000 | 180.0000 | 225.0000 | 270.0000 | 315.0000       |
| SECTION ( 1 ) SRB DEPENDENT VARIABLE CP   |                 |         |         |         |          |                  |           |          |          |          |          |                |
| X/L   |                 |         |         |         |          |                  |           |          |          |          |          |                |

| X/L  | PARAMETRIC DATA |        |        |        |               |        |          |         |          |                |        |        |
|------|-----------------|--------|--------|--------|---------------|--------|----------|---------|----------|----------------|--------|--------|
|      | RH-SCH =        | 2.000  | PHI =  | 45.000 | RH-SCH =      | 2.000  | PHI =    | 45.000  | RH-SCH = | 2.000          | PHI =  | 45.000 |
| .027 | -.5632          | -.5612 | -.5605 | -.0916 | .7812         |        |          |         |          |                |        |        |
| .050 | -.5740          | -.5715 | -.5707 | -.0459 | .8708         |        |          |         |          |                |        |        |
| .074 | -.5990          | -.5665 | -.5302 | -.0162 | .9120         |        |          |         |          |                |        |        |
| .098 | -.6253          | -.7227 | -.6930 | -.0462 | .9149         |        |          |         |          |                |        |        |
| .111 | -.6468          | -.6558 | -.7018 | -.4227 | .7809         | .8374  | .2158    | -.7253  | -.6928   |                |        |        |
| .139 | -.5835          | -.5673 | -.5463 | -.6698 | .7652         | -.1568 | .9888    | .1.2033 | .2371    | -.8614999.9999 |        |        |
| .168 | -.5578          | -.5612 | -.5355 | -.5997 | .7567999.9999 | 1.0049 | .1.2190  | .2369   | .2369    | -.6761         | -.5389 |        |
| .191 | -.5375          | -.5477 | -.5382 | -.6497 | .6859         | -.6859 | .0054    | 1.2257  |          |                |        |        |
| .255 |                 |        |        |        | .5166         | -.5781 | 999.9999 |         |          |                |        |        |

PAGE 169

(171085) 1 22 AUG 75 1

DATE 07 MAR 77

#### TABULATED SOURCE DATA: HERC THI 603 (SAGEF)

170

MFC TWT 603 (SAFER) SAE - ALL POWERMATES

卷之三

MACC ( 2 ) = .903 ALPA ( 11 ) = 90.000

DEPARTMENT OF STATE

Digitized by srujanika@gmail.com

MACH ( 3 ) = 1.198 ALPHA ( 1 ) = 90.000 QPSF1 = 9.1400 P0 = 222.000 P = 9.0900 ANL = 6.7000

SECTION I : SRB DEPENDENT VARIABLE CP

THE TAU : 00000 22.50000 45.00000 67.50000 90.00000 || 2.00000 132.00000 127.00000 118.00000 223.00000 270.00000 312.00000

卷之三

1.4021  
- 5577  
---  
- 4704  
- 255  
---  
- 4711  
- 5577  
---  
999.9999

6666 - 666  
1825 -  
6666 - 666

|      |         |         |         |       |       |         |
|------|---------|---------|---------|-------|-------|---------|
| .563 | - .5187 | - .5370 | - .5421 | .4579 | .4047 | - .6877 |
| .965 | - .5186 | - .5305 | - .5476 | .5471 | .3976 | - .6931 |
| .992 | - .5176 |         |         |       |       |         |

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

MSFC TWT 603 (SA28F) SRB - ALL PROTUBERANCES

(R11065) MACH (4) = 1.957 ALPHA (1) = 90.000 QIPSF1 = 10.990 PO = 30.010 P = 4.1000 RNL = 7.4000

SECTION 1 11SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L   | .027      | -.2438 | -.2459 | -.1882 | -.1882   | .6445 | 1.2980  |
|---|-----------|--------|--------|--------|----------|-------|---------|
| .050  | -.2463    | -.2481 | -.2476 | -.1599 | .6852    | .3493 |         |
| .074  | -.2481    | -.2509 | -.2475 | -.1719 | .6883    | .4032 |         |
| .098  | -.2466    | -.2485 | -.2479 | -.2653 | .6444    | .4725 |         |
| .111  | -.2449    | -.2459 | -.2471 | -.2518 | .0638    | .3554 |         |
| .139  | -.2439    | -.2426 | -.2427 | -.2432 | -.1043   | .6889 | .1049   |
| .168  | -.2324    | -.2343 | -.2321 | -.2321 | .1521999 | .9999 | .2498   |
| .191  | -.2319    | -.2420 | -.2425 | -.2329 | .1250    | .2206 | .286990 |
| .255  | -.2420    | -.2425 | -.2438 | -.1029 | .999     | .9999 | .9999   |
| .344  | -.2397    | -.2399 | -.2422 | -.1033 | .2092    | .4914 | .1273   |
| .467  | .999      | .9999  | -.2411 | -.0905 | .2227    | .4758 | .2371   |
| .702  | -.2377    | -.2389 | -.2389 | -.1575 | .1682    | .4799 |         |
| .724  | -.2359    | -.2409 | -.2409 | -.2511 | .1665    | .2880 | .6628   |
| .744  | -.2480    | -.2402 | -.2402 | -.2500 | .1252    | .2239 | .5593   |
| .755  | -.2463999 | .99999 | -.2436 | -.1441 | .999     | .9999 | .1127   |
| .869  | -.2397    | -.2469 | -.2469 | -.1360 | .999     | .9999 | .0877   |
| .902  | .999      | .9999  | -.2601 | -.1770 | .7581    | .6494 |         |
| .923  | -.2502    | -.2502 | -.2578 | -.0559 | .8018    | .6578 |         |
| .945  | -.2559    | -.2578 | -.1923 |        |          | .6331 |         |
| .982  | -.1490    |        |        |        |          | .6413 |         |
| MACH (5) = 2.740 ALPHA (1) = 90.000 QIPSF1 = 6.3700 PO = 30.030 P = 1.2100 RNL = 5.2000 |           |        |        |        |          | .1758 |         |

SECTION 1 11SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027      | -.0765 | -.0915 | -.0240 | .7848    | .5050   |         |
|------|-----------|--------|--------|--------|----------|---------|---------|
| .050 | -.0880    | -.0951 | -.0143 | .8127  | .5445    |         |         |
| .074 | -.0777    | -.1010 | -.0270 | .8050  | .5706    |         |         |
| .098 | -.0874    | -.1010 | -.0009 | .7429  | .6076    |         |         |
| .111 | -.0921    | -.0974 | -.1065 | -.0445 | .3556    | .6658   |         |
| .139 | -.0951    | -.0992 | -.1059 | -.1047 | .001     | .6658   |         |
| .168 | -.0985    | -.0957 | -.1077 | -.1040 | .2794999 | .9999   |         |
| .191 | -.0980    | -.0891 | -.1011 | -.1011 | .0116    | .6043   |         |
| .255 | -.0992    | -.1052 | -.0362 | .999   | .9999    | .7599   |         |
| .344 | -.1029    | -.0911 | -.0988 | .0220  | .2455    | .1.6046 |         |
| .392 | -.1138    | -.1138 | -.0184 | .999   | .9999    | .7585   |         |
| .667 | .999      | .9999  | -.1086 | .0190  | .999     | .7611   |         |
| .702 | -.1114    | -.0982 | -.0512 | .3012  | .5976    | .0354   |         |
| .724 | -.1108    | -.1120 | -.0958 | -.0149 | .2951    | .5833   |         |
| .744 | -.1144    | -.1150 | -.1271 | -.0149 | .4109    | .5942   |         |
| .755 | -.1149999 | .9999  | -.1314 | -.0117 | .2872    | .1.6015 | .1.7544 |

PAGE 171

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA28F1)

PAGE 172

MSFC TWT 603 (SA28F1) SRB - ALL PROTUBERANCES

(RI1065)

MACH ( 5 ) = 2.740 ALPHA ( 1 ) = 90.000

SECTION ( 1 )SRB DEPENDENT VARIABLE CP

THETA .00000 22.5000 45.0000 67.5000 90.000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .869   | -.1114 | -.1139 | .0113 | .999   | .9999  | .7587  |
|------|--------|--------|--------|-------|--------|--------|--------|
| .902 | .999   | .9999  | -.1174 | .0056 | .999   | .9999  | .7643  |
| .923 | -.1196 | -.1211 | -.0149 | .8943 | -.8943 | -.7795 | -.0112 |
| .945 | -.1185 | -.1205 | .0797  | .9158 | -.9158 | .7795  | -.0404 |
| .962 | -.0058 |        | -.0292 |       |        |        |        |

MACH ( 6 ) = 3.480 ALPHA ( 1 ) = 90.000 QIPSF1 = 6.8700 FO = 60.040 P = .01000 RN/L = 7.1000

SECTION ( 1 )SRB DEPENDENT VARIABLE CP

| X/L  | .027      | -.0272 | -.0379 | .0250  | .7835 | .4979 |        |
|------|-----------|--------|--------|--------|-------|-------|--------|
| .050 | -.0345    | -.0408 | .0318  | .8081  | .5069 | .5069 |        |
| .074 | -.0300    | -.0447 | .0195  | .8007  | .5746 | .5746 |        |
| .098 | -.0335    | -.0453 | .0514  | -.0492 | .5040 | .6618 |        |
| .111 | -.0379    | -.0453 | -.0458 | .0900  | .2827 | .8935 | .0589  |
| .139 | -.0403    | -.0442 | -.0569 | -.0470 | .1318 | .7918 | -.0470 |
| .168 | -.0425    | -.0476 | -.0520 | .0229  | .6330 | .6330 | .0483  |
| .191 | -.0441    | -.0363 | -.0459 | .0570  | .3054 | .9999 | .9999  |
| .255 | -.0438    | -.0340 | -.0520 | -.0459 | .3245 | .6416 | .9447  |
| .344 | -.0492    | -.0340 | -.0408 | .0813  | .3013 | .999  | .9999  |
| .392 |           |        |        | .0667  |       | .9999 | .9999  |
| .667 | .999      | .9999  | -.0599 | .0623  | .999  | .9999 | .0544  |
| .702 | -.0563    | -.0496 | -.0514 | .0928  | .3115 | .6491 | .0486  |
| .724 | -.0593    | -.0605 | -.0469 | .0367  | .3282 | .8063 | .999   |
| .744 | -.0638    | -.0633 | -.0695 | .0380  | .4423 | .6421 | .0611  |
| .755 | -.0639999 | .99999 | -.0695 | .0584  | .3175 | .8055 | .0775  |
| .869 | -.0616    |        | -.0644 | .0595  | .999  | .9999 | .7928  |
| .902 | .999      | .9999  | -.0644 | .0533  | .999  | .9999 | .8024  |
| .923 | -.0627    | -.0623 | -.0644 | .0374  | .9218 | .7935 | .0398  |
| .945 | -.0644    | -.0635 | -.0644 | .0173  | .9256 | .8009 | .0183  |
| .982 | .0313     |        |        |        |       |       |        |

DATE 07 MAR 77

TABULATED SOURCE DATA. MSFC THT 603 1SA28F1  
MSFC THT 603 1SA28F1 SRB - ALL PROTOURE RANC

Page 173

1971 PAGE 110 AUG 22 1980 1111001

## PARAMETRIC DATA

REF - 16-2500 SQ.FT. XMAP - 1044.0000 IN.  
REF - 146.0000 IN. YMAP - .0000 IN.  
REF - 145.0000 IN. ZMAP - .0000 IN.

SCALE = .0055 MACH = .601 ALPHA = 110.000 Q(PSS) = 3.5700 PO = 19.010 P = 14.100 RNL = 4.1000

SECTION 10 : 115AB DEPENDENT VARIABLE CP

00000000 22-398888 45 00000 67-28888 98 00000 112-50000 35-00000157-50001180 .00000223 .00000270 .00000313 .0000

卷之三

卷之三

卷之三

168 - .36330 - .3887 - .3775 - .3545  
169 - .36330 - .3887 - .3775 - .3545  
170 - .36330 - .3887 - .3775 - .3545  
171 - .36330 - .3887 - .3775 - .3545  
172 - .36330 - .3887 - .3775 - .3545  
173 - .36330 - .3887 - .3775 - .3545  
174 - .36330 - .3887 - .3775 - .3545  
175 - .36330 - .3887 - .3775 - .3545  
176 - .36330 - .3887 - .3775 - .3545  
177 - .36330 - .3887 - .3775 - .3545  
178 - .36330 - .3887 - .3775 - .3545  
179 - .36330 - .3887 - .3775 - .3545  
180 - .36330 - .3887 - .3775 - .3545  
181 - .36330 - .3887 - .3775 - .3545  
182 - .36330 - .3887 - .3775 - .3545  
183 - .36330 - .3887 - .3775 - .3545  
184 - .36330 - .3887 - .3775 - .3545  
185 - .36330 - .3887 - .3775 - .3545  
186 - .36330 - .3887 - .3775 - .3545  
187 - .36330 - .3887 - .3775 - .3545  
188 - .36330 - .3887 - .3775 - .3545  
189 - .36330 - .3887 - .3775 - .3545  
190 - .36330 - .3887 - .3775 - .3545  
191 - .36330 - .3887 - .3775 - .3545  
192 - .36330 - .3887 - .3775 - .3545  
193 - .36330 - .3887 - .3775 - .3545  
194 - .36330 - .3887 - .3775 - .3545  
195 - .36330 - .3887 - .3775 - .3545  
196 - .36330 - .3887 - .3775 - .3545  
197 - .36330 - .3887 - .3775 - .3545  
198 - .36330 - .3887 - .3775 - .3545  
199 - .36330 - .3887 - .3775 - .3545  
200 - .36330 - .3887 - .3775 - .3545

255 -4448  
256 -4446  
257 -5710  
258 -5525  
259 -5525  
260 -5525  
261 -5525  
262 -5525  
263 -5525  
264 -5525  
265 -5525  
266 -5525  
267 -5525  
268 -5525  
269 -5525  
270 -5525  
271 -5525  
272 -5525  
273 -5525  
274 -5525  
275 -5525  
276 -5525  
277 -5525  
278 -5525  
279 -5525  
280 -5525  
281 -5525  
282 -5525  
283 -5525  
284 -5525  
285 -5525  
286 -5525  
287 -5525  
288 -5525  
289 -5525  
290 -5525  
291 -5525  
292 -5525  
293 -5525  
294 -5525  
295 -5525  
296 -5525  
297 -5525  
298 -5525  
299 -5525  
300 -5525  
301 -5525  
302 -5525  
303 -5525  
304 -5525  
305 -5525  
306 -5525  
307 -5525  
308 -5525  
309 -5525  
310 -5525  
311 -5525  
312 -5525  
313 -5525  
314 -5525  
315 -5525  
316 -5525  
317 -5525  
318 -5525  
319 -5525  
320 -5525  
321 -5525  
322 -5525  
323 -5525  
324 -5525  
325 -5525  
326 -5525  
327 -5525  
328 -5525  
329 -5525  
330 -5525  
331 -5525  
332 -5525  
333 -5525  
334 -5525  
335 -5525  
336 -5525  
337 -5525  
338 -5525  
339 -5525  
340 -5525  
341 -5525  
342 -5525  
343 -5525  
344 -5525  
345 -5525  
346 -5525  
347 -5525  
348 -5525  
349 -5525  
350 -5525  
351 -5525  
352 -5525  
353 -5525  
354 -5525  
355 -5525  
356 -5525  
357 -5525  
358 -5525  
359 -5525  
360 -5525  
361 -5525  
362 -5525  
363 -5525  
364 -5525  
365 -5525  
366 -5525  
367 -5525  
368 -5525  
369 -5525  
370 -5525  
371 -5525  
372 -5525  
373 -5525  
374 -5525  
375 -5525  
376 -5525  
377 -5525  
378 -5525  
379 -5525  
380 -5525  
381 -5525  
382 -5525  
383 -5525  
384 -5525  
385 -5525  
386 -5525  
387 -5525  
388 -5525  
389 -5525  
390 -5525  
391 -5525  
392 -5525  
393 -5525  
394 -5525  
395 -5525  
396 -5525  
397 -5525  
398 -5525  
399 -5525  
400 -5525  
401 -5525  
402 -5525  
403 -5525  
404 -5525  
405 -5525  
406 -5525  
407 -5525  
408 -5525  
409 -5525  
410 -5525  
411 -5525  
412 -5525  
413 -5525  
414 -5525  
415 -5525  
416 -5525  
417 -5525  
418 -5525  
419 -5525  
420 -5525  
421 -5525  
422 -5525  
423 -5525  
424 -5525  
425 -5525  
426 -5525  
427 -5525  
428 -5525  
429 -5525  
430 -5525  
431 -5525  
432 -5525  
433 -5525  
434 -5525  
435 -5525  
436 -5525  
437 -5525  
438 -5525  
439 -5525  
440 -5525  
441 -5525  
442 -5525  
443 -5525  
444 -5525  
445 -5525  
446 -5525  
447 -5525  
448 -5525  
449 -5525  
450 -5525  
451 -5525  
452 -5525  
453 -5525  
454 -5525  
455 -5525  
456 -5525  
457 -5525  
458 -5525  
459 -5525  
460 -5525  
461 -5525  
462 -5525  
463 -5525  
464 -5525  
465 -5525  
466 -5525  
467 -5525  
468 -5525  
469 -5525  
470 -5525  
471 -5525  
472 -5525  
473 -5525  
474 -5525  
475 -5525  
476 -5525  
477 -5525  
478 -5525  
479 -5525  
480 -5525  
481 -5525  
482 -5525  
483 -5525  
484 -5525  
485 -5525  
486 -5525  
487 -5525  
488 -5525  
489 -5525  
490 -5525  
491 -5525  
492 -5525  
493 -5525  
494 -5525  
495 -5525  
496 -5525  
497 -5525  
498 -5525  
499 -5525  
500 -5525

卷之三

- 55.98 - 55.98 - 55.98 - 55.98 - 55.98

1.0000000000000000 - 7024.0000000000000

8268 -

MEAN: -0.0783  
SD: 0.0000

DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

PAGE 174

MSFC TWT 603 (SA28F) SRS - ALL PROTRUANCES

(R110871 1 22 ALO 75 )

## REFERENCE DATA

|       |          |        |      |             |     |
|-------|----------|--------|------|-------------|-----|
| SREF  | 116.2600 | SD.FT. | XHFP | - 1044.0000 | IN. |
| LREF  | 146.0000 | IN.    | YHFP | - .0000     | IN. |
| BREF  | 146.0000 | IN.    | ZHFP | - .0000     | IN. |
| SCALE | .0055    |        |      |             |     |

MACH ( 1 ) = .595 ALPHA ( 1 ) = 110.000 QIPSF = 7.10000 P0 = 37.970 P = 29.880 RN/L = 6.70000

## SECTION ( 1 )SRS

## DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000223.0000270.0000315.0000

| X/L | 0.27  | - .5344   | - .5504 | - .7954   | - .8427   | - .8469         |                                 |
|-----|---|---|---------|-----------|-----------|-----------------|---------------------------------|
|     | .050  | .5147   | .5115   | .5159     | .5192     | .5195           |                                 |
|     | .074  | - .5015   | - .5115 | - .7501   | - .7500   | .5195           |                                 |
|     | .098  | - .5956   | - .5349 | - .4554   | - .7537   | - .7533         |                                 |
|     | .111  | - .4463   | - .4628 | - .4534   | - .7569   | - .7563         | - .7526 - .4635                 |
|     | .139  | - .5010   | - .5019 | - .5186   | - .4862   | - .5168         | - .5094 - .5058                 |
|     | .168  | - .5237   | - .5227 | - .5092   | - .5176   | - .6363         | - .0211999.9999 - .5239 - .5461 |
|     | .191  | - .5312   | - .5356 | - .5199   | - .7226   | - .1067         | .6214 - .7644                   |
|     | .225  | - .5765   | - .5763 | - .5718   | - .8613   | .999.9999       | .9322 - .6781                   |
|     | .344  | - .5812   | - .5843 | - .5795   | - .9917   | - .1259         | - .6274 - .6274                 |
|     | .392  |   |         |           | - .8740   |                 |                                 |
|     | .667  | .999.9999   | - .7905 | - .7649   | - .10226  | .999.9999       | .9459 - .7676                   |
|     | .702  | .5849   | - .5818 | - .6546   | - .4688   | - .8792         | .9790 - .2349                   |
|     | .724  | - .6164   | - .6116 | - .5915   | - .9881   | - .2015         | .5942 - .8854                   |
|     | .744  | - .6199   | - .5823 | - .6051   | - .7063   | - .9315         | .7553 - .8258                   |
|     | .755  | - .6824999.9999   | - .6741 | - .6451   | - .8280   |                 | - .8511                         |
|     | .869  | .66710  | - .7232 | - .8885   | - .8885   | .999.9999       | .0081                           |
|     | .902  | .999.9999   | - .7718 | - .1.0850 | .999.9999 |                 | .0081                           |
|     | .923  | - .7880   | - .9270 | - .6903   | - .4071   |                 | .9704                           |
|     | .945  | - .7954   |         | - .1.5078 | - .1.401  |                 | .9717 - .8158                   |
|     | .992  | - .5883   |         |           |           |                 | - .7501                         |
|     |   |   |         |           |           |                 |                                 |
|     | MACH ( 2 ) = .907   | ALPHA ( 1 ) = 110.000 QIPSF = 7.43000 P0 = 22.010 P = 12.920 RN/L = 6.30000 <td></td> <td></td> <td></td> <td></td> <td></td> |         |           |           |                 |                                 |
|     | SECTION ( 1 )SRS  | DEPENDENT VARIABLE CP   |         |           |           |                 |                                 |
|     | THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000223.0000270.0000315.0000 |   |         |           |           |                 |                                 |
| X/L | .027  | - .3998   | - .3845 | - .3872   | - .4226   | .3126           |                                 |
|     | .050  | - .4100   | - .3879 | - .3798   | - .4008   | .3683           |                                 |
|     | .074  | - .3631   | - .3979 | - .5181   | - .4157   | .4497           |                                 |
|     | .098  | - .3495   | - .3505 | - .4916   | - .4616   | .5011           |                                 |
|     | .111  | - .3062   | - .3532 | - .3606   | - .4672   | - .9776         | - .5275 - .3771                 |
|     | .139  | - .3537   | - .3643 | - .3769   | - .3872   | - .5975         | - .3929 - .475999.9999          |
|     | .168  | - .3710   | - .3772 | - .3792   | - .3774   | - .6123999.9999 | .7512 - .4003                   |
|     | .191  | - .3814   | - .3919 | - .3920   | - .4114   | - .6600         | .9876 - .3929 - .4071           |
|     | .225  | - .4033   | - .4110 | - .4275   |           | .8011           | .0082 - .0396                   |

DATE 07 MAR 77

TABULATED SOURCE DATA - MFC THT 603 (SA28F)

PAGE 173

MFC THT 603 (SA28F) SRF - ALL PROBABILITIES

(R11037)

MACH ( 21 ) = .907

ALPHA ( 11 ) = 110.000

SECTION ( 11588 )

DEPENDENT VARIABLE CP

THTA

.0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000

MACH ( 3 ) = 1.199

ALPHA ( 11 ) = 110.000

DEPENDENT VARIABLE CP

THTA

.0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000

| X/L  | MACH ( 3 ) | ALPHA ( 11 ) | DEPF     | P0       | P            | R0/L      | PN/L    |
|------|------------|--------------|----------|----------|--------------|-----------|---------|
| .344 | - .4161    | - .428       | - .308   | - .3080  | - .7178      | .9559     | 1.0616  |
| .392 | - .5270    | - .5270      | - .6016  | 999.9999 |              | 1.0694    | - .4550 |
| .667 | 999.9999   |              | .6372    | - .6178  |              | 1.136     | - .4878 |
| .702 | - .5466    | - .592       | - .5518  | - .6372  | .9077        | 1.1273    | - .5276 |
| .724 | - .5579    | - .7484      | - .9372  | .7580    | 1.072        | .9999     | - .5531 |
| .744 | - .6178    | - .7449      | - .6412  | .9512    | 1.709        | 0         | - .5899 |
| .755 | - .5895    | - .6022      | - .7666  | .9202    |              | .9999     | - .6167 |
| .869 | .6895      | - .6996      | - .1006  | 999.9999 |              | 1.1543    | - .6416 |
| .902 | 999.9999   |              | - .735   | - .6958  |              | 1.2545    | - .6756 |
| .921 | .7276      | - .7281      | - .7281  | - .7998  | .1378        | - .9749   | - .7096 |
| .945 | .7463      | - .7599      | - .6842  | - .8864  | 1.429        | - .9763   | - .7350 |
| .982 | - .5545    |              | - 1.0495 |          | 1.2177       |           |         |
| X/L  | MACH ( 3 ) | ALPHA ( 11 ) | DEPF     | P0       | P            | R0/L      | PN/L    |
| .027 | - .4061    | - .4025      | - .3669  | - .4071  | .5919        |           |         |
| .050 | - .4284    | - .3950      | - .3669  | - .0012  | .6254        |           |         |
| .074 | - .4250    | - .4128      | - .4128  | .0123    | .7056        |           |         |
| .098 | - .3750    | - .3561      | - .5145  | .2120    | .7523        |           |         |
| .139 | - .5718    | - .3908      | - .3962  | .9165    | .56227       | .6239     |         |
| .169 | - .4170    | - .4278      | - .4230  | .56227   | .7792        | .1786     |         |
| .191 | - .4301    | - .4358      | - .4185  | .56883   | .2387        | .3397     |         |
| .255 | - .4445    | - .4319      | - .4455  | .4465    | .1130        | .3043     |         |
| .344 | - .4414    | - .4421      | - .4421  | .56884   | .2025        | .2200     |         |
| .352 |            |              |          | .56884   | .2025        | .2337     |         |
| .667 | 999.9999   |              | - .4177  | - .5731  | .999.9999    | .999.9999 |         |
| .702 | - .4259    | - .4129      | - .4301  | .5811    | - .1138      | 1.1156    |         |
| .724 | - .4406    | - .4469      | - .4515  | .5654    | .9197        | .5323     |         |
| .744 | - .4432    | - .4312      | - .4507  | .6003    | .1526        | .5706     |         |
| .755 | - .4473    | - .4307      | - .4507  | .5611    | .214999.9999 | .999.9999 |         |
| .774 | - .4494    | - .4328      | - .4532  | .56227   | .6239        | .7792     |         |
| .796 | - .4515    | - .4350      | - .4532  | .56227   | .7792        | .1786     |         |
| .818 | - .4535    | - .4370      | - .4532  | .56227   | .7792        | .1786     |         |
| .840 | - .4556    | - .4381      | - .4532  | .56227   | .7792        | .1786     |         |
| .862 | - .4577    | - .4392      | - .4532  | .56227   | .7792        | .1786     |         |
| .884 | - .4598    | - .4403      | - .4532  | .56227   | .7792        | .1786     |         |
| .906 | - .4619    | - .4414      | - .4532  | .56227   | .7792        | .1786     |         |
| .928 | - .4640    | - .4425      | - .4532  | .56227   | .7792        | .1786     |         |
| .950 | - .4661    | - .4436      | - .4532  | .56227   | .7792        | .1786     |         |
| .972 | - .4682    | - .4447      | - .4532  | .56227   | .7792        | .1786     |         |
| .994 | - .4703    | - .4458      | - .4532  | .56227   | .7792        | .1786     |         |
| .027 | - .4061    | - .4025      | - .3669  | - .0071  | .2887        |           |         |
| .050 | - .4284    | - .3950      | - .3669  | .0012    | .2910        |           |         |
| .074 | - .4250    | - .4128      | - .4128  | .0123    | .2956        |           |         |
| .098 | - .3750    | - .3561      | - .5145  | .2120    | .3297        |           |         |
| .139 | - .5718    | - .3908      | - .3962  | .9165    | .9194        |           |         |
| .169 | - .4170    | - .4278      | - .4230  | .56227   | .9194        |           |         |
| .191 | - .4301    | - .4358      | - .4185  | .56883   | .2387        | .3397     |         |
| .255 | - .4445    | - .4319      | - .4455  | .56884   | .2025        | .2200     |         |
| .344 | - .4414    | - .4421      | - .4421  | .56884   | .2025        | .2337     |         |
| .352 |            |              |          | .56884   | .2025        | .2337     |         |
| .667 | 999.9999   |              | - .4177  | - .5731  | .999.9999    | .999.9999 |         |
| .702 | - .4259    | - .4129      | - .4301  | .5811    | - .1138      | 1.1156    |         |
| .724 | - .4406    | - .4469      | - .4515  | .5654    | .9197        | .5323     |         |
| .744 | - .4432    | - .4312      | - .4507  | .6003    | .1526        | .5706     |         |
| .755 | - .4473    | - .4328      | - .4532  | .56227   | .6239        | .7792     |         |
| .774 | - .4494    | - .4350      | - .4532  | .56227   | .7792        | .1786     |         |
| .796 | - .4515    | - .4370      | - .4532  | .56227   | .7792        | .1786     |         |
| .818 | - .4535    | - .4381      | - .4532  | .56227   | .7792        | .1786     |         |
| .840 | - .4556    | - .4403      | - .4532  | .56227   | .7792        | .1786     |         |
| .862 | - .4577    | - .4414      | - .4532  | .56227   | .7792        | .1786     |         |
| .884 | - .4619    | - .4425      | - .4532  | .56227   | .7792        | .1786     |         |
| .906 | - .4640    | - .4436      | - .4532  | .56227   | .7792        | .1786     |         |
| .928 | - .4661    | - .4447      | - .4532  | .56227   | .7792        | .1786     |         |
| .950 | - .4682    | - .4458      | - .4532  | .56227   | .7792        | .1786     |         |
| .972 | - .4703    | - .4469      | - .4532  | .56227   | .7792        | .1786     |         |



DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

PAGE 177

MSFC TWT 603 (SA28F) SRF - ALL PROCUREANCES

(M110671)

MACH 1 (5) = 2.740 ALPHA (11) = 110.000

SECTION 1 11588 DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

X/L .869 -.1204 -.1216 .0099 999.9999 1.6112

.902 999.9999 -.1222 -.0960 999.9999 1.1350  
.923 -.1265 -.1168 .0003 .8400 1.609 -.0125  
.945 -.1216 -.1265 .0568 .7726 1.4425 -.0621  
.962 .1625 .0593 .0593 1.7524

MACH 1 (6) = 3.480 ALPHA (11) = 110.000 Q(PST) = 6.8600

SECTION 1 11588 DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

X/L .027 -.0269 -.0401 -.0379 3863 .8440

.050 -.0360 -.0418 -.0407 .3932 .8746  
.074 -.0291 -.0452 -.0429 .3639 .9163  
.098 -.0371 -.0486 -.0426 .1215 .8347  
.111 -.0423 -.0531 -.0514 .3055 .0613 1.1801 1.2759 .6300 .0009 -.0497  
.139 -.0435 -.0469 -.0512 .0323 .3267 .5071 1.4298 .8406 .0508999.9999  
.168 -.0486 -.0446 -.0497 .0512 .2618999.9999 1.4321 .5742 .8470 .0539 -.0519  
.191 -.0486 -.0406 -.0475 .2894 .2894 1.4328 .574 .5539 .0539  
.215 -.0514 -.0576 .0421 .0421 999.9999 .5809 .561 .0561  
.244 -.0559 -.0429 -.0451 .0522 .2869 1.4489 .5849 .0550 .0550  
.292 999.9999 -.0644 -.0432 999.9999 1.4489 .5837 .0528 .0528  
.667 999.9999 -.0484 -.0545 .0292 3299 1.5345 .6486 .6486  
.702 -.0610 -.0633 -.0495 .0015 .1616 .0229 .6859 .6859  
.724 -.0604 -.0610 -.0576 .0686 .2687 .6823 .8283 .8283  
.744 -.0616 -.0610 -.0655 .0437 .2558 .6823 .8283 .8283  
.755 -.0616999.9999 .0717 .0471 999.9999 .5420 .6879 .6879  
.869 -.0689 .0711 .0114 999.9999 1.850 .6352 .6352  
.902 999.9999 .0711 .0449 .8355 .6635 .0162 .0162  
.923 .0711 -.0694 .0751 .0748 .7156 .3745 .3745  
.945 -.0723 -.0751 .0934 .0934 .7601 .17601 .17601

## MSFC TWT 603 (SA28F) SRB - ALL PROTUBERANCES

(R11068) (22 AUG 75)

## REFERENCE DATA

| SREF  | 116.2500 SQ.FT. | XMRP | 1044.0000 IN. | RN-SCH | 2.000 | PHI | - 45.000 |
|-------|-----------------|------|---------------|--------|-------|-----|----------|
| LREF  | 146.0000 IN.    | YMRP | .0000 IN.     |        |       |     |          |
| BREF  | 146.0000 IN.    | ZMRP | .0000 IN.     |        |       |     |          |
| SCALE | .0055           |      |               |        |       |     |          |

MACH 1 1) = .602 ALPHA 1 1) = 130.100 QIPSF 1 = 7.5400 PO = 38.000 P = 29.750 RNL = 8.0000

## SECTION 1 11588 DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000225.0000270.0000315.0000

| X/L   |               |       |       |       |              |       |           |
|---|---------------|-------|-------|-------|--------------|-------|-----------|
| .027  | -1345         | -1425 | -1453 | -4551 | .0408        |       |           |
| .050  | -1652         | -1698 | -1559 | -4782 | .0540        |       |           |
| .074  | -1888         | -2031 | -2333 | -4973 | .074         |       |           |
| .098  | -2273         | -2333 | -2257 | -6700 | .0023        |       |           |
| .111  | -2579         | -2583 | -2499 | -3700 | -1.0209      | -3049 | -7346     |
| .139  | -2797         | -2717 | -2778 | -3758 | -7111        | -7735 | -3242     |
| .168  | -3013         | -3064 | -3118 | -4453 | -721999.9999 | -3712 | -3553     |
| .191  | -3222         | -3282 | -3326 | -4712 | -6821        | -3799 | -3395     |
| .255  | -3786         | -3771 | -3771 | -6567 | 999.9999     | 5906  | -7328     |
| .344  | -4357         | -4236 | -4178 | -7551 | -7298        | 6130  | -9339     |
| .392  | 999.9999      | -3578 | -5532 | -8417 | 999.9999     | 4145  | -6169     |
| .667  | 999.9999      | -5082 | -5532 | -2167 | -7911        | 6607  | -6804     |
| .702  | -4670         | -5869 | -5764 | -8586 | -1.1015      | -6932 | -1.374    |
| .724  | -5869         | -5559 | -5133 | -7375 | -8402        | -1915 | -1.357    |
| .744  | -3930         | -4659 | -5720 | -8353 | -9193        | -6233 | -999.9999 |
| .755  | -4873999.9999 | -4046 | -4046 | -3858 | 999.9999     | -8584 | -7528     |
| .869  | -5222         | -4838 | -7832 | -8012 | -999.9999    | -4705 | -6670     |
| .923  | 902.999.9999  | -7054 | -7054 | -6086 | -1907        | 6597  | -6666     |
| .945  | -5574         | -7174 | -7174 | -6086 | -1677        | -5033 | -1.0813   |
| .982  | -5435         | -3421 | -3421 | -8142 | -9194        | -9194 | -1.093    |
| MACH 1 2) = .908 ALPHA 1 1) = 130.100 QIPSF 1 = 7.4500 PO = 22.010 P = 12.900 RNL = 8.4000          |               |       |       |       |              |       |           |
| SECTION 1 11588 DEPENDENT VARIABLE CP   |               |       |       |       |              |       |           |
| THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000225.0000270.0000315.0000 |               |       |       |       |              |       |           |
| X/L   |               |       |       |       |              |       |           |
| .027  | -2687         | -2685 | -2778 | -4993 |              | -1148 |           |
| .050  | -2774         | -2927 | -3112 | -4507 |              | -0526 |           |
| .074  | -3010         | -3346 | -3484 | -3574 |              | -0117 |           |
| .098  | -3254         | -3673 | -4249 | -3907 |              | -0250 |           |
| .111  | -3425         | -3626 | -4278 | -4099 |              | -0244 |           |
| .139  | -3492         | -3696 | -3607 | -3910 |              | -4266 |           |
| .168  | -3749         | -3937 | -3878 | -3885 |              | -5644 |           |
| .191  | -3915         | -4111 | -4111 | -4152 |              | -5688 |           |
| .255  | -4356         | -4356 | -4560 | -4293 |              | -4975 |           |
|   |               |       |       | -4644 |              | -6370 |           |
|   |               |       |       | -4644 |              | -6630 |           |



DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC TWT 603 (SA28F1)

PAGE 180

MSFC TWT 603 (SA28F1) SRF - ALL PROBLENCES

MACH 1 (4) = 1.953 ALPHA (1) = 130.100 QIPSI = 11.010 PO = 30.000 P = 4.1200 RFL = 7.5000

SECTION 1 1158B

THE1A .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 160.0000 223.0000 270.0000 315.0000

SECTION 1 1158B DEPENDENT VARIABLE CP

| X/L   | .027          | -.2254        | -.2290   | -.2317   | -.0729        | -.2252   |
|-------|---------------|---------------|----------|----------|---------------|----------|
| .050  | -.2281        | -.2320        | -.2350   | -.2380   | -.0645        | -.2692   |
| .074  | -.2262        | -.2302        | -.2330   | -.2360   | -.1091        | -.3065   |
| .098  | -.2383        | -.2422        | -.2451   | -.2479   | -.2503        | -.2574   |
| .121  | -.2452        | -.2492        | -.2516   | -.2546   | -.2580        | -.2689   |
| .139  | -.2406        | -.2445        | -.2465   | -.2495   | -.2515        | -.2548   |
| .168  | -.2580        | -.2601        | -.2637   | -.2633   | -.2679        | -.2695   |
| .191  | -.2632        | -.2628        | -.2628   | -.2679   | -.1796        | -.1755   |
| .225  | -.2739        | -.2795        | -.2795   | -.2729   | -.1688        | -.9999   |
| .344  | -.2729        | -.2679        | -.2743   | -.2743   | -.1722        | -.9999   |
| .392  | -.2451        | -.2451        | -.1933   | -.1933   | -.9999        | -.9999   |
| .667  | 999.9999      | 999.9999      | 999.9999 | 999.9999 | 999.9999      | 999.9999 |
| .702  | -2489         | -2546         | -2580    | -2588    | -0126         | .9614    |
| .724  | -2615         | -2605         | -2598    | -2513    | -1824         | .9975    |
| .744  | -2272         | -2272         | -2579    | -1551    | -0186         | .9732    |
| .755  | -2303999.9999 | -2303999.9999 | -2633    | -1777    | -0017999.9999 | .9674    |
| .869  | -2500         | -2549         | -2551    | -2551    | -1235         | .9848    |
| .902  | 999.9999      | 999.9999      | 999.9999 | 999.9999 | 999.9999      | 999.9999 |
| .923  | -2655         | -2655         | -2627    | -2627    | -1650         | -1598    |
| .945  | -2619         | -2619         | -2630    | -2630    | -1084         | -6015    |
| .982  | .1617         | .1617         | .1617    | .1617    | .1390         | .5270    |
| 1.027 | -.2254        | -.2290        | -.2317   | -.0729   | -.1257        | -.2057   |
| 1.394 | -.2729        | -.2679        | -.2743   | -.2743   | -.1722        | -.1724   |
| 1.395 | -.2451        | -.2451        | -.1933   | -.1933   | -.9999        | -.1755   |
| 1.667 | 999.9999      | 999.9999      | 999.9999 | 999.9999 | 999.9999      | 999.9999 |
| 1.702 | -.2489        | -.2546        | -.2580   | -.2588   | -.0126        | .9665    |
| 1.724 | -.2615        | -.2605        | -.2598   | -.2513   | -1824         | .9975    |
| 1.744 | -.2272        | -.2272        | -.2579   | -1551    | -0186         | .9732    |
| 1.755 | -2303999.9999 | -2303999.9999 | -2633    | -1777    | -0017999.9999 | .9674    |
| 1.869 | -2500         | -2549         | -2551    | -2551    | -1235         | .9848    |
| 1.902 | 999.9999      | 999.9999      | 999.9999 | 999.9999 | 999.9999      | 999.9999 |
| 1.923 | -2655         | -2655         | -2627    | -2627    | -1650         | -1598    |
| 1.945 | -2619         | -2619         | -2630    | -2630    | -1084         | -6015    |
| 1.982 | .1617         | .1617         | .1617    | .1617    | .1390         | .5270    |
| 2.027 | -.2254        | -.2290        | -.2317   | -.0729   | -.1257        | -.2057   |
| 2.392 | -.2451        | -.2451        | -.1933   | -.1933   | -.9999        | -.1755   |
| 2.667 | 999.9999      | 999.9999      | 999.9999 | 999.9999 | 999.9999      | 999.9999 |
| 2.702 | -.2489        | -.2546        | -.2580   | -.2588   | -.0126        | .9665    |
| 2.724 | -.2615        | -.2605        | -.2598   | -.2513   | -1824         | .9975    |
| 2.744 | -.2272        | -.2272        | -.2579   | -1551    | -0186         | .9732    |
| 2.755 | -2303999.9999 | -2303999.9999 | -2633    | -1777    | -0017999.9999 | .9674    |
| 2.869 | -2500         | -2549         | -2551    | -2551    | -1235         | .9848    |
| 2.902 | 999.9999      | 999.9999      | 999.9999 | 999.9999 | 999.9999      | 999.9999 |
| 2.923 | -2655         | -2655         | -2627    | -2627    | -1650         | -1598    |
| 2.945 | -2619         | -2619         | -2630    | -2630    | -1084         | -6015    |
| 2.982 | .1617         | .1617         | .1617    | .1617    | .1390         | .5270    |
| 3.027 | -.2254        | -.2290        | -.2317   | -.0729   | -.1257        | -.2057   |
| 3.392 | -.2451        | -.2451        | -.1933   | -.1933   | -.9999        | -.1755   |
| 3.667 | 999.9999      | 999.9999      | 999.9999 | 999.9999 | 999.9999      | 999.9999 |
| 3.702 | -.2489        | -.2546        | -.2580   | -.2588   | -.0126        | .9665    |
| 3.724 | -.2615        | -.2605        | -.2598   | -.2513   | -1824         | .9975    |
| 3.744 | -.2272        | -.2272        | -.2579   | -1551    | -0186         | .9732    |
| 3.755 | -2303999.9999 | -2303999.9999 | -2633    | -1777    | -0017999.9999 | .9674    |
| 3.869 | -2500         | -2549         | -2551    | -2551    | -1235         | .9848    |
| 3.902 | 999.9999      | 999.9999      | 999.9999 | 999.9999 | 999.9999      | 999.9999 |
| 3.923 | -2655         | -2655         | -2627    | -2627    | -1650         | -1598    |
| 3.945 | -2619         | -2619         | -2630    | -2630    | -1084         | -6015    |
| 3.982 | .1617         | .1617         | .1617    | .1617    | .1390         | .5270    |
| 4.027 | -.2254        | -.2290        | -.2317   | -.0729   | -.1257        | -.2057   |
| 4.392 | -.2451        | -.2451        | -.1933   | -.1933   | -.9999        | -.1755   |
| 4.667 | 999.9999      | 999.9999      | 999.9999 | 999.9999 | 999.9999      | 999.9999 |
| 4.702 | -.2489        | -.2546        | -.2580   | -.2588   | -.0126        | .9665    |
| 4.724 | -.2615        | -.2605        | -.2598   | -.2513   | -1824         | .9975    |
| 4.744 | -.2272        | -.2272        | -.2579   | -1551    | -0186         | .9732    |
| 4.755 | -2303999.9999 | -2303999.9999 | -2633    | -1777    | -0017999.9999 | .9674    |
| 4.869 | -2500         | -2549         | -2551    | -2551    | -1235         | .9848    |
| 4.902 | 999.9999      | 999.9999      | 999.9999 | 999.9999 | 999.9999      | 999.9999 |
| 4.923 | -2655         | -2655         | -2627    | -2627    | -1650         | -1598    |
| 4.945 | -2619         | -2619         | -2630    | -2630    | -1084         | -6015    |
| 4.982 | .1617         | .1617         | .1617    | .1617    | .1390         | .5270    |
| 5.027 | -.2254        | -.2290        | -.2317   | -.0729   | -.1257        | -.2057   |
| 5.392 | -.2451        | -.2451        | -.1933   | -.1933   | -.9999        | -.1755   |
| 5.667 | 999.9999      | 999.9999      | 999.9999 | 999.9999 | 999.9999      | 999.9999 |
| 5.702 | -.2489        | -.2546        | -.2580   | -.2588   | -.0126        | .9665    |
| 5.724 | -.2615        | -.2605        | -.2598   | -.2513   | -1824         | .9975    |
| 5.744 | -.2272        | -.2272        | -.2579   | -1551    | -0186         | .9732    |
| 5.755 | -2303999.9999 | -2303999.9999 | -2633    | -1777    | -0017999.9999 | .9674    |
| 5.869 | -2500         | -2549         | -2551    | -2551    | -1235         | .9848    |
| 5.902 | 999.9999      | 999.9999      | 999.9999 | 999.9999 | 999.9999      | 999.9999 |
| 5.923 | -2655         | -2655         | -2627    | -2627    | -1650         | -1598    |
| 5.945 | -2619         | -2619         | -2630    | -2630    | -1084         | -6015    |
| 5.982 | .1617         | .1617         | .1617    | .1617    | .1390         | .5270    |
| 6.027 | -.2254        | -.2290        | -.2317   | -.0729   | -.1257        | -.2057   |
| 6.392 | -.2451        | -.2451        | -.1933   | -.1933   | -.9999        | -.1755   |
| 6.667 | 999.9999      | 999.9999      | 999.9999 | 999.9999 | 999.9999      | 999.9999 |
| 6.702 | -.2489        | -.2546        | -.2580   | -.2588   | -.0126        | .9665    |
| 6.724 | -.2615        | -.2605        | -.2598   | -.2513   | -1824         | .9975    |
| 6.744 | -.2272        | -.2272        | -.2579   | -1551    | -0186         | .9732    |
| 6.755 | -2303999.9999 | -2303999.9999 | -2633    | -1777    | -0017999.9999 | .9674    |
| 6.869 | -2500         | -2549         | -2551    | -2551    | -1235         | .9848    |
| 6.902 | 999.9999      | 999.9999      | 999.9999 | 999.9999 | 999.9999      | 999.9999 |
| 6.923 | -2655         | -2655         | -2627    | -2627    | -1650         | -1598    |
| 6.945 | -2619         | -2619         | -2630    | -2630    | -1084         | -6015    |
| 6.982 | .1617         | .1617         | .1617    | .1617    | .1390         | .5270    |
| 7.027 | -.2254        | -.2290        | -.2317   | -.0729   | -.1257        | -.2057   |
| 7.392 | -.2451        | -.2451        | -.1933   | -.1933   | -.9999        | -.1755   |
| 7.667 | 999.9999      | 999.9999      | 999.9999 | 999.9999 | 999.9999      | 999.9999 |
| 7.702 | -.2489        | -.2546        | -.2580   | -.2588   | -.0126        | .9665    |
| 7.724 | -.2615        | -.2605        | -.2598   | -.2513   | -1824         | .9975    |
| 7.744 | -.2272        | -.2272        | -.2579   | -1551    | -0186         | .9732    |
| 7.755 | -2303999.9999 | -2303999.9999 | -2633    | -1777    | -0017999.9999 | .9674    |
| 7.869 | -2500         | -2549         | -2551    | -2551    | -1235         | .9848    |
| 7.902 | 999.9999      | 999.9999      | 999.9999 | 999.9999 | 999.9999      | 999.9999 |
| 7.923 | -2655         | -2655         | -2627    | -2627    | -1650         | -1598    |
| 7.945 | -2619         | -2619         | -2630    | -2630    | -1084         | -6015    |
| 7.982 | .1617         | .1617         | .1617    | .1617    | .1390         | .5270    |
| 8.027 | -.2254        | -.2290        | -.2317   | -.0729   | -.1257        | -.2057   |
| 8.392 | -.2451        | -.2451        | -.1933   | -.1933   | -.9999        | -.1755   |
| 8.667 | 999.9999      | 999.9999      | 999.9999 | 999.9999 | 999.9999      | 999.9999 |
| 8.702 | -.2489        | -.2546        | -.2580   | -.2588   | -.0126        | .9665    |
| 8.724 | -.2615        | -.2605        | -.2598   | -.2513   | -1824         | .9975    |
| 8.744 | -.2272        | -.2272        | -.2579   | -1551    | -0186         | .9732    |
| 8.755 | -2303999.9999 | -2303999.9999 | -2633    | -1777    | -0017999.9999 | .9674    |
| 8.869 | -2500         | -2549         | -2551    | -2551    | -1235         | .9848    |
| 8.902 | 999.9999      | 999.9999      | 999.9999 | 999.9999 | 999.9999      | 999.9999 |
| 8.923 | -2655         | -2655         | -2627    | -2627    | -1650         | -1598    |
| 8.945 | -2619         | -2619         | -2630    | -2630    | -1084         | -6015    |
| 8.982 | .1617         | .1617         | .1617    | .1617    | .1390         | .5270    |
| 9.027 | -.2254        | -.2290        | -.2317   | -.0729   | -.1257        | -.2057   |
| 9.392 | -.2451        | -.2451        | -.1933   | -.1933   | -.9999        | -.1755   |
| 9.667 | 999.9999      | 999.9999      | 999.9999 | 999.9999 | 999.9999      | 999.9999 |
| 9.702 | -.2489        | -.2546        | -.2580   | -.2588   | -.0126        | .9665    |
| 9.724 | -.2615        | -.2605        | -.2598   | -.2513   | -1824         | .9975    |
| 9.744 | -.2272        | -.2272        | -.2579   | -1551    | -0186         | .9732    |
| 9.755 | -2303999.9999 | -2303999.9999 | -2633    | -1777    | -0017999.9999 | .9674    |
| 9.869 | -2500         | -2549         | -2551    | -2551    | -1235         | .9848    |
| 9.902 | 999.9999      | 999.9999      | 999.9999 | 999.9999 | 999.9999      | 999.9999 |
| 9.923 | -2655         | -2655         | -2627    | -2627    | -1650         | -1598    |
| 9.945 | -2619         | -2619         | -2630    | -2630    | -1084         | -6015    |
| 9.982 | .1617         | .1617         | .1617    | .1617    | .1390         | .5270    |

## SECTION 1 1158B DEPENDENT VARIABLE CP

THE1A .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 160.0000 223.0000 270.0000 315.0000

## SECTION 1 1158B DEPENDENT VARIABLE CP

THE1A .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 160.0000 223.0000 270.0000 315.0000

SECTION 1 1158B DEPENDENT VARIABLE CP

THE1A .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 160.0000 223.0000 270.0000 315.0000

## SECTION 1 1158B DEPENDENT VARIABLE CP

THE1A .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 160.0000 223.0000 270.0000 315.0000

## SECTION 1 1158B DEPENDENT VARIABLE CP

THE1A .0000 22.5000 45.0000 67.5000 90.0000 11

DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC INT 603 (SA22F)

PAGE 181

MSFC INT 603 (SA22F) SAB - ALL PROTRUSANCES

(R110681)

SECTION 1 115RB DEPENDENT VARIABLE CP

THEIA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | MACH 1 (5) = 2.740 | ALPHA (1) = 130.100 | DEPENDENT VARIABLE CP |
|------|--------------------|---------------------|-----------------------|
| .869 | -1296              | -1319               | -0.069                |
| .902 | 999.9999           | -1307               | -1126                 |
| .923 | -1301              | -130                | -0.07                 |
| .945 | -1271              | -1368               | -0.105                |
| .962 | 2982               | -                   | -1862                 |

MACH 1 (6) = 3.480 ALPHA (1) = 130.100 Q(PSF) = 6.8600 PO = 60.010 P = 81000 RN/L = 7.1000

SECTION 1 115RB DEPENDENT VARIABLE CP

| X/L  | MACH 1 (5) = 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 | DEPENDENT VARIABLE CP |
|------|--|-----------------------|
| .027 | -0.0305  | -0.0441               |
| .050 | -0.0407  | -0.0475               |
| .074 | -0.0339  | -0.0531               |
| .098 | -0.0407  | -0.0554               |
| .111 | -0.0453  | -0.0546               |
| .139 | -0.0480  | -0.0531               |
| .168 | -0.0521  | -0.0486               |
| .191 | -0.0565  | -0.0446               |
| .255 | -0.0581  | -0.0678               |
| .344 | -0.0627  | -0.0441               |
| .392 | -  | -0.063                |
| .667 | 999.9999   | -0.0700               |
| .702 | -0.0577  | -0.0480               |
| .724 | -0.0594  | -0.0705               |
| .744 | -0.0561  | -0.0632               |
| .755 | -0.0561  | 999.9999              |
| .869 | -0.0745  | -0.0762               |
| .902 | 999.9999   | -0.0751               |
| .923 | -0.0740  | -0.0745               |
| .945 | -0.0711  | -0.0773               |
| .962 | 3199   | -1807                 |

DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC TWT 603 (SA2EF)

PAGE 182

MSFC TWT 603 (SA2EF) SRB - ALL PROTRUANCES

## REFERENCE DATA

|       |          |        |      |           |     |
|-------|----------|--------|------|-----------|-----|
| STRT  | 116.2600 | SQ.FT. | XMRF | 1044.0000 | IN. |
| LHDF  | 146.0000 | IN.    | YMRP | .0000     | IN. |
| CHDF  | 146.0000 | IN.    | ZMRP | .0000     | IN. |
| SCALE | .0055    |        |      |           |     |

MACH 1 11 .602 ALPHA 1 11 .149.000 QIPSF1 = 7.5500 PO = 38.020 P = 29.750 RN/L = 8.8000

## SECTION 1 11SRB

THE1A .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

## DEPENDENT VARIABLE CP

| X/L | 0.027          | .0083                               | .0096       | .0139      | .0800         | .0128          |
|-----|----------------|-------------------------------------|-------------|------------|---------------|----------------|
|     | .050           | -.040                               | -.0322      | -.076      | -.1622        | -.0543         |
|     | .074           | -.0896                              | -.0875      | -.091      | -.2515        | -.1243         |
|     | .098           | -.2036                              | -.1569      | -.1937     | -.5206        | -.2956         |
|     | 1.11           | -.3520                              | -.3191      | -.2552     | -.7075        | -.3477         |
|     | 1.39           | -.2055                              | -.2323      | -.2241     | -.4214        | -.5262         |
|     | 1.68           | -.2105                              | -.2384      | -.2299     | -.4343        | -.4144999.9999 |
|     | 1.91           | -.2138                              | -.2425      | -.2252     | -.4492        | -.2787         |
|     | 2.55           | -.2317                              | -.2489      | -.2969     | -.4940        | -.2411         |
|     | 3.94           | -.2709                              | -.2744      | -.2969     | -.5283        | -.4272         |
|     | 3.92           | -.3035                              | -.3724      | -.3923     | -.4667        | -.3870         |
|     | 7.02           | -.4847                              | -.4244      | -.4771     | -.6037        | -.4384         |
|     | 7.44           | -.0826                              | -.1780      | -.2437     | -.3941        | -.5704         |
|     | 7.55           | -.1911999.9999                      | -.5732      | -.5917     | -.4153        | -.5306         |
|     | 8.69           | -.3769                              | -.4332      | -.6392     | -.999.9999    | -.6690         |
|     | 9.23           | -.3655                              | -.4490      | -.6548     | -.3704        | -.6551         |
|     | 9.45           | -.3517                              | -.5452      | -.5776     | -.7958        | -.7556         |
|     | 9.82           | -.1245                              |             | -.6191     |               | -.5327         |
|     |                |                                     |             |            |               |                |
|     | MACH 1 21 .899 | ALPHA 1 11 .149.000 QIPSF1 = 7.3700 | PO = 22.020 | P = 13.030 | RN/L = 6.4000 |                |

## SECTION 1 11SRB

| X/L | 0.027          | -.0312                              | -.0261      | -.0164     | -.0431        | -.0061         |
|-----|----------------|-------------------------------------|-------------|------------|---------------|----------------|
|     | .050           | -.1205                              | -.1223      | -.162      | -.1706        | -.0937         |
|     | .074           | -.2034                              | -.2356      | -.386      | -.381         | -.2147         |
|     | .098           | -.3161                              | -.3021      | -.4652     | -.5023        | -.7657         |
|     | 1.11           | -.4352                              | -.4418      | -.405      | -.5251        | -.4057         |
|     | 1.39           | -.2686                              | -.3047      | -.3049     | -.5056        | -.4825         |
|     | 1.68           | -.262                               | -.2816      | -.2854     | -.4210        | -.5899999.9999 |
|     | 1.91           | -.2587                              | -.2655      | -.2727     | -.4278        | -.4139         |
|     | 2.55           | -.2709                              | -.2993      | -.2993     | -.5149        | -.4120         |
|     |                |                                     |             |            |               |                |
|     | MACH 1 21 .899 | ALPHA 1 11 .149.000 QIPSF1 = 7.3700 | PO = 22.020 | P = 13.030 | RN/L = 6.4000 |                |

## SECTION 1 11SRB

| X/L | 0.027          | -.0312                              | -.0261      | -.0164     | -.0431        | -.0061         |
|-----|----------------|-------------------------------------|-------------|------------|---------------|----------------|
|     | .050           | -.1205                              | -.1223      | -.162      | -.1706        | -.0937         |
|     | .074           | -.2034                              | -.2356      | -.386      | -.381         | -.2147         |
|     | .098           | -.3161                              | -.3021      | -.4652     | -.5023        | -.7657         |
|     | 1.11           | -.4352                              | -.4418      | -.405      | -.5251        | -.4057         |
|     | 1.39           | -.2686                              | -.3047      | -.3049     | -.5056        | -.4825         |
|     | 1.68           | -.262                               | -.2816      | -.2854     | -.4210        | -.5899999.9999 |
|     | 1.91           | -.2587                              | -.2655      | -.2727     | -.4278        | -.4139         |
|     | 2.55           | -.2709                              | -.2993      | -.2993     | -.5149        | -.4120         |
|     |                |                                     |             |            |               |                |
|     | MACH 1 21 .899 | ALPHA 1 11 .149.000 QIPSF1 = 7.3700 | PO = 22.020 | P = 13.030 | RN/L = 6.4000 |                |

| X/L | 0.027          | -.0312                              | -.0261      | -.0164     | -.0431        | -.0061         |
|-----|----------------|-------------------------------------|-------------|------------|---------------|----------------|
|     | .050           | -.1205                              | -.1223      | -.162      | -.1706        | -.0937         |
|     | .074           | -.2034                              | -.2356      | -.386      | -.381         | -.2147         |
|     | .098           | -.3161                              | -.3021      | -.4652     | -.5023        | -.7657         |
|     | 1.11           | -.4352                              | -.4418      | -.405      | -.5251        | -.4057         |
|     | 1.39           | -.2686                              | -.3047      | -.3049     | -.5056        | -.4825         |
|     | 1.68           | -.262                               | -.2816      | -.2854     | -.4210        | -.5899999.9999 |
|     | 1.91           | -.2587                              | -.2655      | -.2727     | -.4278        | -.4139         |
|     | 2.55           | -.2709                              | -.2993      | -.2993     | -.5149        | -.4120         |
|     |                |                                     |             |            |               |                |
|     | MACH 1 21 .899 | ALPHA 1 11 .149.000 QIPSF1 = 7.3700 | PO = 22.020 | P = 13.030 | RN/L = 6.4000 |                |

| X/L | 0.027          | -.0312                              | -.0261      | -.0164     | -.0431        | -.0061         |
|-----|----------------|-------------------------------------|-------------|------------|---------------|----------------|
|     | .050           | -.1205                              | -.1223      | -.162      | -.1706        | -.0937         |
|     | .074           | -.2034                              | -.2356      | -.386      | -.381         | -.2147         |
|     | .098           | -.3161                              | -.3021      | -.4652     | -.5023        | -.7657         |
|     | 1.11           | -.4352                              | -.4418      | -.405      | -.5251        | -.4057         |
|     | 1.39           | -.2686                              | -.3047      | -.3049     | -.5056        | -.4825         |
|     | 1.68           | -.262                               | -.2816      | -.2854     | -.4210        | -.5899999.9999 |
|     | 1.91           | -.2587                              | -.2655      | -.2727     | -.4278        | -.4139         |
|     | 2.55           | -.2709                              | -.2993      | -.2993     | -.5149        | -.4120         |
|     |                |                                     |             |            |               |                |
|     | MACH 1 21 .899 | ALPHA 1 11 .149.000 QIPSF1 = 7.3700 | PO = 22.020 | P = 13.030 | RN/L = 6.4000 |                |

| X/L | 0.027          | -.0312                              | -.0261      | -.0164     | -.0431        | -.0061         |
|-----|----------------|-------------------------------------|-------------|------------|---------------|----------------|
|     | .050           | -.1205                              | -.1223      | -.162      | -.1706        | -.0937         |
|     | .074           | -.2034                              | -.2356      | -.386      | -.381         | -.2147         |
|     | .098           | -.3161                              | -.3021      | -.4652     | -.5023        | -.7657         |
|     | 1.11           | -.4352                              | -.4418      | -.405      | -.5251        | -.4057         |
|     | 1.39           | -.2686                              | -.3047      | -.3049     | -.5056        | -.4825         |
|     | 1.68           | -.262                               | -.2816      | -.2854     | -.4210        | -.5899999.9999 |
|     | 1.91           | -.2587                              | -.2655      | -.2727     | -.4278        | -.4139         |
|     | 2.55           | -.2709                              | -.2993      | -.2993     | -.5149        | -.4120         |
|     |                |                                     |             |            |               |                |
|     | MACH 1 21 .899 | ALPHA 1 11 .149.000 QIPSF1 = 7.3700 | PO = 22.020 | P = 13.030 | RN/L = 6.4000 |                |

| X/L | 0.027          | -.0312                              | -.0261      | -.0164     | -.0431        | -.0061         |
|-----|----------------|-------------------------------------|-------------|------------|---------------|----------------|
|     | .050           | -.1205                              | -.1223      | -.162      | -.1706        | -.0937         |
|     | .074           | -.2034                              | -.2356      | -.386      | -.381         | -.2147         |
|     | .098           | -.3161                              | -.3021      | -.4652     | -.5023        | -.7657         |
|     | 1.11           | -.4352                              | -.4418      | -.405      | -.5251        | -.4057         |
|     | 1.39           | -.2686                              | -.3047      | -.3049     | -.5056        | -.4825         |
|     | 1.68           | -.262                               | -.2816      | -.2854     | -.4210        | -.5899999.9999 |
|     | 1.91           | -.2587                              | -.2655      | -.2727     | -.4278        | -.4139         |
|     | 2.55           | -.2709                              | -.2993      | -.2993     | -.5149        | -.4120         |
|     |                |                                     |             |            |               |                |
|     | MACH 1 21 .899 | ALPHA 1 11 .149.000 QIPSF1 = 7.3700 | PO = 22.020 | P = 13.030 | RN/L = 6.4000 |                |

| X/L | 0.027          | -.0312                              | -.0261      | -.0164     | -.0431        | -.0061         |
|-----|----------------|-------------------------------------|-------------|------------|---------------|----------------|
|     | .050           | -.1205                              | -.1223      | -.162      | -.1706        | -.0937         |
|     | .074           | -.2034                              | -.2356      | -.386      | -.381         | -.2147         |
|     | .098           | -.3161                              | -.3021      | -.4652     | -.5023        | -.7657         |
|     | 1.11           | -.4352                              | -.4418      | -.405      | -.5251        | -.4057         |
|     | 1.39           | -.2686                              | -.3047      | -.3049     | -.5056        | -.4825         |
|     | 1.68           | -.262                               | -.2816      | -.2854     | -.4210        | -.5899999.9999 |
|     | 1.91           | -.2587                              | -.2655      | -.2727     | -.4278        | -.4139         |
|     | 2.55           | -.2709                              | -.2993      | -.2993     | -.5149        | -.4120         |
|     |                |                                     |             |            |               |                |
|     | MACH 1 21 .899 | ALPHA 1 11 .149.000 QIPSF1 = 7.3700 | PO = 22.020 | P = 13.030 | RN/L = 6.4000 |                |

| X/L | 0.027          | -.0312                              | -.0261      | -.0164     | -.0431        | -.0061         |
|-----|----------------|-------------------------------------|-------------|------------|---------------|----------------|
|     | .050           | -.1205                              | -.1223      | -.162      | -.1706        | -.0937         |
|     | .074           | -.2034                              | -.2356      | -.386      | -.381         | -.2147         |
|     | .098           | -.3161                              | -.3021      | -.4652     | -.5023        | -.7657         |
|     | 1.11           | -.4352                              | -.4418      | -.405      | -.5251        | -.4057         |
|     | 1.39           | -.2686                              | -.3047      | -.3049     | -.5056        | -.4825         |
|     | 1.68           | -.262                               | -.2816      | -.2854     | -.4210        | -.5899999.9999 |
|     | 1.91           | -.2587                              | -.2655      | -.2727     | -.4278        | -.4139         |
|     | 2.55           | -.2709                              | -.2993      | -.2993     | -.5149        | -.4120         |
|     |                |                                     |             |            |               |                |
|     | MACH 1 21 .899 | ALPHA 1 11 .149.000 QIPSF1 = 7.3700 | PO = 22.020 | P = 13.030 | RN/L = 6.4000 |                |

| X/L | 0.027          | -.0312                              | -.0261      | -.0164     | -.0431        | -.0061         |
|-----|----------------|-------------------------------------|-------------|------------|---------------|----------------|
|     | .050           | -.1205                              | -.1223      | -.162      | -.1706        | -.0937         |
|     | .074           | -.2034                              | -.2356      | -.386      | -.381         | -.2147         |
|     | .098           | -.3161                              | -.3021      | -.4652     | -.5023        | -.7657         |
|     | 1.11           | -.4352                              | -.4418      | -.405      | -.5251        | -.4057         |
|     | 1.39           | -.2686                              | -.3047      | -.3049     | -.5056        | -.4825         |
|     | 1.68           | -.262                               | -.2816      | -.2854     | -.4210        | -.5899999.9999 |
|     | 1.91           | -.2587                              | -.2655      | -.2727     | -.4278        | -.4139         |
|     | 2.55           | -.2709                              | -.2993      | -.2993     | -.5149        | -.4120         |
|     |                |                                     |             |            |               |                |
|     | MACH 1 21 .899 | ALPHA 1 11 .149.000 QIPSF1 = 7.3700 | PO = 22.020 | P = 13.030 | RN/L = 6.4000 |                |

| X/L | 0.027          | -.0312                              | -.0261      | -.0164     | -.0431        | -.0061         |
|-----|----------------|-------------------------------------|-------------|------------|---------------|----------------|
|     | .050           | -.1205                              | -.1223      | -.162      | -.1706        | -.0937         |
|     | .074           | -.2034                              | -.2356      | -.386      | -.381         | -.2147         |
|     | .098           | -.3161                              | -.3021      | -.4652     | -.5023        | -.7657         |
|     | 1.11           | -.4352                              | -.4418      | -.405      | -.5251        | -.4057         |
|     | 1.39           | -.2686                              | -.3047      | -.3049     | -.5056        | -.4825         |
|     | 1.68           | -.262                               | -.2816      | -.2854     | -.4210        | -.5899999.9999 |
|     | 1.91           | -.2587                              | -.2655      | -.2727     | -.4278        | -.4139         |
|     | 2.55           | -.2709                              | -.2993      | -.2993     | -.5149        | -.4120         |
|     |                |                                     |             |            |               |                |
|     | MACH 1 21 .899 | ALPHA 1 11 .149.000 QIPSF1 = 7.3700 | PO = 22.020 | P = 13.030 | RN/L = 6.4000 |                |

| X/L | 0.027          | -.0312                              | -.0261      | -.0164     | -.0431        | -.0061         |
|-----|----------------|-------------------------------------|-------------|------------|---------------|----------------|
|     | .050           | -.1205                              | -.1223      | -.162      | -.1706        | -.0937         |
|     | .074           | -.2034                              | -.2356      | -.386      | -.381         | -.2147         |
|     | .098           | -.3161                              | -.3021      | -.4652     | -.5023        | -.7657         |
|     | 1.11           | -.4352                              | -.4418      | -.405      | -.5251        | -.4057         |
|     | 1.39           | -.2686                              | -.3047      | -.3049     | -.5056        | -.4825         |
|     | 1.68           | -.262                               | -.2816      | -.2854     | -.4210        | -.5899999.9999 |
|     | 1.91           | -.2587                              | -.2655      | -.2727     | -.4278        | -.4139         |
|     | 2.55           | -.2709                              | -.2993      | -.2993     | -.5149        | -.4120         |
|     |                |                                     |             |            |               |                |
|     | MACH 1 21 .899 | ALPHA 1 11 .149.000 QIPSF1 = 7.3700 | PO = 22.020 | P = 13.030 | RN/L = 6.4000 |                |

| X/L | 0.027 | -.0312 | -.0261 | -.0164 | -.0431 | -.0061         |
|-----|-------|--------|--------|--------|--------|----------------|
|     | .050  | -.1205 | -.1223 | -.162  | -.1706 | -.0937         |
|     | .074  | -.2034 | -.2356 | -.386  | -.381  | -.2147         |
|     | .098  | -.3161 | -.3021 | -.4652 | -.5023 | -.7657         |
|     | 1.11  | -.4352 | -.4418 | -.405  | -.5251 | -.4057         |
|     | 1.39  | -.2686 | -.3047 | -.3049 | -.5056 | -.4825         |
|     | 1.68  | -.262  | -.2816 | -.2854 | -.4210 | -.5899999.9999 |
|     | 1.91  | -.2587 | -.2655 | -.2727 | -.4278 | -.4139         |
|     | 2.55  | -.2709 | -.2993 | -.2993 |        |                |

DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC TWT 603 (SA285)

MSFC TWT 603 (SA285) SRR - ALL PROTUBERANCES

PAGE 103

1R110691

SECTION I 11SRB

THE 1A

.0000 22.5000 45.0000 67.5000 90.0000112.5000155.0000157.5000180.0000225.0000270.0000315.0000

DEPENDENT VARIABLE CP

| X/L             | -3100   | -3107    | -3573   | -5958  | -3608  | -1822  | 2608   | -6495                    |
|-----------------|---|----------|---------|--------|--------|--------|--------|--------------------------|
| .392            | .999  | .9999    | -.2645  | -.4654 | -.6631 | .999   | .9999  | .2705                    |
| .667            | .999  | .9999    | -.4014  | -.4370 | -.5463 | .4771  | .5646  | .2936                    |
| .702            | -.3609  | -.4712   | -.4603  | -.5381 | -.5898 | -.5179 | -.4970 | -.8139                   |
| .724            | -.5137  | -.4712   | -.4610  | -.5422 | -.2818 | .6678  | .7792  | -.6099                   |
| .744            | -.0945  | -.1930   | -.2410  | -.3422 | -.4247 | .3750  | .4826  | .999                     |
| .755            | -.1984999   | .9999    | -.4886  | -.3166 | -.6829 | .999   | .9999  | -.5699                   |
| .869            | .999  | .9999    | -.4212  | -.4928 | -.6829 | .999   | .9999  | -.6594                   |
| .901            | -.3695  | -.4086   | -.4086  | -.4613 | -.5122 | .2304  | .2219  | -.4853                   |
| .923            | -.3741  | -.4322   | -.4077  | -.4322 | -.5463 | .5297  | .4458  | -.9294                   |
| .945            | -.3472  | -.1264   | -.4733  | -.4733 | -.4733 | -.4733 | -.4733 | -.4733                   |
| MACH 1 31       | 1.207   | ALPHA 11 | 149.000 | QIPSF1 | 9.1700 | P0     | 22.010 | P = 9.0000 RPNL = 6.6000 |
| SECTION I 11SRB |   |          |         |        |        |        |        |                          |
| THE 1A          | .0000 22.5000 45.0000 67.5000 90.0000112.5000155.0000180.0000225.0000270.0000315.0000 |          |         |        |        |        |        |                          |
| X/L             | -1955   | -1932    | -1977   | -1974  | -1908  |        |        |                          |
| .027            | -.2560  | -.2552   | -.2622  | -.2862 | -.3593 |        |        |                          |
| .050            | -.3437  | -.3502   | -.3526  | -.4987 | -.3425 |        |        |                          |
| .074            | -.4636  | -.4326   | -.4272  | -.4691 | -.7023 |        |        |                          |
| .111            | -.4115  | -.4304   | -.4302  | -.3719 | -.7161 | .1611  | .2078  | .1760                    |
| .139            | -.3441  | -.3289   | -.3323  | -.3198 | -.3797 | .4155  | .2229  | .1083                    |
| .168            | -.2919  | -.3015   | -.3277  | -.3044 | -.4322 | .2271  | .3137  | .0791                    |
| .191            | -.2812  | -.2808   | -.3075  | -.3059 | -.2696 | .2522  | .3297  | .3399                    |
| .255            | -.2511  | -.2528   | -.2528  | -.4444 | -.1818 | .999   | .9999  | .3347                    |
| .344            | -.2208  | -.2249   | -.2226  | -.3177 | -.2102 | .2524  | .3296  | .4667                    |
| .392            | -.667   | .999     | .9999   | -.2396 | -.5216 | .3560  | .3360  | .2844                    |
| .702            | -.2712  | -.3126   | -.3644  | -.3875 | -.4032 | .3331  | .4174  | .5277                    |
| .724            | -.4690  | -.4254   | -.4178  | -.4548 | -.4771 | .4185  | .4416  | .999                     |
| .744            | -.2210  | -.2552   | -.2543  | -.2936 | -.0426 | .8721  | .9779  | .3785                    |
| .755            | -.2975999   | .9999    | -.3098  | -.3647 | -.1704 | .6043  | .7013  | .4135                    |
| .869            | -.489   | -.5265   | -.5265  | -.5450 | -.999  | .9999  | .5424  | .1262                    |
| .902            | .999  | .9999    | -.5304  | -.5870 | -.9364 | .9999  | .9999  | .4834                    |
| .923            | -.4491  | -.5365   | -.5365  | -.6338 | -.6821 | .2621  | .2119  | .5638                    |
| .945            | -.4791  | -.5426   | -.5426  | -.5679 | -.2088 |        |        |                          |
| .982            | -.0159  |          |         |        |        |        |        |                          |



DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC TWT 603 (SA2BF)

MSFC TWT 603 (SA2BF) SRB - ALL PROTUBERANCES

(R11059)

PAGE 183

MACH ( 5 ) = 2.740

ALPHA ( 1 ) = 149.000

SECTION ( 1 )SRB

DEPENDENT VARIABLE CP

THTA

.0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | MACH ( 6 ) = 3.480 | ALPHA ( 1 ) = 149.000 | Q(PSF) = 6.8500 | P0     | = 60.000  | P     | = .81000 | RNL | = 7.1000 |
|--|--------------------|-----------------------|-----------------|--------|-----------|-------|----------|-----|----------|
| <b>SECTION ( 1 )SRB</b>  |                    |                       |                 |        |           |       |          |     |          |
| <b>DEPENDENT VARIABLE CP</b>   |                    |                       |                 |        |           |       |          |     |          |
| <b>THTA</b>  |                    |                       |                 |        |           |       |          |     |          |
| <b>.0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000</b> |                    |                       |                 |        |           |       |          |     |          |
| X/L  | .027               | -.0304                | -.0151          | -.0554 | -.0514    | 0274  |          |     |          |
|  | .050               | -.0406                | -.0497          | -.0559 | -.0531    | 0533  |          |     |          |
|  | .074               | -.0367                | -.0570          | -.0644 | -.0587    | 0590  |          |     |          |
|  | .098               | -.0434                | -.0599          | -.0678 | -.0655    | 0561  |          |     |          |
|  | .111               | -.0485                | -.0576          | -.0638 | -.0604    | 0355  |          |     |          |
|  | .139               | -.0485                | -.0514          | -.0581 | -.0648    | 0015  |          |     |          |
|  | .168               | -.0497                | -.0480          | -.0587 | -.0503    | 3590  |          |     |          |
|  | .191               | -.0525                | -.0435          | -.0480 | -.0235    | 4468  |          |     |          |
|  | .255               | -.0525                | -.0565          | -.0271 | -.0480    | 2477  |          |     |          |
|  | .344               | -.0514                | -.0406          | -.0451 | -.0468    | 0472  |          |     |          |
|  | .392               | 999 9999              | -.0666          | -.0249 | 999. 9999 | 04568 |          |     |          |
|  | .667               | 999 9999              | -.0666          | -.0401 | 999. 9999 | 4479  |          |     |          |
|  | .702               | -.0700                | -.0530          | -.0609 | -.0308    | 4498  |          |     |          |
|  | .724               | -.0762                | -.0768          | -.0536 | -.0458    | 4456  |          |     |          |
|  | .744               | -.0756                | -.0351          | -.0407 | -.0683    | 4498  |          |     |          |
|  | .755               | -.0441999 .9999       | -.0638          | -.0407 | -.0489    | 4498  |          |     |          |
|  | .869               | -.0542                | -.0215          | -.0520 | -.0313    | 4498  |          |     |          |
|  | .902               | 999 9999              | -.0638          | -.0215 | 999. 9999 | 4498  |          |     |          |
|  | .923               | -.0627                | -.0723          | -.0683 | -.0384    | 4498  |          |     |          |
|  | .945               | -.0639                | -.0706          | -.0706 | -.0283    | 4498  |          |     |          |
|  | .982               | .2951                 | .2901           | .2901  | .2901     | 4498  |          |     |          |



DATE 07 MAR 77

PAGE 187

## TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

MSFC TWT 603 (SA28F) SRB - ALL PROTRUSIONS (R11070)

MACH ( 2 ) = .904

ALPHA ( 1 ) = 169.900

SECTION ( 1 ) SRB

## DEPENDENT VARIABLE CP

THE1A .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .344           | -.0864   | -.0920 | -.1251 | -.1352 | -.1065    | -.0233    | -.0138 | -.1500    |
|------|----------------|----------|--------|--------|--------|-----------|-----------|--------|-----------|
| .392 | .667           | 999.9999 | .0518  | -.0287 | -.0307 | .0375     | .999.9999 | -.0014 | .0169     |
| .702 | -.0057         | -.0081   | -.0267 | -.1233 | -.1758 | -.2148    | -.2683    | -.1225 | .0363     |
| .724 | -.0108         | -.0267   | -.025  | -.0248 | .0228  | .0974     | .2937     | .0107  | .0512     |
| .744 | -.0725         | -.1202   | -.1202 | -.1162 | -.0678 | .0127     | .1575     | .2771  | .999.9999 |
| .755 | -.1299999.9999 | -.423    | -.366  | -.4336 | -.4336 | .999.9999 | -.2190    | .3051  | .0296     |
| .869 | 999.9999       | -.423    | -.4667 | -.4393 | -.4393 | .999.9999 | -.4129    | -.1750 | -.0705    |
| .902 | 999.9999       | -.413    | -.3921 | -.4428 | -.4428 | .4953     | -.5019    | -.4129 | .4188     |
| .923 | -.3613         | -.3187   | -.3128 | -.3128 | -.3128 | .6279     | -.3790    | -.6279 | -.3790    |
| .945 | -.3254         | -.3254   | -.3254 | -.3254 | -.3254 | .4241     | -.4241    | -.4241 | -.4241    |

MACH ( 3 ) = 1.197 ALPHA ( 1 ) = 169.900 Q(PSF) = 9.1400 PO = 22.010 P = 9.1100 RNL = 6.7000

SECTION ( 1 ) SRB

## DEPENDENT VARIABLE CP

| X/L  | .027           | .0348  | .0228  | .0061  | .0299     | .0381  |
|------|----------------|--------|--------|--------|-----------|--------|
| .050 | -.0250         | -.0250 | -.0423 | -.0832 | -.1226    | -.2054 |
| .074 | -.1467         | -.1467 | -.1729 | -.2783 | -.4508    | -.4716 |
| .098 | -.5437         | -.5437 | -.5095 | -.5802 | -.4985    | -.5119 |
| .111 | -.2080         | -.2080 | -.2123 | -.1826 | -.1756    | -.5112 |
| .139 | -.0610         | -.0610 | -.0502 | -.0467 | -.0204    | -.0433 |
| .168 | -.0289         | -.0289 | -.0297 | -.0274 | -.0428    | -.0352 |
| .191 | -.0307         | -.0307 | -.0307 | -.0374 | -.0626    | -.0442 |
| .255 | -.0611         | -.0611 | -.0564 | -.1019 | -.0650    | -.0233 |
| .344 | -.0296         | -.0425 | -.0425 | -.1013 | -.0707    | -.0182 |
| .392 | 999.9999       | .0310  | -.1389 | -.1538 | -.1681    | -.0409 |
| .66  | 999.9999       | .0310  | -.1389 | -.1538 | -.1681    | -.0409 |
| .702 | -.0158         | -.1168 | -.2725 | -.3061 | -.3664    | -.4228 |
| .724 | -.1897         | -.2057 | -.1897 | -.2633 | -.4983    | .5524  |
| .744 | -.0072         | -.0523 | -.0935 | -.1119 | .1348     | .3443  |
| .755 | -.0651999.9999 | .3514  | -.3511 | -.2514 | .939.9999 | .0266  |
| .869 | -.3373         | -.3511 | -.3511 | -.3718 | .999.9999 | -.3093 |
| .902 | 999.9999       | -.3442 | -.3442 | -.3041 | -.2134    | -.2945 |
| .923 | -.3241         | -.3369 | -.3369 | -.6617 | -.6617    | -.6294 |
| .945 | -.3095         | -.3689 | -.3689 | -.2638 | -.1664    | -.3901 |

REPRODUCIBILITY OF THE  
ORIGINAL PAGE IS PRIORREPRODUCIBILITY OF THE  
ORIGINAL PAGE IS PRIOR

MSTC INT 603 (SAS8) - 598 - ALL PROTOTYPES

MSFC TWT 603 (SA28F) SRB - ALL PROTEURANCES (R11070)

SECTION I

SECTION I - SAB  
TENANT .0000 22.5000 45.0000 67.5000 90.0000 112.5000 157.5000 180.00002255.0000210.0000315.0000  
DEFENDENT VARIOUS CP

MACH 1 50% 2700 AI BPA 1 10% 150 900 1100% 6 3700

**SECTION I 11SRB**

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 803 (SA28F)

PAGE 169

MSFC TWT 603 (SA28F) SR8 - ALL PROTUBERANCES

(R11070)

MACH 1.51 = 2.740 ALPHA 1 11 = 169 900

SECTION 11(SR8)

DEPENDENT VARIABLE CP

TWT A .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000

| X/L | .869 | .0470  | -.0561 | -.0519 | 999.9999 | .0653  |
|-----|------|--------|--------|--------|----------|--------|
|     | .902 | .9999  | -.0919 | -.0655 | 999.9939 | -.0600 |
|     | .923 | -.0950 | -.0889 | -.0524 | -.0011   | .0081  |
|     | .945 | -.1114 | -.1198 | -.0711 | -.0937   | .0634  |
|     | .962 | .1689  |        | .1267  | .2499    | .1314  |

MACH 1.61 = 3.480 ALPHA 1 11 = 169.900 Q(PERI) = 6.8600

SECTION 11(SR8)

DEPENDENT VARIABLE CP

TWT A .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000

| X/L | .027 | .0198         | -.0315 | -.0452 | .0497    | -.0486   |
|-----|------|---------------|--------|--------|----------|----------|
|     | .050 | .0333         | -.0419 | -.0537 | -.0627   | -.0604   |
|     | .074 | -.0277        | -.0463 | -.0610 | -.0772   | -.0778   |
|     | .098 | -.0367        | -.0520 | -.0655 | -.0711   | -.0627   |
|     | .111 | -.0119        | -.0238 | -.0226 | -.0289   | -.0289   |
|     | .139 | -.0086        | -.0182 | -.0148 | -.0103   | -.0227   |
|     | .168 | -.0125        | -.0193 | -.0170 | -.0196   | -.0187   |
|     | .191 | -.0131        | -.0164 | -.0165 | -.0227   | -.0277   |
|     | .255 | -.0037        | -.0159 | -.0151 | 999.9999 | .0120    |
|     | .344 | -.0069        | -.0152 | -.0204 | -.0151   | -.0322   |
|     | .667 | .999.999      | -.0182 | -.0046 | .0010    | -.0255   |
|     | .702 | -.0131        | -.0215 | -.0395 | 999.9999 | -.0125   |
|     | .724 | -.0559        | -.0540 | -.0245 | .0247    | -.0113   |
|     | .744 | -.0392        | -.0477 | -.0406 | -.0157   | -.0322   |
|     | .755 | .036.999.9399 | -.0244 | -.0587 | -.0463   | 999.9999 |
|     | .869 | -.0103        | -.0248 | -.0226 | -.0157   | -.0137   |
|     | .902 | .999.999      | -.0508 | -.0565 | -.1999   | -.0134   |
|     | .923 | .0441         | -.0452 | -.0125 | .2190    |          |
|     | .945 | -.0614        | -.0555 | -.0497 | .0753    |          |
|     | .932 | .2027         |        | .0396  | .0861    |          |
|     |      |               |        | .1649  | .0676    |          |
|     |      |               |        |        | .0180    |          |
|     |      |               |        |        | .0362    |          |
|     |      |               |        |        | .0114    |          |
|     |      |               |        |        | .2639    |          |

DATE 07 MAR 77

## TABULATED SOURCE DATA, NSFC TWT 603 (SA28F)

PAGE 190

NSFC TWT 603 (SA28F) SRF - ALL PERTURBANCES

(R11071) ( 22 AUG 75 )

## REFERENCE DATA

|       |   |          |         |      |   |               |
|-------|---|----------|---------|------|---|---------------|
| XHTR  | = | 116.2600 | SO. FT. | XHTR | = | 1044.0000 IN. |
| LHTR  | = | 146.0000 | IN.     | YHTR | = | .0000 IN.     |
| THTR  | = | 146.0000 | IN.     | ZHTR | = | .0000 IN.     |
| SCALE | = | .0055    |         |      |   |               |

MACH ( 1 ) = .596 ALPHA ( 1 ) = 179.920 Q(PSF) = 7.4200 PO = 38.000 P = 29.890 RFL = 8.7000

SECTION ( 1 ) SRF DEPENDENT VARIABLE CP

14E1: .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

X/L

|      |           |        |        |          |          |
|------|-----------|--------|--------|----------|----------|
| .027 | .1203     | .1173  | .1130  | .1109    | .1135    |
| .050 | .0863     | .0855  | .0797  | .0740    | .0734    |
| .074 | .0277     | .0209  | .0145  | .0133    | .0097    |
| .098 | -.1408    | -.1506 | -.1459 | -.1404   | -.1547   |
| .121 | -.4437    | -.4585 | -.4241 | -.4248   | -.4256   |
| .139 | -.0929    | -.0898 | -.0946 | -.0688   | -.0663   |
| .168 | -.0439    | -.0404 | -.0444 | -.0493   | -.0539   |
| .191 | -.0222    | -.0229 | -.0377 | -.0303   | -.0426   |
| .255 | -.0037    |        | -.0127 | -.0263   | -.0451   |
| .344 | .0400     | .0090  | -.0431 | -.0466   | -.0459   |
| .392 |           |        |        | -.0756   | -.0417   |
| .667 | 999.9999  | .0757  | .0507  | 999.9999 | -.0532   |
| .702 | -.0189    | .0547  | .0030  | .0208    | .0234    |
| .74  | -.2610    | -.2153 | -.2237 | -.2181   | -.1933   |
| .74  | .2774     | .3448  | .2321  | .2082    | .2048    |
| .755 | .18959999 | .9999  | .1591  | .1346    | .1230    |
| .869 | -.0791    |        | -.0140 | -.0730   | 999.9999 |
| .902 | 999.9999  |        | -.2444 | -.2488   | -.2476   |
| .923 | -.3703    |        | -.3726 | -.3736   | -.3486   |
| .945 | -.4097    |        | -.5151 | -.4234   | -.4074   |
| .982 | -.9053    |        |        | -.8748   | -.8476   |

MACH ( 2 ) = .909 ALPHA ( 1 ) = 179.920 Q(PSF) = 7.4500 PO = 22.020 P = 12.900 RFL = 6.4000

SECTION ( 1 ) SRF DEPENDENT VARIABLE CP

14E1A: .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

|      |        |        |        |        |        |
|------|--------|--------|--------|--------|--------|
| X/L  |        |        |        |        |        |
| .027 | .1284  | .1298  | .1917  | .1188  | .1186  |
| .050 | .0958  | .0833  | .0779  | .0815  | .0760  |
| .074 | .0019  | .0280  | .0135  | .0022  | .0137  |
| .098 | -.2074 | -.6621 | -.2396 | -.1622 | -.2107 |
| .111 | -.3242 | -.3106 | -.2932 | -.3152 | -.3169 |
| .139 | -.0754 | -.0651 | -.0633 | -.0747 | -.0796 |
| .168 | -.0219 | -.0229 | -.0143 | -.0320 | -.0354 |
| .191 | -.0108 | -.0057 | -.003  | -.0209 | -.0232 |
| .255 | -.0097 |        |        | -.0192 | -.0296 |

## MSFC TWT 603 (SA28F) / SRB - ALL PROTUBERANCES

(R11071)

SECTION 1115RB

## DEPENDENT VARIABLE CP

TWT 1. 0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | 344       | - .0550 | - .0448 | - .0811 | - .0853 | - .0855 | - .0764 | - .0856 | - .1009 |
|------|-----------|---------|---------|---------|---------|---------|---------|---------|---------|
| .392 | .999      | .999    | .999    | .981    | .1436   | .1244   | .1159   | .999    | .999    |
| .667 | .999      | .999    | .999    | .1661   | .0369   | .0329   | .0323   | .1002   | .1062   |
| .702 | .1594     | .1661   | .0426   | .0426   | .1059   | .1096   | .0906   | .0292   | .0268   |
| .724 | .0294     | .1492   | .1492   | .1492   | .0730   | .0622   | .0606   | .0757   | .0697   |
| .744 | .1148     | .1492   | .1492   | .1492   | .3140   | .2418   | .999    | .999    | .999    |
| .755 | .08369999 | .9999   | .9999   | .9999   | .9999   | .9999   | .9999   | .0461   | .0339   |
| .869 | .3361     | .3140   | .4191   | .4191   | .2868   | .2868   | .999    | .999    | .999    |
| .902 | .999      | .999    | .4535   | .4535   | .4276   | .4276   | .4095   | .4057   | .3897   |
| .923 | .4        | .139    | .5180   | .5180   | .4425   | .4083   | .4083   | .4691   | .3883   |
| .945 | .3861     | .6212   | .6212   | .6212   | .6212   | .6212   | .6087   | .6087   | .6087   |
| .982 | .6926     |         |         |         |         |         |         |         |         |

MACH 1. 21 = .909 ALPHA 1 11 = 179.920 TWT 1. 0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

SECTION 1115RB

## DEPENDENT VARIABLE CP

TWT 1A 0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | 027       | .0195  | .0085  | .0029  | .0080  | .0080  | .0118  |
|------|-----------|--------|--------|--------|--------|--------|--------|
| .050 | -.0509    | -.0706 | -.0773 | -.0635 | -.0635 | -.0635 | -.0635 |
| .074 | -.2955    | -.2232 | -.2030 | -.1988 | -.1988 | -.1988 | -.1988 |
| .098 | -.5372    | -.1427 | -.1378 | -.1293 | -.1530 | -.1694 | -.1694 |
| .111 | -.1352    | -.1427 | -.1378 | -.1293 | -.1530 | -.1449 | -.1449 |
| .139 | -.0192    | -.0094 | -.0165 | -.0148 | -.0203 | -.0307 | -.0422 |
| .168 | .0102     | -.0088 | -.0181 | -.0181 | -.029  | -.0394 | -.0523 |
| .191 | -.0066    | -.0187 | -.0345 | -.0443 | -.0443 | -.0487 | -.0513 |
| .255 | -.0692    | -.0899 | -.0899 | -.0699 | -.1236 | -.0787 | -.0509 |
| .344 | .0159     | -.0345 | -.1901 | -.1901 | -.0479 | -.0479 | -.0493 |
| .392 |           |        |        |        |        |        |        |
| .667 | .999      | .9999  | .1220  | .1142  | .999   | .9999  | .0987  |
| .702 | -.0345    | -.0312 | -.0334 | -.0184 | -.0151 | -.0088 | -.0170 |
| .724 | -.1955    | -.2057 | -.1978 | -.1930 | -.1769 | -.1734 | -.1734 |
| .744 | .3271     | .3284  | .3090  | .3090  | .2887  | .2183  | .2165  |
| .755 | .24859999 | .9999  | .2274  | .2183  | .1965  | .1593  | .1616  |
| .869 | -.2166    | -.1760 | -.2150 | -.2150 | .999   | .9999  | .2032  |
| .902 | .999      | .9999  | .4474  | .4337  | .999   | .9999  | .4046  |
| .923 | -.5049    | -.4292 | -.5271 | -.4615 | -.4615 | -.4763 | -.4663 |
| .945 | .5717     | .6027  | .5947  | .5979  | .5979  | .6246  | .6000  |
| .982 | -.2454    |        |        |        |        |        |        |

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

PAGE 192

MSFC TWT 603 (SA28F) SRB - ALL PROTRUANCES  
MACH 1 41 \* 1.952 ALPHA (1) = 179.920 QPSF1 = 11.020 PO = 30.010 P = 4.1300 RN/L = 7.6000

SECTION 1 1SRB

## DEPENDENT VARIABLE CP

T461A .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000225.0000270.0000315.0000

| X/L   | .027      | .0251  | .0213  | .0139  | .0065     | .0072  |
|-------|-----------|--------|--------|--------|-----------|--------|
| .050  | -.1176    | -.121  | -.121  | -.0811 | -.0644    | -.0555 |
| .074  | -.1706    | -.1711 | -.1594 | -.169  | -.1320    | -.1264 |
| .098  | -.2095    | -.1941 | -.1969 | -.1445 | -.1906    |        |
| .111  | -.0081    | .0033  | -.0004 | -.0040 | -.0275    | -.0233 |
| .139  | -.0475    | .0321  | .0290  | .0254  | .0272     | .0240  |
| .168  | .0539     | .0321  | .0423  | .0300  | .0227     | .0196  |
| .191  | .0521     | .0409  |        | .0205  | .0128     | .0139  |
| .255  | .0318     |        | .0160  |        | .0132     | .0111  |
| .344  | .0658     | .0163  |        | .0305  | .0227     | .0118  |
| .392  |           |        |        |        | .0163     | .0107  |
| .667  | 999.9999  |        | -.0163 |        | .012      |        |
| .702  | -.0825    | -.0806 | -.0660 | -.0238 | .999.9999 | .0325  |
| .724  | -.1976    | -.1874 | -.1966 | -.0497 | -.0204    | .0349  |
| .744  | .2472     | .3026  | .2188  | .1888  | .1846     | .0058  |
| .755  | .18659999 | .9999  |        | .0055  | .0261     | .0198  |
| .8109 | -.0690    |        | .0734  |        | .0040     |        |
| .902  | 999.9939  |        | -.1864 |        | .0597     |        |
| .923  | -.1728    | -.1537 | -.1731 | -.184  | .1739     | .0170  |
| .945  | -.2695    | -.2612 | -.2804 | -.2626 | .1879     | .0170  |
| .982  | .0689     |        | .0728  |        | .1573     | .0170  |

T461A .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000225.0000270.0000315.0000

## DEPENDENT VARIABLE CP

| X/L  | .027      | -.0178 | -.0111 | -.0027 | -.0020    | -.0003 |
|------|-----------|--------|--------|--------|-----------|--------|
| .050 | -.0574    | -.0554 | -.0501 | -.0483 | -.0446    |        |
| .074 | -.0670    | -.0767 | -.0779 | -.0737 | -.0743    |        |
| .111 | -.0774    | -.0882 | -.0974 | -.0743 | -.0956    |        |
| .139 | .0271     | .0192  | .0032  | -.0075 | -.0172    | -.0119 |
| .168 | .0180     | .0064  | .0056  | .0046  | .0034     | .0214  |
| .191 | .0137     | .0070  | .0040  | .0022  | .0028     | .0020  |
| .255 | .0141     |        | .0123  | -.0026 | .0010     | .0008  |
| .344 | .0111     | -.0246 | -.0141 | -.0020 | .0016     | .0003  |
| .392 | 999.5999  | -.0099 |        | .0002  | .0099     | .0052  |
| .667 | 999.5999  |        |        | -.0106 | .999.9999 | .0141  |
| .702 | -.0398    | -.0354 | -.0252 | -.0196 | -.0052    | -.0009 |
| .724 | -.1022    | -.0944 | -.0913 | -.0944 | -.0852    | -.0093 |
| .744 | .1659     | .1916  | .1931  | .1692  | .1319     | -.0173 |
| .755 | .11979999 | .9999  | .1042  | .0845  | .0791     | .0075  |

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA2BF)

MSFC TWT 603 (SA2BF) SRB - ALL PROTRUSIONS

PAGE 193

SECTION 1 1)SRB

THE TA .00000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

DEPENDENT VARIABLE CP

X/L .869 -.0044 -.0149 -.0100 999.9999 -.0166

.902 999.9999 -.0968 999.9999 -.0847

.923 -.0828 -.0670 -.0774 -.0682

.945 -.1156 -.1120 -.1193 -.1192

.982 .1683 .1725 .1710 .1710

MACH ( 5) = 2.740 ALPHA ( 1) = 179.920

ALPHA ( 1) = 179.900 QIPSF) = 6.8600

SECTION 1 1)SRB

THE TA .00000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

DEPENDENT VARIABLE CP

X/L .027 -.0057 -.0119 -.0159 -.0182 -.0176

.050 -.0243 -.0300 -.0388 -.0562 -.0568

.074 -.0218 -.0240 -.0418 -.0457 -.0480

.098 -.0315 -.0486 -.0018 -.0007 -.0063

.111 -.0326 -.026 -.0018 -.0007 -.018 -.0186

.139 .0139 .0105 .0050 .0071 .0066 .0054 .0026 .0054 .0080

.168 .0111 .0088 .0049 .0049 .0065 .0043 .0032999.9999 .0037 .0015 .0180

.191 .0088 .0089 .0054 .0054 .0050 .0049 .0049 .0049 .0020

.255 .0105 .0060 .0007 .0007 .99.9999 .0037 .0037 .0015

.344 .0003 -.0097 -.0035 -.0018 .0078 .0078 .0054 .0054 .0020

.392 .667 999.9999 -.0058 -.0001 .0111

.702 -.0198 -.0175 -.0080 -.0091 .0032 .0027 .0001 .0011 .0012

.724 -.0559 -.0508 -.0389 -.0525 -.0480 .0508 -.0058 .0058 .0075

.744 .1260 .1514 .1198 .1260 .1024 .0860 .0520 .0520 .0075

.755 .0905999.9999 .0076 .0793 .0584 .0546 .0590 .0590 .0590 .0674

.869 .0156 .009999.9999 .0076 .0116 .999.9999 .0089 .0089 .0089 .0089

.902 999.9999 -.0525 -.0486 .0486 .0486 .0486 .0486 .0486 .0486

.923 -.0384 -.0289 -.0289 -.0317 -.0317 -.0266 -.0266 -.0266 -.0266

.945 -.0565 -.0548 -.0548 -.0593 -.0593 -.0593 -.0593 -.0593 -.0593

.982 .2037 .2106 .2106 .2106 .2106 .2106 .2106 .2106 .2106

X/L .027 -.0057 -.0119 -.0159 -.0182 -.0176

.050 -.0243 -.0300 -.0388 -.0562 -.0568

.074 -.0218 -.0240 -.0418 -.0457 -.0480

.098 -.0315 -.0486 -.0018 -.0007 -.0063

.111 -.0326 -.026 -.0018 -.0007 -.018 -.0186

.139 .0139 .0105 .0050 .0071 .0066 .0054 .0026 .0054 .0080

.168 .0111 .0088 .0049 .0049 .0065 .0043 .0032999.9999 .0037 .0015 .0180

.191 .0088 .0089 .0054 .0054 .0050 .0049 .0049 .0049 .0020

.255 .0105 .0060 .0007 .0007 .99.9999 .0037 .0037 .0015

.344 .0003 -.0097 -.0035 -.0018 .0078 .0078 .0054 .0054 .0020

.392 .667 999.9999 -.0058 -.0001 .0111

.702 -.0198 -.0175 -.0080 -.0091 .0032 .0027 .0001 .0011 .0012

.724 -.0559 -.0508 -.0389 -.0525 -.0480 .0508 -.0058 .0058 .0075

.744 .1260 .1514 .1198 .1260 .1024 .0860 .0520 .0520 .0075

.755 .0905999.9999 .0076 .0793 .0584 .0546 .0590 .0590 .0590 .0674

.869 .0156 .009999.9999 .0076 .0116 .999.9999 .0089 .0089 .0089 .0089

.902 999.9999 -.0525 -.0486 .0486 .0486 .0486 .0486 .0486 .0486

.923 -.0384 -.0289 -.0289 -.0317 -.0317 -.0266 -.0266 -.0266 -.0266

.945 -.0565 -.0548 -.0548 -.0593 -.0593 -.0593 -.0593 -.0593 -.0593

.982 .2037 .2106 .2106 .2106 .2106 .2106 .2106 .2106 .2106

X/L .027 -.0057 -.0119 -.0159 -.0182 -.0176

.050 -.0243 -.0300 -.0388 -.0562 -.0568

.074 -.0218 -.0240 -.0418 -.0457 -.0480

.098 -.0315 -.0486 -.0018 -.0007 -.0063

.111 -.0326 -.026 -.0018 -.0007 -.018 -.0186

.139 .0139 .0105 .0050 .0071 .0066 .0054 .0026 .0054 .0080

.168 .0111 .0088 .0049 .0049 .0065 .0043 .0032999.9999 .0037 .0015 .0180

.191 .0088 .0089 .0054 .0054 .0050 .0049 .0049 .0049 .0020

.255 .0105 .0060 .0007 .0007 .99.9999 .0037 .0037 .0015

.344 .0003 -.0097 -.0035 -.0018 .0078 .0078 .0054 .0054 .0020

.392 .667 999.9999 -.0058 -.0001 .0111

.702 -.0198 -.0175 -.0080 -.0091 .0032 .0027 .0001 .0011 .0012

.724 -.0559 -.0508 -.0389 -.0525 -.0480 .0508 -.0058 .0058 .0075

.744 .1260 .1514 .1198 .1260 .1024 .0860 .0520 .0520 .0075

.755 .0905999.9999 .0076 .0793 .0584 .0546 .0590 .0590 .0590 .0674

.869 .0156 .009999.9999 .0076 .0116 .999.9999 .0089 .0089 .0089 .0089

.902 999.9999 -.0525 -.0486 .0486 .0486 .0486 .0486 .0486 .0486

.923 -.0384 -.0289 -.0289 -.0317 -.0317 -.0266 -.0266 -.0266 -.0266

.945 -.0565 -.0548 -.0548 -.0593 -.0593 -.0593 -.0593 -.0593 -.0593

.982 .2037 .2106 .2106 .2106 .2106 .2106 .2106 .2106 .2106

X/L .027 -.0057 -.0119 -.0159 -.0182 -.0176

.050 -.0243 -.0300 -.0388 -.0562 -.0568

.074 -.0218 -.0240 -.0418 -.0457 -.0480

.098 -.0315 -.0486 -.0018 -.0007 -.0063

.111 -.0326 -.026 -.0018 -.0007 -.018 -.0186

.139 .0139 .0105 .0050 .0071 .0066 .0054 .0026 .0054 .0080

.168 .0111 .0088 .0049 .0049 .0065 .0043 .0032999.9999 .0037 .0015 .0180

.191 .0088 .0089 .0054 .0054 .0050 .0049 .0049 .0049 .0020

.255 .0105 .0060 .0007 .0007 .99.9999 .0037 .0037 .0015

.344 .0003 -.0097 -.0035 -.0018 .0078 .0078 .0054 .0054 .0020

.392 .667 999.9999 -.0058 -.0001 .0111

.702 -.0198 -.0175 -.0080 -.0091 .0032 .0027 .0001 .0011 .0012

.724 -.0559 -.0508 -.0389 -.0525 -.0480 .0508 -.0058 .0058 .0075

.744 .1260 .1514 .1198 .1260 .1024 .0860 .0520 .0520 .0075

.755 .0905999.9999 .0076 .0793 .0584 .0546 .0590 .0590 .0590 .0674

.869 .0156 .009999.9999 .0076 .0116 .999.9999 .0089 .0089 .0089 .0089

.902 999.9999 -.0525 -.0486 .0486 .0486 .0486 .0486 .0486 .0486

.923 -.0384 -.0289 -.0289 -.0317 -.0317 -.0266 -.0266 -.0266 -.0266

.945 -.0565 -.0548 -.0548 -.0593 -.0593 -.0593 -.0593 -.0593 -.0593

.982 .2037 .2106 .2106 .2106 .2106 .2106 .2106 .2106 .2106

X/L .027 -.0057 -.0119 -.0159 -.0182 -.0176

.050 -.0243 -.0300 -.0388 -.0562 -.0568

.074 -.0218 -.0240 -.0418 -.0457 -.0480

.098 -.0315 -.0486 -.0018 -.0007 -.0063

.111 -.0326 -.026 -.0018 -.0007 -.018 -.0186

.139 .0139 .0105 .0050 .0071 .0066 .0054 .0026 .0054 .0080

.168 .0111 .0088 .0049 .0049 .0065 .0043 .0032999.9999 .0037 .0015 .0180

.191 .0088 .0089 .0054 .0054 .0050 .0049 .0049 .0049 .0020

.255 .0105 .0060 .0007 .0007 .99.9999 .0037 .0037 .0015

.344 .0003 -.0097 -.0035 -.0018 .0078 .0078 .0054 .0054 .0020

.392 .667 999.9999 -.0058 -.0001 .0111

.702 -.0198 -.0175 -.0080 -.0091 .0032 .0027 .0001 .0011 .0012

.724 -.0559 -.0508 -.0389 -.0525 -.0480 .0508 -.0058 .0058 .0075

.744 .1260 .1514 .1198 .1260 .1024 .0860 .0520 .0520 .0075

.755 .0905999.9999 .0076 .0793 .0584 .0546 .0590 .0590 .0590 .0674

.869 .0156 .009999.9999 .0076 .0116 .999.9999 .0089 .0089 .0089 .0089

.902 999.9999 -.0525 -.0486 .0486 .0486 .0486 .0486 .0486 .0486

.923 -.0384 -.0289 -.0289 -.0317 -.0317 -.0266 -.0266 -.0266 -.0266

.945 -.0565 -.0548 -.0548 -.0593 -.0593 -.0593 -.0593 -.0593 -.0593

.982 .2037 .2106 .2106 .2106 .2106 .2106 .2106 .2106 .2106

## MSFC TWT 603 (SA28F) SRB - ALL PROTRUBERANCES

(R11072) (22 AUG 75)

## REFERENCE DATA

|       |          |        |      |               |
|-------|----------|--------|------|---------------|
| XMF   | 16.2600  | 50.FT. | XMF  | 1044.0000 IN. |
| ZER   | 146.0000 | IN.    | YMRP | .0000 IN.     |
| HRF   | 146.0000 | IN.    | ZMRP | .0000 IN.     |
| SCALE | .0055    |        |      |               |

|      |       |      |             |             |          |
|------|-------|------|-------------|-------------|----------|
| MACH | ( 1 ) | .598 | ALPHA ( 1 ) | 70.000 QPSF | = 3.5400 |
|------|-------|------|-------------|-------------|----------|

|                   |                       |
|-------------------|-----------------------|
| SECTION ( 1 ) SRB | DEPENDENT VARIABLE CP |
|-------------------|-----------------------|

|        |  |
|--------|--|
| THE TA | .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000 |
|--------|--|

|     |  |
|-----|--|
| X/L |  |
|-----|--|

|      |               |         |         |         |        |
|------|---------------|---------|---------|---------|--------|
| .027 | -1.0510       | -1.9026 | -1.8475 | -2.2925 | 1.0323 |
| .050 | -7191         | -1.5757 | -1.4348 | -2191   | .0803  |
| .074 | -6654         | -1.2698 | -1.1490 | -1584   | 1.1112 |
| .098 | -6301         | -1.0157 | -9578   | -1.0658 |        |
| .111 | -1.3433       | -1.2459 | -8773   | -1.9493 | .0906  |
| .111 | -1.3433       | -1.2459 | -9465   | -1.1330 |        |
| .139 | 999.9999      | -8327   | -7765   | -1.8504 | .8075  |
| .168 | -5908         | -6791   | -6598   | -1.8516 | .8075  |
| .191 | -5694         | -6202   | -7059   | -1.7016 | .8075  |
| .255 | -4339         | -3660   | -4974   | -1.0750 | .8075  |
| .344 | -3548         | -3660   | -3632   | -1.1330 | .8075  |
| .392 | 999.9999      | -6.06   | -7397   | -1.0298 | .8075  |
| .667 | 999.9999      | -6.06   | -7397   | -1.0298 | .8075  |
| .702 | -5058         | -5312   | -5637   | -8105   | .8075  |
| .724 | -3887         | -4154   | -4550   | -1.473  | .8075  |
| .744 | -4465         | -4465   | -6019   | -1.0580 | .8075  |
| .755 | -4140999.9999 | -5254   | -6188   | -1.4591 | .8075  |
| .869 | -5254         | -6589   | -7756   | -1.3275 | .8075  |
| .902 | 999.9999      | -5018   | -5917   | -2801   | .8075  |
| .923 | -3985         | -4634   | -9281   | -2708   | .8075  |
| .945 | -3675         | -4027   | -7312   | -0587   | .8075  |
| .982 | -3189         |         | -8240   | .3288   | .8075  |

## PARAMETRIC DATA

|        |         |
|--------|---------|
| RN-SCH | = 1.000 |
|--------|---------|

|     |          |
|-----|----------|
| PHI | = 90.000 |
|-----|----------|

|     |          |
|-----|----------|
| RNL | = 4.1000 |
|-----|----------|

|   |          |
|---|----------|
| P | = 14.140 |
|---|----------|

|     |          |
|-----|----------|
| RNL | = 4.1000 |
|-----|----------|

DATE 07 MAR 77

## TABULATED SOURCE DATA. MSFC TWT 603 (SA28F)

PAGE 195

MSFC TWT 603 (SA28F) SRB - ALL PROTUBERANCES

( 22 AUG 75 )

## REFERENCE DATA

|         |   |          |          |      |   |           |     |
|---------|---|----------|----------|------|---|-----------|-----|
| SURF    | = | 116.2500 | SO. F.T. | XMRF | = | 1044.0000 | IN. |
| TOP     | = | 146.0000 | IN.      | YMRF | = | .0000     | IN. |
| BASE    | = | 146.0000 | IN.      | ZMRP | = | .0000     | IN. |
| SCALING | = | .0055    |          |      |   |           |     |

MACH ( 1 ) = .597 ALPHA ( 1 ) = 70.000 QIPSF = 7.4500 PO = 38.020 P = 29.880 RN/L = 8.7000

SECTION ( 1 ) SRB DEPENDENT VARIABLE CP

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000157.50000270.00000225.00000315.0000

| X/L  | -1.3010   | -1.8734 | -1.8771 | -1.3310  | 1.0058     |
|--|-----------|---------|---------|----------|------------|
| .027   | -.7943    | -1.4889 | -1.6736 | -.2634   | 1.0518     |
| .050   | -.7223    | -1.1939 | -1.3378 | -.2193   | 1.0817     |
| .074   | -.6772    | -.9020  | -.8279  | -.1211   | 1.1377     |
| .098   | -.6704    | .9842   | -.8650  | .2272    | 1.2012     |
| .111   | -.8637    | -.8637  | -.8650  | -.2491   | 1.2829     |
| .139   | .999999   | .7738   | -.8298  | -.1.4347 | .8838      |
| .168   | -.6413    | -.7774  | -.8614  | -.1.4823 | .6889      |
| .191   | -.6206    | -.7008  | -.7185  | -.2966   | -.7089     |
| .205   | -.5996    | -.4893  | -.4807  | -.2986   | -.7476     |
| .344   | -.4724    | -.5070  | -.5180  | -.3399   | -.1.5059   |
| .392   | -.567     | .999999 | -.5756  | -.1.3373 | -.1.277    |
| .702   | -.5462    | -.5491  | -.6314  | -.3933   | -.2193     |
| .724   | -.4704    | -.4692  | -.5229  | -.5249   | -.5787     |
| .744   | -.5192    | -.5118  | -.6547  | -.4911   | -.585      |
| .755   | -.4799999 | .9999   | -.7314  | -.1.4671 | -.6175     |
| .803   | -.5541    | -.5604  | -.5604  | -.3933   | -.9513     |
| .902   | .999.9999 | -.5065  | -.5065  | -.3704   | -.999.9999 |
| .923   | -.4645    | -.5229  | -.5229  | -.3777   | -.7630     |
| .945   | -.4462    | -.5071  | -.5071  | -.1210   | -.7031     |
| .982   | -.3959    | -.6381  | -.6381  | -.2683   | .6366      |
| MACH ( 2 ) = .905 ALPHA ( 1 ) = 70.000 QIPSF = 7.4200 PO = 22.020 P = 12.950 RN/L = 6.3000 |           |         |         |          |            |

|   |  |  |  |  |  |
|---|--|--|--|--|--|
| SECTION ( 1 ) SRB DEPENDENT VARIABLE CP   |  |  |  |  |  |
| THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000157.50000270.00000225.00000315.0000 |  |  |  |  |  |

| X/L  | .027      | .7648  | -.7650 | -.7484 | .2328  | 1.1382 |
|--|-----------|--------|--------|--------|--------|--------|
| .050   | -.7712    | -.7672 | -.7829 | .2697  | 1.1858 |        |
| .074   | -.7735    | -.7719 | -.7598 | .2867  | 1.2169 |        |
| .098   | -.7752    | -.7946 | -.7983 | .3312  | 1.2362 |        |
| .111   | -.7731    | -.7919 | -.7337 | .4297  | 1.2370 |        |
| .139   | .999.9999 | -.7430 | -.7800 | .3450  | .3373  |        |
| .168   | -.7029    | -.7001 | -.7236 | .2592  | .7561  |        |
| .191   | -.6759    | -.6953 | -.7152 | .5807  | .2815  |        |
| .255   | -.6026    | -.6241 | -.7471 | .2261  | .2933  |        |
| MACH ( 2 ) = .905 ALPHA ( 1 ) = 70.000 QIPSF = 7.4200 PO = 22.020 P = 12.950 RN/L = 6.3000 |           |        |        |        |        |        |

MSFC TWT 603 (SA28F) SRB - ALL PROTRUSANCES

MACH 1.21 = .905 ALPHA (1) = 70.000

SECTION 1 115RB

DEPENDENT VARIABLE CP

THTIA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000225.0000270.0000315.0000

X/L

|      |                |        |        |        |        |               |          |
|------|----------------|--------|--------|--------|--------|---------------|----------|
| .344 | -.5451         | -.5237 | -.5217 | -.5517 | -.6095 | .6522999.9999 | -.5247   |
| .392 | .999.9999      | -.5356 | -.5398 | -.6267 | -.6471 | .999.9999     | -.4957   |
| .667 | .999.9999      | -.5071 | -.5198 | -.6164 | .1354  | .999.9999     | -.5579   |
| .702 | -.4863         | -.5071 | -.5398 | -.6267 | -.6471 | .8196999.9999 | -.560    |
| .724 | -.4859         | -.4916 | -.5272 | -.5147 | -.6619 | .9132999.9999 | 999.9999 |
| .744 | -.4564         | -.4578 | -.4943 | -.7999 | -.6318 | .6897999.9999 | .5751    |
| .755 | -.4578999.9999 | -.4572 | -.4470 | -.4632 | -.6403 | .8063999.9999 | -.4774   |
| .869 | -.3954         | -.4572 | -.4907 | -.4907 | .1384  | .999.9999     |          |
| .902 | .999.9999      | -.3931 | -.3931 | -.4592 | -.4592 | .999.9999     |          |
| .923 | -.3592         | -.3828 | -.3828 | -.4238 | .3015  | 1.1925        | -.4491   |
| .945 | -.3595         | -.3942 | -.3942 | -.5351 | .3249  | 1.1093        | -.4937   |
| .982 | -.3159         |        |        | -.7179 |        | .4706         |          |

MACH 1.31 = 1.203 ALPHA (1) = 70.000 Q(PSF) = 9.1600

SECTION 1 115RB

DEPENDENT VARIABLE CP

THTIA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000225.0000270.0000315.0000

X/L

|      |                |        |        |        |           |                |          |
|------|----------------|--------|--------|--------|-----------|----------------|----------|
| .027 | -.7226         | -.7159 | -.5836 | .5953  | 1.3328    |                |          |
| .050 | -.6984         | -.7017 | -.5502 | .6179  | 1.3701    |                |          |
| .071 | -.6308         | -.6686 | -.5153 | .6318  | 1.3924    |                |          |
| .098 | -.5067         | -.6242 | -.6428 | .6595  | 1.4071    |                |          |
| .111 | 5975           | -.5624 | -.5781 | .6015  | .6714     | -.4814         |          |
| .139 | .999.9999      | -.5536 | -.5503 | -.542  | .6046     | 1.3570         | -.5332   |
| .168 | -.4995         | -.5123 | -.5064 | -.5102 | .5762     | 1.321999.9999  | -.5050   |
| .191 | -.4794         | -.4855 | -.5265 | -.5391 | -.0867    | 1.152999.9999  | -.5014   |
| .255 | -.4488         | -.4481 | -.4547 | .5345  | .999.9999 |                | .5257    |
| .544 | -.3174         | -.3679 | -.3715 | -.3674 | -.1224    | 1.081499.9999  |          |
| .312 |                |        |        | -.3201 |           | .999.9999      | -.3334   |
| .667 | .999.9999      | -.5347 | -.4191 | -.5240 | .5007     | .999.9999      |          |
| .702 | -.4766         | -.4703 | -.4321 | -.4321 | 1.375     | 1.052999.9999  | 4817     |
| .724 | -.4601         | -.4379 | -.3933 | -.4067 | -.1261    | 1.1411999.9999 | 999.9999 |
| .744 | -.4758         | -.4730 | -.5012 | -.4961 | -.1299    | 1.1333999.9999 | .5275    |
| .755 | -.4704999.9999 | -.4555 | -.4965 | -.5031 | -.1470    | 1.042599.9999  | -.5198   |
| .819 | -.4363         | -.4157 | -.4157 | -.4328 | .5016     | .999.9999      |          |
| .902 | .999.9999      | -.4093 | -.4093 | -.5500 | .5219     | .999.9999      |          |
| .923 | -.4071         | -.4196 | -.4196 | -.4014 | .6319     | 1.3625         | -.4179   |
| .945 | -.4019         |        |        | -.5294 | .8037     | 1.2877         | -.5623   |
| .982 | -.3496         |        |        | -.4807 |           | .7553          |          |

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA2BF)

PAGE 197

MSFC TWT 603 (SA2BF) SRB - ALL PROTUBERANCES  
 MACH ( 4 ) = 1.956 ALPHA ( 1 ) = 70.000 QIPSF1 = 10.990 PO = 30.000 P = 4.1000 RN/L = 7.4000  
 SECTION 1:SRB DEPENDENT VARIABLE CP  
 THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

X/L .027 -.2941 -.3006 -.1055 .9102 1.6160  
 .050 -.2719 -.2954 -.0952 .9111 1.6103  
 .074 -.2775 -.2803 -.0917 .9123 1.6198  
 .098 -.2742 -.2730 -.0891 .8974 1.6500  
 .111 -.2697 -.2692 .2730 -.0943 .8531 1.3628  
 .139 999.9999 -.2574 -.2632 .2333 .7992 1.3160  
 .168 -.2574 -.2540 -.2621 .2140 .2162 .7718 1.2902999.9999  
 .191 -.2519 -.2430 -.2480 .1440 .2162 .7718 1.2801999.9999  
 .255 -.2357 -.2355 -.2365 .1572 .2254 .7658 1.2621999.9999  
 .314 -.2088 -.1965 -.1951 .1379 .2254 .7658 1.2621999.9999  
 .392 -.330 -.330 -.1330 .1236 .7602 1.2826999.9999  
 .667 999.9999 -.2631 -.2534 .1262 .2380 1.2826999.9999  
 .702 -.2589 -.2547 -.2534 .1262 .2380 1.2826999.9999  
 .724 -.2570 -.2569 -.2392 .0542 .2958 1.4897999.9999  
 .744 -.2684 -.2719 -.2707 .1597 .1831 1.4117999.9999  
 .755 -.2629999.9999 -.2815 .1593 .2475 1.2982999.9999  
 .859 -.2540 -.2559 -.2559 .1193 .8013 1.999.9999  
 .902 999.9999 -.2523 -.2523 .0570 .8949 1.999.9999  
 .923 -.2605 -.2548 -.2548 .1080 .9819 1.6834  
 .945 -.2547 -.2593 -.2593 .1089 1.0883 1.503  
 .982 -.2457 -.2593 -.2593 .3016 .7562  
 MACH ( 5 ) = 2.740 ALPHA ( 1 ) = 70.000 QIPSF1 = 6.3800 PO = 30.040 P = 4.1200 RN/L = 5.1000  
 SECTION 1:SRB DEPENDENT VARIABLE CP  
 THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

X/L .027 -.0857 -.1017 .0404 1.0238 1.7599  
 .050 -.0948 -.1065 .0499 1.0008 1.7603  
 .074 -.0815 -.1113 .0409 .9738 1.7599  
 .098 -.0807 -.1095 .0299 .9522 1.4724  
 .111 -.0981 -.1265 -.1113 .3611 .9001 1.4304  
 .139 999.9999 -.1125 -.1059 .0053 .3212 .8576  
 .168 -.016 -.1071 -.1205 -.0126 .3068 .8435 1.3916999.9999  
 .191 -.1035 -.1017 -.0992 -.0112 .3076 1.3763999.9999  
 .255 -.1034 -.1168 -.0062 .8376 1.3763999.9999  
 .314 -.1004 -.0966 -.0920 .0002 .3142 1.3493999.9999  
 .392 -.0999 -.1290 .0028 .0069 1.3493999.9999  
 .667 999.9999 -.1111 -.1044 .0147 .3447 1.3651999.9999  
 .702 -.1174 -.1111 -.0724 .0627 .4255 1.6346999.9999  
 .724 -.1168 -.1174 -.1435 .0580 .1892 1.4529999.9999  
 .794 -.1241 -.1211 -.1435 .0167 .3588 1.3935999.9999  
 .755 -.1216999.9999 -.1460 -.0167 .0107



DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC THT 603 (SA285)

PAGE 198

| MSFC THT 603 (SA285) SRB - ALL PROTUBERANCES  |                                  |                                      |                      |                             |         |         | PARAMETRIC DATA       |         |         |
|---|----------------------------------|--------------------------------------|----------------------|-----------------------------|---------|---------|-----------------------|---------|---------|
| REFERENCE DATA  |                                  |                                      |                      | RN-SCH = 1.000 PHI = 90.000 |         |         | (R1074) ( 22 AUG 79 ) |         |         |
| SREF  | 116.2600                         | SQ.FT.                               | XMRP = 1044.0000 IN. |                             |         |         |                       |         |         |
| LREF  | 146.0000 IN.                     | YMRP = 0000 IN.                      |                      |                             |         |         |                       |         |         |
| BREF  | 146.0000 IN.                     | ZMRP = 0000 IN.                      |                      |                             |         |         |                       |         |         |
| SCALE   | .0055                            |                                      |                      |                             |         |         |                       |         |         |
| MACH (1) = .594   | ALPHA (1) = 90.000 QPSF = 3.5000 | PO = 18.000 P = 14.180 RN/L = 4.0000 |                      |                             |         |         |                       |         |         |
| SECTION (1) SRB   | DEPENDENT VARIABLE CP            |                                      |                      |                             |         |         |                       |         |         |
| THTA .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 160.0000 225.0000 270.0000 315.0000 |                                  |                                      |                      |                             |         |         |                       |         |         |
| X/L   |                                  |                                      |                      |                             |         |         |                       |         |         |
| .027  | -5464                            | -5525                                | -5483                | -3616                       |         |         |                       |         |         |
| .050  | -5558                            | -5774                                | -5331                | -3384                       |         |         |                       |         |         |
| .074  | -5734                            | -6147                                | -6463                | -3276                       |         |         |                       |         |         |
| .098  | -5954                            | -6296                                | -9046                | -2297                       |         |         |                       |         |         |
| .111  | -6082                            | -6154                                | -6586                | -0351                       | -9790   | -1497   | -7005                 | -9873   | -7768   |
| .139  | 999.9999                         | -6305                                | -6817                | -8195                       | -1.0621 | -1.1891 | -1.1462               | -1.1372 | -1.0148 |
| .168  | -9832                            | -6204                                | -7030                | -7295                       | -1.0949 | -1.2911 | -1.1991               | -1.1300 | -1.0500 |
| .191  | -5483                            | -5554                                | -6983                | -6983                       | -9169   | -9822   | -7661999.9999         | -1.1300 | -1.0574 |
| .255  | -4926                            | -4942                                | -4942                | -5817                       | -5817   | -1.568  | -7661999.9999         | -1.1300 | -1.0574 |
| .344  | -5760                            | -5840                                | -6710                | -8366                       | -9488   | -1.058  | -7704999.9999         | -1.1300 | -1.0574 |
| .392  |                                  |                                      |                      |                             |         |         |                       |         |         |
| .667  | 999.9999                         | -6300                                | -5925                | -7869                       | -1.078  | -1.1740 | -999.9999             | -1.1300 | -1.0574 |
| .702  | -5295                            | -5535                                | -5925                | -7366                       | -9044   | -1.1740 | -7691999.9999         | -1.1300 | -1.0574 |
| .724  | -5170                            | -5301                                | -6298                | -8903                       | -1.0523 | -1.1740 | -7535999.9999         | -1.1300 | -1.0574 |
| .744  | -5371                            | -5309                                | -5932                | -8149                       | -1.0410 | -1.1740 | -7498999.9999         | -1.1300 | -1.0574 |
| .755  | -5372999.9999                    | -5372999.9999                        | -5623                | -5929                       | -1.0523 | -1.1740 | -7527999.9999         | -1.1300 | -1.0574 |
| .869  | -6229                            | -7752                                | -7752                | -1.0269                     | -2726   | -2726   | -999.9999             | -1.1300 | -1.0574 |
| .902  | 999.9999                         | -6816                                | -6816                | -1.0561                     | -3485   | -3485   | -999.9999             | -1.1300 | -1.0574 |
| .923  | -6421                            | -6980                                | -6980                | -7324                       | -1.295  | -1.295  | -1.1372               | -1.1372 | -1.0537 |
| .945  | -6658                            | -6629                                | -6629                | -7495                       | -3379   | -3379   | -1.1398               | -1.1398 | -1.0537 |
| .982  | -7353                            |                                      |                      | -1.0538                     | -1.0538 | -1.0538 | -1.1050               | -1.1050 | -1.0538 |





MACH = 4) = 1.965 ALPHA ( 1 ) = 90.000 Q(PSF) = 10.940 PO = 30.000 P = 4.0500 RN/L = 7.4000

## SECTION 1 1)SRB

## DEFENDANT VARIABLE CP

(R11075)

| X/L  | .027           | -.2541 | -.2553 | -.1837 | .6538         | 1.3066        |
|------|----------------|--------|--------|--------|---------------|---------------|
| .050 | -.2580         | -.2575 | -.2608 | -.198  | .6983         | 1.3630        |
| .074 | -.2583         | -.2587 | -.2639 | -.0985 | .7235         | 1.4177        |
| .098 | -.2584         | -.2589 | -.2601 | .2724  | .8340         | 1.4865        |
| .111 | -.2584         | -.2589 | -.2623 | -.0985 | .8340         | 1.5229        |
| .135 | 999.9999       | -.2568 | -.2591 | -.2614 | .8567         | .9303         |
| .168 | -.2516         | -.2495 | -.2495 | -.1206 | .8694         | .933999.9999  |
| .191 | -.2381         | -.2393 | -.2383 | -.265  | .8647         | .8812         |
| .255 | -.2420         | -.2415 | -.2415 | -.1123 | .4291999.9999 | .1245         |
| .344 | -.2487         | -.2470 | -.2510 | -.122  | .8666         | .999.9999     |
| .392 | 999.9999       | -.2428 | -.2445 | -.1105 | .8764         | .4276999.9999 |
| .667 | 999.9999       | -.2452 | -.2445 | -.1118 | .2695         | .999.9999     |
| .702 | -.2470         | -.2452 | -.2452 | -.1118 | .4177999.9999 | .0916         |
| .724 | -.2461         | -.2448 | -.2490 | -.1100 | .3822         | .4242999.9999 |
| .744 | -.2491         | -.2491 | -.2532 | -.1100 | .3118         | .4189999.9999 |
| .755 | -.2500999.9999 | -.2467 | -.2474 | -.052  | .2615         | .4189999.9999 |
| .869 | 999.9999       | -.2503 | -.2510 | -.1286 | .8468         | .999.9999     |
| .902 | 999.9999       | -.2557 | -.2510 | -.1643 | .8086         | .999.9999     |
| .945 | -.2506         | -.2593 | -.2593 | -.0691 | .9225         | .1.6340       |
| .982 | -.1561         |        |        | -.2238 | 1.1507        | .6535         |

| X/L  | .027           | -.0731 | -.0871 | -.0240 | .7868 | 1.5056        |
|------|----------------|--------|--------|--------|-------|---------------|
| .050 | -.0810         | -.0901 | -.0913 | -.0137 | .8151 | 1.5511        |
| .074 | -.0792         | -.0913 | -.0961 | -.0034 | .8179 | 1.5900        |
| .098 | -.0871         | -.1070 | -.1138 | -.1071 | .8715 | .6279         |
| .111 | -.0932         | -.1040 | -.1137 | -.0957 | .9110 | 1.4573        |
| .139 | 999.9999       | -.0940 | -.1126 | -.0955 | .3629 | .9407         |
| .168 | -.0932         | -.0992 | -.1126 | -.0955 | .3509 | .5271         |
| .191 | -.0988         | -.0944 | -.1132 | -.0932 | .0167 | .6561         |
| .255 | -.1023         | -.1023 | -.1132 | -.0932 | .0167 | .5244999.9999 |
| .344 | -.1059         | -.0919 | -.1132 | -.0932 | .0210 | .5251999.9999 |
| .392 |                |        |        |        | .3715 | .9516         |
| .667 | 999.9999       | -.1247 | -.1247 | -.0212 | .9446 | .0111         |
| .702 | -.1174         | -.1059 | -.1023 | -.0172 | .3629 | .5123999.9999 |
| .724 | -.1171         | -.1168 | -.0966 | .0657  | .3479 | .5070999.9999 |
| .744 | -.1186         | -.1150 | -.1307 | .0234  | .3661 | .5050999.9999 |
| .755 | -.1187999.9999 |        |        | -.1332 | .0330 | .3598         |

| X/L   | .027  | -.2740 | -.3700 | PO | = 30.030 | P = 1.2100 | RN/L = 5.1000 |
|-------|---|--------|--------|----|----------|------------|---------------|
| THE1A | .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 |        |        |    |          |            |               |



DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA2EF1)

PAGE 204

## MSFC TWT 603 (SA2EF1) SRB - ALL PROTUBERANCES

1R110761 (22 AUG 75 )

## REFERENCE DATA

|                  |  |                      |                       |        |          |     |          |
|------------------|--|----------------------|-----------------------|--------|----------|-----|----------|
| SREF             | 116.2600 SQ.FT.  | XTRP                 | 1044.0000 IN.         | RN-SCH | 1.000    | PHI | 90.000   |
| LREF             | .146.0000 IN.  | YTRP                 | .0000 IN.             |        |          |     |          |
| DREF             | .146.0000 IN.  | ZTRP                 | .0000 IN.             |        |          |     |          |
| SCALE            | .0055  |                      |                       |        |          |     |          |
| MACH             | ( 1 ) = .598   | ALPHA ( 1 ) = 110.00 | QIPSF( 1 ) = 3.5400   | PO     | = 10.000 | P   | = 14.130 |
| SECTION ( 1 )SRB |  |                      | DEPENDENT VARIABLE CP | RNL    | = 4.1000 |     |          |
| THEIA            | .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000 |                      |                       |        |          |     |          |

| X/L  | -4789         | -4818         | -4876   | -5161   | -3312         |
|------|---------------|---------------|---------|---------|---------------|
| .027 | -4859         | -4859         | -527    | -5736   | -3810         |
| .050 | -5212         | -5753         | -6201   | -6082   | .4178         |
| .074 | -4098         | -4366         | -9295   | -5143   | .4927         |
| .098 | -3734         | -3928         | -6263   | -1.2000 | .2321         |
| .111 | -3919         | -4124         | -1.0273 | -4803   | .2321         |
| .139 | 999           | -3742         | -4409   | -1.2000 | .5479         |
| .168 | -3926         | -3765         | -4563   | -1.2000 | .624099999999 |
| .191 | -4330         | -4438         | -4481   | -1.2000 | .622199999999 |
| .255 | -5117         | -5386         | -4180   | -1.2000 | .657089999999 |
| .344 | -5640         | -6005         | -7015   | -1.2000 | .999999999999 |
| .392 | -667          | 999.9999      | -4818   | -9743   | .999999999999 |
| .667 | 999.9999      | -4818         | -4593   | -1745   | .999999999999 |
| .702 | -4762         | -4676         | -6400   | -1.0597 | -1.1303       |
| .724 | -4821         | -4605         | -5790   | -1.269  | -1.342        |
| .744 | -4890         | -4791         | -5318   | -5827   | -8516         |
| .755 | -5175999.9999 | -5175999.9999 | -5258   | -5891   | -7651         |
| .869 | -6527         | -7071         | -7071   | -9143   | -3067         |
| .902 | 999.9999      | -7459         | -1.0129 | -3540   | 999.9999      |
| .923 | -7329         | -8208         | -1.1483 | -1672   | 1.0023        |
| .945 | -6795         | -8981         | -1.0861 | -3429   | 1.0204        |
| .982 | -5923         |               | -9832   |         | -7680         |



DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC TWT 603 (SA2BF)

PAGE 206

MSFC TWT 603 (SA2BF) SRB - ALL PROTUBERANCES

(R11077)

MACH 1 21 = .900 ALPHA 1 11 = 110.000

SECTION 1 1SRB

DEPENDENT VARIABLE CP

THE 1A .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000

| X/L  | .344      | -.4145   | -.4192 | -.4275 | -.4546 | -.5424    | .81589999 | .9999     | -.4553 |
|------|-----------|----------|--------|--------|--------|-----------|-----------|-----------|--------|
| .392 | .667      | 999.9999 | -.5436 | -.5299 | -.5958 | .1465     | .999.9999 | .999.9999 | -.5436 |
| .702 | .5659     | -.5894   | -.5673 | -.5951 | -.6589 | .85779999 | .9999     | .5395     |        |
| .724 | .5788     | -.5822   | -.5626 | -.6941 | -.7796 | .75309999 | .9999     | .5578     |        |
| .744 | .5917     | -.6087   | -.7586 | -.9494 | .5327  | .90429999 | .9999     | .7545     |        |
| .755 | .60939999 | .99999   | -.8040 | -.7203 | -.6487 | .86719999 | .9999     | .7246     |        |
| .869 | .7644     | -.7701   | -.7807 | -.7678 | .1526  | .999.9999 | .999.9999 |           |        |
| .902 | 999.9999  | -.7532   | -.7672 | -.0938 | .0796  | .1295     | .9896     |           |        |
| .923 | .7672     | -.7861   | -.7902 | -.8428 | .2769  | .1420     | .6209     |           |        |
| .945 | .7698     | -.8591   | -.8428 | -.8428 | .6507  | .2169     |           |           |        |
| .982 | .5463     |          |        |        |        |           |           |           |        |

MACH 1 31 = 1.195 ALPHA 1 11 = 110.000 Q(PFF) = 9.1400 PO = 22.010 P = 9.0900 RN/L = 6.7000

SECTION 1 1SRB

DEPENDENT VARIABLE CP

THE 1A .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000

| X/L  | .027       | -.3609 | -.3607 | -.3574 | -.0181 | .6002       |
|------|------------|--------|--------|--------|--------|-------------|
| .050 | .3583      | -.3617 | -.3539 | -.0485 | .6691  |             |
| .074 | .5572      | -.3718 | -.3684 | .0988  | .7290  |             |
| .098 | .3752      | -.3882 | -.4068 | .1855  | .7997  |             |
| .111 | .3946      | -.4068 | -.4155 | -.4374 | .6415  | .4233       |
| .139 | 999.9999   | -.4265 | -.4206 | -.4075 | .2065  | .4038       |
| .168 | -.4333     | -.4366 | -.4224 | -.4263 | .1635  | .4067       |
| .191 | -.4406     | -.4394 | -.4301 | -.4284 | .1696  | .4157       |
| .255 | -.4446     | -.4316 | -.4270 | -.4270 | .1770  | .4591       |
| .344 | -.4446     | -.4660 | -.4607 | -.4658 | -.1353 | .4332       |
| .352 |            |        |        |        |        |             |
| .667 | 999.9999   | -.4051 | -.3971 | -.3971 | .5040  | .08839999   |
| .702 | -.4331     | -.4249 | -.4212 | -.4286 | -.1500 | 1.07589999  |
| .724 | -.4458     | -.4452 | -.4303 | -.4511 | -.2444 | .96329999   |
| .744 | -.4439     | -.4554 | -.4980 | -.4715 | -.0297 | .1.12749999 |
| .755 | -.45189999 | .9999  | -.5163 | -.4734 | -.1313 | .0.99999999 |
| .869 | -.5066     |        |        |        |        |             |
| .902 | 999.9999   | -.5781 | -.5588 | -.5169 | .5066  | .999.9999   |
| .923 | -.4969     | -.5338 | -.5230 | -.5230 | .6132  | .1.1046     |
| .945 | -.4877     | -.5676 | -.5245 | -.5245 | .9137  | .1.3155     |
| .982 | -.2500     |        |        |        |        |             |

DATE 07 MAR 77

## TABULATED SOURCE DATA. MSFC TWT 603 (SA28F)

PAGE 207

MSFC TWT 603 (SA28F) SRB - ALL PROTRUANCES  
(R110771)

MACH ( 4 ) = 1.963 ALPHA ( 1 ) = 110.000 Q(PSF) = 10.960 PO = 30.010 P = 4.0600 RN/L = 7.4000

SECTION ( 1 )SRB DEPENDENT VARIABLE CP

THE1A .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027     | -.2504    | -.2545 | -.2562 | .2883         | .7739          |
|------|----------|-----------|--------|--------|---------------|----------------|
| .050 | -.2539   | -.2533    | -.2521 | .3398  | .3738         | .6917          |
| .074 | -.2518   | -.2547    | -.1901 | .4371  | .9623         | .8401          |
| .098 | -.2560   | -.2529    | -.2510 | .0542  | .4426         | .2553          |
| .111 | -.2513   | -.2533    | -.2529 | .1952  | .7032         | .1.5266        |
| .139 | 999.9999 | -.2522    | -.2518 | .1437  | .7474         | .7560          |
| .168 | -.2526   | -.2539    | -.2514 | .1357  | .2276999.9999 | .1.429         |
| .191 | -.2543   | -.2566    | -.2610 | .1305  | .2357999.9999 | .1.322         |
| .255 | -.2661   | -.2632    | -.2820 | .1339  | .2407         | .1.279         |
| .344 | -.2743   | -.2690    | -.1234 | .1239  | .261999.9999  | .1.240         |
| .392 | -.2597   | -.2382    | -.1383 | .1383  | .7587         | .1.241         |
| .667 | 999.9999 | -.2409    | -.2373 | .1445  | .2274         | .1.255         |
| .702 | -.2392   | -.2409    | -.2373 | .1050  | .1478         | .829999.9999   |
| .724 | -.2469   | -.2442    | -.2441 | .1293  | .2990         | .1.381999.9999 |
| .744 | -.2242   | -.2283    | -.2280 | .1293  | .2293         | .298999.9999   |
| .755 | -.2243   | 3999.9999 | -.2279 | .1296  | .7306         | .999.9999      |
| .869 | -.2597   | -.2529    | -.1721 | .2131  | .5920         | .999.9999      |
| .902 | 999.9999 | -.2816    | -.1564 | .1564  | .8805         | .4732          |
| .923 | -.2487   | -.2650    | -.2825 | .0457  | .1.1196       | .4391          |
| .945 | -.2640   | -.2825    | -.0821 | .6368  | .6368         | .1.1112        |
| .982 | .0263    |           |        |        |               |                |

MACH ( 5 ) = 2.740 ALPHA ( 1 ) = 110.000 Q(PSF) = 6.3800 PO = \* 30.040 P = 1.2100 RN/L = 5.1000

SECTION ( 1 )SRB DEPENDENT VARIABLE CP

THE1A .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027           | -.0746 | -.0909 | -.0889 | .4018          | .8840          |
|------|----------------|--------|--------|--------|----------------|----------------|
| .050 | -.0855         | -.0938 | -.0791 | .4359  | .9265          |                |
| .074 | -.0013         | -.0192 | -.0192 | .4643  | .9674          |                |
| .098 | -.0916         | -.1041 | -.0956 | .5050  | .0170          |                |
| .111 | -.0982         | -.1120 | -.1205 | .0420  | .5827          | .5924          |
| .139 | 999.9999       | -.1095 | -.1216 | -.089  | .8018          | .4573          |
| .168 | -.1053         | -.1054 | -.1235 | -.0171 | .3228          | .8346          |
| .191 | -.1083         | -.1006 | -.1035 | .0044  | .3247          | .3302999.9999  |
| .255 | -.1120         | -.1253 | -.1006 | .0050  | .8321          | .999.9999      |
| .344 | -.1168         | -.1001 | -.1006 | .3181  | 1.3350999.9999 | .0093          |
| .392 | 999.9999       | -.1259 | -.1061 | .0026  | .8299          | .999.9999      |
| .667 | 999.9999       | -.1259 | -.1061 | .0026  | .3246          | .3719999.9999  |
| .702 | -.1217         | -.1067 | -.0958 | -.0173 | .2296          | .8257999.9999  |
| .724 | -.1216         | -.1198 | -.0958 | -.0173 | .0333          | .1.528999.9999 |
| .744 | -.1193         | -.1144 | -.1156 | .0313  | .3429          | .4056999.9999  |
| .755 | -.1192999.9999 |        |        |        |                | .0368          |

DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

PAGE 208

MSFC TWT 603 (SA28F) SRB - ALL PROTUBERANCES

(R11077)

MACH ( 5 ) = 2.740 ALPHA ( 1 ) = 110.000

SECTION ( 1 )SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L   | X               | DEPENDENT VARIABLE CP | P0     | P      | RN/L            | RN/L             |
|---|-----------------|-----------------------|--------|--------|-----------------|------------------|
| .069  | .1277           | -.1338                | -.0245 | .8206  | .9999           | .9999            |
| .902  | .999 .9999      | -.1338                | -.0634 | .6908  | .9999           | .9999            |
| .923  | -.1113          | -.1131                | -.0167 | 1.0044 | 1.6028          | -.0670           |
| .945  | -.1156          | -.1308                | .0161  | 1.2095 | 1.4782          | .0354            |
| .962  | .1649           |                       | .0477  |        | 1.7490          |                  |
| MACH ( 6 ) = 3.480 ALPHA ( 1 ) = 110.000 QIPSF1 = 6.8600  |                 |                       |        |        |                 |                  |
| SECTION ( 1 )SRB  |                 | DEPENDENT VARIABLE CP |        |        |                 |                  |
| THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 |                 |                       |        |        |                 |                  |
| X/L   | X               | DEPENDENT VARIABLE CP | P0     | P      | RN/L            | RN/L             |
| .027  | -.0299          | -.0245                | -.0334 | .4163  | .8932           |                  |
| .050  | -.0294          | -.0373                | -.0267 | .4445  | .9259           |                  |
| .074  | -.0283          | -.0429                | -.0193 | .4631  | .9547           |                  |
| .098  | -.0362          | -.0469                | -.0334 | .4518  | .0055           |                  |
| .111  | -.0418          | -.0565                | -.0593 | .2385  | .6283           | 1.0713           |
| .139  | .9999 .9999     | -.0547                | -.0611 | .048   | .8272           | 1.3146           |
| .168  | -.0497          | -.0632                | -.0508 | .3442  | .8517           | .3684999 .9999   |
| .191  | -.0531          | -.0441                | -.0491 | .3505  | .3523           | .8982 .8396      |
| .255  | -.0554          | -.0555                | -.0438 | .3504  | .3523           | .8542 .0533      |
| .314  | -.0599          | -.0446                | -.0407 | .3483  | .8554           | .1.3567999 .9999 |
| .392  |                 |                       |        | .0533  |                 | .0547            |
| .667  | .999 .9999      | -.0745                | -.0124 | .8543  | .3701999 .9999  | .0573            |
| .702  | -.0700          | -.0565                | -.0525 | .3502  | .1.447999 .9999 | .0545            |
| .724  | -.0690          | -.0712                | -.0141 | .2319  | .7.359999 .9999 | .0601            |
| .744  | -.0717          | .0734                 | .0110  | .4017  | .5971109 .9999  | .999 .9999       |
| .765  | -.0741999 .9999 | -.0717                | .0122  | .3791  | .4461999 .9999  | .1152            |
| .859  | -.0751          | -.0802                | .0325  | .8385  | .999 .9999      | .0893            |
| .902  | .999 .9999      | -.0790                | -.0035 | .5683  | .999 .9999      |                  |
| .923  | -.0661          | -.0634                | .0268  | 1.0655 | 1.6925          | -.0165           |
| .945  | -.0610          | -.0705                | .0312  | 1.1373 | 1.4313          | .0415            |
| .982  | .2055           |                       | .0843  |        | 1.7571          |                  |

DATE 07 MAR 77

## TABULATED SOURCE DATA. MSFC THT 603 (SA2SF)

## MSFC THT 603 (SA2SF) SRB - ALL PROTRUSANCES

## REFERENCE D. (A)

SREF = 116.2600 SO.FT. XMRP = 1044.0000 IN.  
 LREF = 146.0000 IN. YMRP = .0000 IN.  
 EREF = 146.0000 IN. ZMRP = .0000 IN.  
 SCALE = .0055

MACH ( 1 ) = .599 ALPHA ( 1 ) = 130.100 QIPSF = 7.4800

## SECTION 1 11SRB DEPENDENT VARIABLE CP

THEIA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L             | .027 | -.1424         | -.1408         | -.1600  | -.4967         | .0450        |
|-----------------|------|----------------|----------------|---------|----------------|--------------|
|                 | .050 | -.1644         | -.1643         | -.1748  | -.5256         | .0503        |
|                 | .074 | -.1944         | -.1961         | -.2088  | -.5169         | .0556        |
|                 | .098 | -.2352         | -.2259         | -.2260  | -.5698         | .0798        |
|                 | .111 | -.2724         | -.2639         | -.2705  | -.9766         | .2613        |
|                 | .139 | .999 9999      | -.2948         | -.2809  | -.9794         | .2104        |
|                 | .168 | -.3009         | -.3340         | -.3225  | -.3190         | .6483        |
|                 | .191 | -.3353         | -.3612         | -.3607  | -.3608         | .0042        |
|                 | .255 | -.4081         | -.4195         | -.4195  | -.3648         | -.0480       |
|                 | .344 | -.4661         | -.4741         | -.4774  | -.4774         | -.0499       |
|                 | .392 | -.4821         | -.4921         | -.4921  | -.4930         | -.1326       |
|                 | .667 | .999 9999      | -.3948         | -.4137  | -.4137         | -.2249       |
|                 | .702 | -.7397         | -.6413         | -.5752  | -.5752         | -.6057       |
|                 | .724 | -.4154         | -.3541         | -.3709  | -.3709         | -.7956       |
|                 | .744 | -.5150999.9999 | -.5150999.9999 | -.4134  | -.4134         | -.9630       |
|                 | .869 | -.4747         | -.6589         | -.6589  | -.6589         | -.9373       |
|                 | .902 | .999 9999      | -.5906         | -.5906  | -.5906         | -.4651       |
|                 | .923 | -.5797         | -.5579         | -.5579  | -.5579         | -.8430       |
|                 | .945 | -.5981         | -.5710         | -.5710  | -.5710         | -.7598       |
|                 | .982 | -.3113         | -.9813         | -.9813  | -.9813         | -.8099       |
| MACH ( 2 )      |      | .906           | ALPHA ( 1 )    | 130.100 | QIPSF = 7.4300 | PO = 22.010  |
| SECTION 1 11SRB |      |                |                |         |                | P = 12.930   |
| THEIA           |      |                |                |         |                | RNL = 6.4000 |

SECTION 1 11SRB DEPENDENT VARIABLE CP

THEIA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L             | .027 | -.2747    | -.2882      | -.2826  | -.5168         | -.1021       |
|-----------------|------|-----------|-------------|---------|----------------|--------------|
|                 | .050 | -.2771    | -.2892      | -.3409  | -.5013         | -.0441       |
|                 | .074 | -.3210    | -.3103      | -.3303  | -.4554         | -.0125       |
|                 | .098 | -.3248    | -.3316      | -.3854  | -.4612         | -.0192       |
|                 | .111 | -.3433    | -.3491      | -.3432  | -.5693         | -.0778       |
|                 | .139 | .999 9999 | -.3629      | -.3688  | -.7948         | -.0707       |
|                 | .168 | -.3690    | -.3942      | -.3922  | -.4020         | -.4926       |
|                 | .191 | -.3963    | -.4146      | -.4171  | -.5309         | -.7637       |
|                 | .255 | -.4461    | -.4676      | -.4676  | -.5625         | -.0912       |
| MACH ( 2 )      |      | .906      | ALPHA ( 1 ) | 130.100 | QIPSF = 7.4300 | PO = 22.010  |
| SECTION 1 11SRB |      |           |             |         |                | P = 12.930   |
| THEIA           |      |           |             |         |                | RNL = 6.4000 |

PAGE 209

(R11078) ( 22 AUG 75 )

## - TABULATED SOURCE DATA, MSFC TNT 603 (SA28F)

MSFC TNT 603 (SA28F) SRF - ALL PROTUBERANCES

SECTION 11 SRF

(RI1078)

MACH ( 2 ) = .906 ALPHA ( 1 ) = 130.100

## DEPENDENT VARIABLE CP

THE TA .0000 22.5000 45.0000 67.5000 90.000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | Y/L        | ALPHA ( 1 ) = .906 | ALPHA ( 1 ) = 130.100 | 0(PSF)  | P0      | P          | RNL        | PAGE       |
|------|------------|--------------------|-----------------------|---------|---------|------------|------------|------------|
| .314 | - .4813    | - .4867            | - .5121               | - .7828 | - .7146 | - .6884    | .9999      | - .9821    |
| .392 | .999 .9999 | - .4837            | .5256                 | - .7456 | - .6824 | .999 .9999 | .999 .9999 | - .7089    |
| .667 | .999 .9999 | - .5198            | .5256                 | - .6225 | - .6824 | .999 .9999 | .999 .9999 | - .5787    |
| .702 | .4925      | - .5198            | .5256                 | - .6225 | - .6824 | .999 .9999 | .999 .9999 | - .7284    |
| .724 | - .6677    | - .5976            | .6285                 | - .6595 | - .7257 | - .1529    | .999 .9999 | .999 .9999 |
| .744 | - .5396    | - .6131            | .6063                 | - .7557 | - .6490 | .7999      | .999 .9999 | - .7068    |
| .755 | - .5628    | .9999              | .6320                 | - .7140 | - .6717 | .5660      | .999 .9999 | - .7080    |
| .869 | - .7984    | - .8352            | .8334                 | - .8334 | - .0128 | .999 .9999 | .999 .9999 |            |
| .902 | .999 .9999 | - .8892            | .8892                 | - .1638 | - .2093 | .999 .9999 | .999 .9999 |            |
| .923 | - .6952    | - .6595            | .8109                 | - .8109 | - .1624 | .8115      | .8115      | - .8555    |
| .945 | - .6784    | - .5773            | .7683                 | - .7683 | - .2651 | .6675      | .6675      | - .8199    |
| .982 | - .3979    | - .5484            | .5484                 | - .5484 | 1.1031  |            |            |            |

MACH ( 3 ) = 1.202 ALPHA ( 1 ) = 130.100 0(PSF) = 9.1600 P0 = 22.010 P = 9.0500 RNL = 6.7000

## DEPENDENT VARIABLE CP

THE TA .0000 22.5000 45.0000 67.5000 90.000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | Y/L        | ALPHA ( 1 ) = .906 | ALPHA ( 1 ) = 130.100 | 0(PSF)  | P0         | P          | RNL        | PAGE       |
|------|------------|--------------------|-----------------------|---------|------------|------------|------------|------------|
| .027 | - .3019    | - .3204            | - .3069               | - .3359 | - .3359    | .0795      | .0795      |            |
| .050 | - .2998    | - .3053            | - .4037               | - .2843 | - .2843    | .1442      | .1442      |            |
| .074 | - .2975    | - .3039            | - .3466               | - .2285 | - .2285    | .1754      | .1754      |            |
| .098 | - .3231    | - .3247            | - .3320               | - .3106 | - .3106    | .1450      | .1450      |            |
| .111 | - .3439    | - .3613            | - .3395               | - .3319 | - .3726    | .2890      | .2890      |            |
| .139 | .999 .9999 | - .3552            | - .3995               | - .3167 | - .0598    | .2423      | .2423      | - .3394    |
| .168 | - .3541    | - .3713            | - .3695               | - .3974 | - .1685    | .593       | .593       | - .3798    |
| .191 | - .3727    | - .3875            | - .3817               | - .4040 | - .2909    | .2174      | .2174      | - .3712    |
| .255 | - .3930    | - .4005            | - .4228               | - .2811 | - .2290    | .6459      | .6459      | - .4018    |
| .344 | - .3912    | - .3858            | - .3968               | - .4093 | - .2632    | .6665      | .6665      |            |
| .392 | - .392     | - .392             | - .4093               | - .4093 | .999 .9999 | .999 .9999 | .999 .9999 | - .4142    |
| .667 | .999 .9999 | - .4045            | - .4048               | - .4524 | - .2368    | .2523      | .2523      | - .4078    |
| .702 | - .400     | - .4420            | - .4377               | - .4524 | - .2368    | .7525      | .7525      | - .4327    |
| .724 | - .5118    | - .5216            | - .4651               | - .6207 | - .4368    | .075999    | .075999    | .999 .9999 |
| .744 | - .4395    | - .4653            | - .4893               | - .5652 | - .0322    | .9623      | .9623      | - .5459    |
| .755 | - .4714    | .9999              | - .4919               | - .5342 | - .2096    | .7589      | .7589      | - .5759    |
| .869 | - .6093    | - .6093            | - .6108               | - .6281 | - .2654    | .999 .9999 | .999 .9999 | - .4078    |
| .902 | .999 .9999 | - .6788            | - .6788               | - .6317 | - .0749    | .999 .9999 | .999 .9999 | - .4132    |
| .923 | - .5611    | - .5799            | - .4317               | - .4317 | .7870      | 1.0077     | 1.0077     | - .5443    |
| .945 | - .5984    | - .6013            | - .5618               | - .5618 | .5367      | .6123      | .6123      | - .5443    |
| .982 | - .1864    | -                  | - .1220               | - .1220 | 1.2715     |            |            |            |

DATE 07 MAR 77

## TABULATED SOURCE DATA. MSFC TWT 603 (SA28F)

MSFC TWT 603 (SA28F) SRB - ALL PROTUBERANCES

MACH ( 4 ) = 1.952 ALPHA ( 1 ) = 130.100 Q(PSF) = 11.020 PO = 30.020 P = 4.1300 RN/L = 7.5000

SECTION 1 11SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027     | -.2297 | -.2297   | -.2321 | -.2321   | -.0241 | .2605 |
|------|----------|--------|----------|--------|----------|--------|-------|
| .050 | -.2321   | -.2331 | -.2359   | -.2367 | -.2442   | .0428  | .3151 |
| .074 | -.2364   | -.2385 | -.2456   | -.2492 | -.2493   | -.0199 | .3324 |
| .098 | -.2434   | -.2592 | -.2592   | -.2593 | -.2588   | -.0320 | .3424 |
| .111 | -.2472   | -.2492 | -.2492   | -.2492 | -.2492   | -.0357 | .3487 |
| .139 | 999.9999 | -.2592 | -.2592   | -.2593 | -.2593   | -.1035 | .4339 |
| .168 | -.2574   | -.2564 | -.2589   | -.2589 | -.2588   | -.0853 | .4674 |
| .191 | -.2618   | -.2620 | -.2620   | -.2619 | -.2619   | -.0898 | .4974 |
| .255 | -.2770   | -.2749 | -.2749   | -.2774 | -.2774   | .4727  | .5136 |
| .344 | -.2727   | -.2749 | -.2749   | -.2774 | -.2774   | .4727  | .5136 |
| .392 | 999.9999 | -.2511 | -.2511   | -.2511 | -.2511   | .4556  | .5136 |
| .667 | 999.9999 | -.2551 | -.2623   | -.2777 | -.2777   | .1207  | .5136 |
| .702 | 999.9999 | -.2740 | -.2745   | -.2665 | -.2665   | .1090  | .5136 |
| .724 | 999.9999 | -.2445 | -.2445   | -.2238 | -.2238   | .0557  | .5136 |
| .744 | 999.9999 | -.2435 | 999.9999 | -.2427 | 999.9999 | .1087  | .5136 |
| .755 | 999.9999 | -.2662 | 999.9999 | -.2640 | 999.9999 | .2230  | .5028 |
| .869 | 999.9999 | -.2625 | 999.9999 | -.2778 | 999.9999 | .2312  | .5028 |
| .902 | 999.9999 | -.2625 | 999.9999 | -.2712 | 999.9999 | .2809  | .5028 |
| .923 | 999.9999 | -.2507 | 999.9999 | -.2859 | 999.9999 | .1234  | .5028 |
| .945 | 999.9999 | -.1692 | 999.9999 | -.2859 | 999.9999 | .2555  | .5028 |
| .982 | 999.9999 | -.1186 | 999.9999 | -.1692 | 999.9999 | .1572  | .5028 |

MACH ( 5 ) = 2.740 ALPHA ( 1 ) = 130.100 Q(PSF) = 6.3700 PO = 30.010 P = 4.2100 RN/L = 5.1000

SECTION 1 11SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027         | -.0699 | -.0919 | -.1162 | -.1162 | .0878         | .3283         |
|------|--------------|--------|--------|--------|--------|---------------|---------------|
| .050 | -.0890       | -.0900 | -.1162 | -.1162 | -.1206 | .1206         | .3685         |
| .074 | -.0735       | -.0845 | -.1052 | -.1162 | -.1376 | .1376         | .3722         |
| .098 | -.0845       | -.0962 | -.1077 | -.1095 | -.1376 | .1376         | .3722         |
| .111 | -.0962       | -.1077 | -.1158 | -.1149 | -.1582 | .1582         | .3722         |
| .139 | 999.9999     | -.1034 | -.1198 | -.1120 | -.0372 | .1889         | .5421         |
| .168 | 1059         | -.0986 | -.1210 | -.1083 | -.0373 | .1859         | .5317         |
| .191 | 1095         | -.0907 | -.1053 | -.0932 | -.1674 | .0987         | .6167         |
| .255 | 1119         | -.1241 | -.1241 | -.0360 | .5263  | .5263         | .6167         |
| .344 | 11186        | -.0876 | -.0974 | -.0355 | .1543  | .8718999.9999 | .6167         |
| .392 | 999.9999     | -.1210 | -.1210 | -.0336 | .1543  | .8718999.9999 | .6167         |
| .667 | 999.9999     | -.0960 | -.0960 | -.0336 | .1543  | .8718999.9999 | .6167         |
| .702 | 1216         | -.0960 | -.1040 | -.0651 | .1907  | .5123         | .8572999.9999 |
| .724 | 1283         | -.1302 | -.0918 | -.1058 | .0056  | .1519999.9999 | .8572999.9999 |
| .744 | 1162         | -.1168 | -.0683 | -.0987 | .3064  | .1519999.9999 | .8572999.9999 |
| .755 | 1174399.9999 | -.1162 | -.1162 | -.0313 | .3064  | .1714399.9999 | .8572999.9999 |

PAGE 211

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

PAGE 212

MSFC TWT 603 (SA28F) SRB - ALL PROTRUSANCES

MACH ( 5 ) = 2.740 ALPHA ( 1 ) = 130.100

SECTION ( 1 )SRB

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .869     | -.1307 | -.1271 | -.0791 | .6410    | 999.9999 |
|------|----------|--------|--------|--------|----------|----------|
| .902 | 999.9999 | -.1208 | -.1234 | -.2117 | 999.9999 |          |
| .923 | -.1222   | -.1253 | -.0378 | .6848  | 1.1410   | .0396    |
| .945 | -.1186   | -.1313 | -.1113 | .5263  | .7120    | -.1162   |
| .982 | .2967    |        | .2059  |        | 1.6124   |          |

MACH ( 6 ) = 3.480 ALPHA ( 1 ) = 130.100 QPSRF = 6.8600 PO = 60.000 P = 81000 RN/L = 7.0000

SECTION ( 1 )SRB

| X/L  | .027           | .0179  | .0372  | .0576 | .1086           | .3245     |
|------|----------------|--------|--------|-------|-----------------|-----------|
| .050 | -.0316         | -.0423 | -.0587 | .1379 | .3622           |           |
| .074 | -.0202         | -.0491 | -.0587 | .1587 | .4005           |           |
| .098 | -.0327         | -.0520 | -.0593 | .2000 | .5150           | .0531     |
| .111 | -.0400         | -.0486 | -.0599 | .0146 | .8182           | .5364     |
| .139 | 999.9999       | -.0423 | -.0610 | .2210 | .9196           | .9783     |
| .168 | -.0491         | -.0525 | -.0542 | .2195 | .5567           | .5127     |
| .191 | -.0525         | -.0372 | -.0616 | .0123 | .8933999.9999   | .5657     |
| .205 | -.0554         |        |        | .2133 |                 | .0122     |
| .244 | -.0604         | -.0350 | -.0434 | .0127 | .5533           | .0144     |
| .332 |                |        |        | .2062 |                 | .0582     |
| .667 | 999.9999       | -.0689 | -.0650 | .0050 | .9012999.9999   | .0150     |
| .702 | -.0689         | -.0394 | -.0502 | .0125 | .8264999.9999   |           |
| .724 | -.0578         | -.0694 | -.0388 | .0508 | .1931999.9999   | .0054     |
| .744 | -.0666         | -.0672 | -.0052 | .1193 | .6816999.9999   | .999.9999 |
| .755 | -.0678999.9999 |        | -.0565 | .0860 | .1.6816999.9999 | .1554     |
| .869 | -.0728         |        | -.0694 | .3594 | .0899999.9999   | .1058     |
| .902 | 999.9999       | -.0711 | -.0249 | .6813 | .999.9999       |           |
| .923 | -.0666         | -.0700 | -.0610 | .2314 | .999.9999       |           |
| .945 | -.0700         | -.0756 | -.0049 | .6387 | 1.1157          | .0103     |
| .982 | .3233          |        | -.0576 | .5060 | .6650           | -.0638    |
|      |                |        | .1942  |       | .6530           |           |

(R11078)

DATE 07 MAR 77

TABULATED SOURCE DATA. MSFC TWT 603 (SA28F)  
MSFC TWT 603 (SA28F) SRB - ALL PROTUBERANCES

PAGE 213  
( 22 AUG 75 )

## REFERENCE DATA

| SREF              | 116.2600 SO.FT.  | XMRP                  | 1044.0000 IN. | RN-SCH | 2.000    | PHI | 90.000   |
|-------------------|--|-----------------------|---------------|--------|----------|-----|----------|
| LREF              | 146.0000 IN.   | YMRP                  | .0000 IN.     |        |          |     |          |
| BREF              | 146.0000 IN.   | ZMRP                  | .0000 IN.     |        |          |     |          |
| SCALE             | .0055  |                       |               |        |          |     |          |
| MACH ( 1 ) = .598 | ALPHA ( 1 ) = 149.020 Q(PSF) = 7.4700  | PO                    | = 38.020      | P      | = 29.860 | RNL | = 6.7000 |
| SECTION ( 1 )SRB  |  | DEPENDENT VARIABLE CP |               |        |          |     |          |
| THETA             | .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000 |                       |               |        |          |     |          |

| X/L               | 0.027  | .0100                 | .0170    | .0200  | -1.1331  | -0.1410    |          |
|-------------------|--|-----------------------|----------|--------|----------|------------|----------|
|                   | .050   | -.0334                | -.0220   | -.0200 | -2.2116  | -.0558     |          |
|                   | .074   | -.1063                | -.0934   | -.0918 | -3.027   | -.1141     |          |
|                   | .098   | -.2281                | -.1805   | -.2762 | -.4900   | -.1870     |          |
|                   | .111   | -.3628                | -.3501   | -.2890 | -.8064   | -.6559     |          |
|                   | .139   | 999.9999              | -.2607   | -.2404 | -.8243   | -.0097     |          |
|                   | .168   | -.1611                | -.2608   | -.2417 | -.4690   | -.5011     |          |
|                   | .191   | -.2286                | -.2673   | -.2294 | -.5130   | -.2551     |          |
|                   | .255   | -.2425                | -.2725   | -.3181 | -.5190   | -.5600     |          |
|                   | .344   | -.2832                | -.2790   | -.6305 | -.5660   | -.2451     |          |
|                   | .392   | 999.9999              | -.1919   | -.5714 | -.5714   | -.5881     |          |
|                   | .667   | 999.9999              | -.4342   | -.5714 | -.7241   | -.2120     |          |
|                   | .702   | -.2843                | -.5424   | -.5279 | -.6472   | -.4541     |          |
|                   | .724   | -.5408                | -.5324   | -.4046 | -.5206   | -.5211     |          |
|                   | .744   | -.0781                | -.1884   | -.3537 | -.1314   | -.1314     |          |
|                   | .755   | -.2087999.9999        | -.5533   | -.8953 | -.4131   | -.2026     |          |
|                   | .869   | -.3861                | -.6567   | -.6567 | -.4178   | -.999.9999 |          |
|                   | .902   | 999.9999              | -.4118   | -.4118 | -.4495   | -.4890     |          |
|                   | .923   | -.3684                | -.4141   | -.5339 | -.7487   | -.8433     |          |
|                   | .945   | -.3352                | -.4590   | -.6145 | -.6394   | -.8624     |          |
|                   | .982   | -.1019                |          |        |          |            |          |
| MACH ( 2 ) = .906 | ALPHA ( 1 ) = 149.020 Q(PSF) = 7.4300  | PO                    | = 22.000 | P      | = 12.930 | RNL        | = 6.4000 |
| SECTION ( 1 )SRB  |  | DEPENDENT VARIABLE CP |          |        |          |            |          |
| THETA             | .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000 |                       |          |        |          |            |          |

MSFC TWT 603 (SA2BF)

MACH ( 2 ) = .906 ALPHA ( 1 ) = 149.020

SECTION ( 1 ) SRB

DEPENDENT VARIABLE CP

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

X/L .344 -.3141 -.3175 -.3871 -.7676 -.5504 -.1453999.9999

.392 999.9999 -.3010 -.5545 -.8107 -.1608 999.9999

.667 999.9999 -.4675 -.5518 -.5747 -.3635 999.9999

.702 -.3771 -.5141 -.4965 -.4872 -.4997 .3994999.9999

.724 -.5288 -.5141 -.4462 -.2889 -.2052 .5397999.9999

.744 -.0505 -.1488 -.4462 -.4052 -.4652 .6346999.9999

.755 -.1659999.9999 -.3605 -.4894 -.7466 -.0517 .3438999.9999

.869 -.3605 -.4468 -.5815 -.1347 999.9999

.902 999.9999 -.4468 -.4873 -.5525 -.2453 .5013

.923 -.3893 -.4331 -.4819 -.5168 -.5774 .4611

.945 -.3443 -.4158 -.4832 -.4832 .9868

MACH ( 3 ) = 1.196 ALPHA ( 1 ) = 149.020 0 (PSF) = 9.1300 PO = 22.010 P = 9.1200 RNL = 6.8000

SECTION ( 1 ) SRB

DEPENDENT VARIABLE CP

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

X/L .027 -.1747 -.1781 -.1668 -.1712 -.2518

.050 -.2635 -.2459 -.2293 -.3180 -.3206

.074 -.3447 -.3309 -.3694 -.4807 -.3191

.098 -.592 -.4535 -.4986 -.5873 -.2436

.111 -.4157 -.4611 -.4405 -.4876 -.0135

.139 999.9999 -.4051 -.3644 -.4271 -.1927

.168 -.2537 -.3657 -.3503 -.3247 -.4261

.191 -.3030 -.3790 -.3790 -.3274 -.4018

.255 -.2615 -.3734 -.3734 -.3980 -.0357

.344 -.2123 -.2204 -.2824 -.4962 -.3120

.392 -.3420 -.5186 -.4302 -.4745

.667 999.9999 -.2402 -.4302 -.2886

.702 -.2686 -.3551 -.4302 -.4745

.724 -.4947 -.4745 -.4629 -.4690

.744 -.2234 -.2512 -.3549 -.3529

.755 -.3159999.9999 -.5213 -.3267

.869 -.4530 -.4674 -.4674 -.5785

.902 999.9999 -.4227 -.4778

.923 -.4568 -.5052 -.5052 -.6259

.945 -.0327 -.1946 -.1946 -.4436

.982 -.1413 -.1413 -.1413

.999.9999 -.1413 -.1413

.999.9999 -.1413 -.1413

.999.9999 -.1413 -.1413

.999.9999 -.1413 -.1413

.999.9999 -.1413 -.1413

.999.9999 -.1413 -.1413

.999.9999 -.1413 -.1413

.999.9999 -.1413 -.1413

.999.9999 -.1413 -.1413

.999.9999 -.1413 -.1413

.999.9999 -.1413 -.1413

.999.9999 -.1413 -.1413

.999.9999 -.1413 -.1413

.999.9999 -.1413 -.1413

.999.9999 -.1413 -.1413



DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA2BF)

PAGE 216

MSFC TWT 603 (SA2BF) SRB - ALL PROTUBERANCES

MAC1 ( 5 ) = 2.740 ALPHA ( 1 ) = 149.000

SECTION ( 1 )SRB

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000225.0000270.0000315.0000

(RI11079)

(RI11079)

|   |                                       | DEPENDENT VARIABLE CP |            |               |          |          |          |                  |       |
|---|---------------------------------------|-----------------------|------------|---------------|----------|----------|----------|------------------|-------|
| X/L   |                                       | X/L                   |            |               |          |          |          | X/L              |       |
| .869  | -1.052                                | -.1149                | -.0670     | .2159         | 999.9999 | 999.9999 | 999.9999 | .0707            | .0404 |
| .902  | .999.9999                             | -.1259                | -.0882     | .0070         | 999.9999 | 999.9999 | 999.9999 | .0773            | .0541 |
| .923  | -.1180                                | -.1290                | -.0773     | .2961         | 4.686    | 4.686    | 4.686    | .1125            | .0702 |
| .945  | -.1283                                | -.1362                | -.1180     | .0330         | 1.129    | 1.129    | 1.129    | .1125            | .0702 |
| .982  | .2578                                 |                       | .2530      |               |          |          |          |                  |       |
| MACH ( 6 ) = 3.480  | ALPHA ( 1 ) = 149.000 Q(PSF) = 6.8600 | PO = 60.010           | P = .81000 | RNVL = 7.0000 |          |          |          |                  |       |
| SECTION ( 1 )SRB  |                                       | DEPENDENT VARIABLE CP |            |               |          |          |          | SECTION ( 1 )SRB |       |
| THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000225.0000270.0000315.0000 |                                       |                       |            |               |          |          |          |                  |       |
| X/L   |                                       |                       |            |               |          |          |          |                  |       |
| .027  | -.0238                                | -.0384                | -.0503     | -.0351        |          |          |          |                  |       |
| .056  | -.0339                                | -.0424                | -.0531     | -.0260        |          |          |          |                  |       |
| .074  | -.0266                                | -.0497                | -.0582     | -.0204        |          |          |          |                  |       |
| .098  | -.0345                                | -.0531                | -.0593     | -.0058        |          |          |          |                  |       |
| .111  | -.0424                                | -.0520                | -.0537     | .0646         |          |          |          |                  |       |
| .139  | .999.9999                             | -.0486                | -.0565     | -.0102        |          |          |          |                  |       |
| .168  | -.0497                                | -.0430                | -.0570     | -.0181        |          |          |          |                  |       |
| .191  | -.0503                                | -.0378                | -.0559     | -.0224        |          |          |          |                  |       |
| .255  | -.0520                                | -.0339                | -.0407     | -.0197        |          |          |          |                  |       |
| .344  | -.0503                                | -.0339                | -.0407     | -.0283        |          |          |          |                  |       |
| .392  |                                       |                       |            |               |          |          |          |                  |       |
| .667  | .999.9999                             | -.0666                | -.0384     | .2472         |          |          |          |                  |       |
| .702  | -.0717                                | -.0496                | -.0548     | .0657         |          |          |          |                  |       |
| .724  | -.0768                                | -.0785                | -.0486     | -.0233        |          |          |          |                  |       |
| .744  | -.0384                                | -.0441                | -.0525     | -.0054        |          |          |          |                  |       |
| .755  | -.0163999.9999                        | -.0514                | -.0052     | .2595         |          |          |          |                  |       |
| .869  | -.0531                                | -.0616                | -.034      | .1480         |          |          |          |                  |       |
| .902  | .999.9999                             | -.0588                | -.0503     | .2174         |          |          |          |                  |       |
| .923  | -.0616                                | -.0694                | -.0295     | .2799         |          |          |          |                  |       |
| .945  | -.0672                                | -.0745                | -.0987     | -.0967        |          |          |          |                  |       |
| .982  | .2974                                 |                       | .2923      | .2906         |          |          |          |                  |       |

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

MSFC TWT 603 (SA28F) SPB - ALL PROUTERANCES

PAGE 217

(R11080) (22 AUG 75)

## REFERENCE DATA

| SREF  | 116.2600 SQ.FT. | XHFP | 0 1044.0000 IN. | RN-SCH | 2.000 | PHI | 0 90.000 |
|-------|-----------------|------|-----------------|--------|-------|-----|----------|
| LREF  | 146.0000 IN.    | YHFP | 0 .0000 IN.     |        |       |     |          |
| BREF  | 146.0000 IN.    | ZHFP | 0 .0000 IN.     |        |       |     |          |
| SCALE | .0055           |      |                 |        |       |     |          |

MACH 11 1 596 ALPHA 11 169.900 O1PSF1 7.4400 PO 22.010 P 29.880 RN/L 0.8000

## SECTION 115RB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L   | 1.027 | 1.098         | 1.117  | 1.204  | 1.164  | 1.174    |
|---|-------|---------------|--------|--------|--------|----------|
|   | .050  | .0745         | .0802  | .0844  | .0630  | .0533    |
|   | .074  | .0077         | .0214  | .0164  | .0328  | .0347    |
|   | .098  | -.1148        | -.1095 | -.1563 | -.2991 |          |
|   | 1.11  | -.2220        | -.3060 | -.3275 | -.6530 | -.7310   |
|   | 1.39  | 999.9999      | 1.135  | 1.184  | 1.176  | 1.165    |
|   | 1.68  | -.054         | -.0627 | -.0765 | -.0779 | -.1164   |
|   | 1.91  | -.0561        | -.0572 | -.0640 | -.1031 | -.1033   |
|   | 2.55  | -.0547        | -.0529 | -.0549 | -.0590 | -.0590   |
|   | 3.44  | -.0563        | -.0550 | -.0549 | -.1182 | -.1105   |
|   | 3.92  |               |        | -.1325 |        | -.1320   |
|   | 6.67  | 999.9999      | 0.0410 | 0.160  | 0.0422 | 0.0422   |
|   | 7.02  | 0.0446        | 0.0440 | -.1201 | -.1052 | -.0711   |
|   | 7.24  | -.0814        | -.1172 | -.2375 | -.3097 | 999.9369 |
|   | 7.44  | 0.0550        | 0.0795 | 1.969  | 3.157  | .3259    |
|   | 7.55  | 0.435999.9999 |        | 1.097  | 1.590  | .1698    |
|   | 8.69  | -.3142        | -.3906 | -.3613 | -.044  | 999.9999 |
|   | 9.02  | 999.9999      | -.4335 | 5120   | -.3535 | 999.9999 |
|   | 9.23  | -.4344        | -.4578 | 5145   | -.4743 | .5110    |
|   | 9.45  | -.3820        | -.4301 | 5120   | -.7035 | .5128    |
|   | 9.82  | -.4604        |        | 5166   |        | .5813    |
| MACH 1 21 1 899 ALPHA 11 169.900 O1PSF1 7.3700 PO 22.010 P 13.050 RN/L 0.4000                       |       |               |        |        |        |          |
| SECTION 115RB DEPENDENT VARIABLE CP   |       |               |        |        |        |          |
| THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 |       |               |        |        |        |          |
| X/L   | .027  | .0915         | .0782  | .0579  | .0720  | .0823    |
|   | .050  | .0407         | .0292  | .0523  | .0358  | .0291    |
|   | .074  | -.0367        | -.0571 | -.2095 | -.2333 | .2146    |
|   | .098  | -.1794        | -.2357 | -.3690 | -.3356 | -.3422   |
|   | 1.11  | -.3307        | -.3442 | -.3718 | -.3739 | -.3422   |
|   | 1.39  | 999.9999      | 1.252  | 1.308  | 1.272  | 1.247    |
|   | 1.68  | -.0279        | -.0749 | -.0771 | -.0802 | -.0757   |
|   | 1.91  | -.0668        | -.0689 | -.0702 | -.0961 | -.0469   |
|   | 2.55  | -.0669        | -.0669 | -.0606 | -.0890 | -.0426   |



DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

PAGE 219

MACH ( 4 ) = 1.961    ALPHA ( 1 ) = 169.900    QIPST = 10.960    PO = 30.000    P = 4.0700    RN/L = 7.4000  
 SECTION ( 1 )SRB    DEPENDENT VARIABLE CP  
 THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027          | -.0059 | -.0180 | -.0769 | -.0511         | -.0490   |
|------|---------------|--------|--------|--------|----------------|----------|
| .050 | -.0880        | -.0871 | -.1125 | -.1437 | -.1973         |          |
| .074 | -.1827        | -.1371 | -.1665 | -.2212 | -.2019         |          |
| .098 | -.1850        | -.1851 | -.2107 | -.2312 | -.1575         |          |
| 1.11 | .0038         | -.0134 | -.0385 | -.0442 | -.0307         | -.0346   |
| 1.13 | 999.9999      | -.0241 | .0133  | .0094  | .0210          | .0171    |
| 1.16 | .0337         | -.0027 | -.0011 | -.0089 | .018999.9999   | .0229    |
| 1.19 | .0006         | -.0123 | -.0112 | -.0282 | -.0180         | .0035    |
| 1.25 | -.0099        | -.0275 | -.0134 | -.0850 | -.0254         | -.0535   |
| 1.34 | .0256         |        |        | -.0642 | -.0303         | -.0455   |
| 1.39 | .0257         |        |        | -.0642 | -.0113         | -.0257   |
| 1.67 | 999.9999      |        | -.0652 | -.1281 | -.0180         | -.1057   |
| 1.70 | -.0916        | -.1154 | -.1185 | -.1641 | -.0750         | -.1215   |
| 1.72 | -.1681        | -.1846 | -.2355 | -.2455 | -.2300999.9999 | 999.9999 |
| 1.74 | .0967         | .0827  | .0538  | .1535  | .1859          | .1006    |
| 1.75 | .0597999.9999 |        | .0694  | .0865  | .0601          | .0175    |
| 1.86 | .1456         |        | -.1582 | -.0909 | -.0124         | 999.9999 |
| 1.90 | 999.9999      |        | -.1832 | -.2065 | -.2064         |          |
| 1.92 | 999.9999      |        | -.2043 | -.1566 | -.1021         | .0601    |
| 1.95 | -.1919        |        | -.2209 | -.2650 | -.2052         | -.1620   |
| 1.96 | .1960         |        |        | .0136  | .2116          | -.2611   |
| 1.98 | .0922         |        |        |        | .1521          |          |

MACH ( 5 ) = 2.740    ALPHA ( 1 ) = 169.900    QIPST = 6.3800    PO = 30.050    P = 1.2100    RN/L = 5.1000

SECTION ( 1 )SRB    DEPENDENT VARIABLE CP  
 THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027          | -.0469 | -.0571 | -.0750 | -.0713        | -.0744        |
|------|---------------|--------|--------|--------|---------------|---------------|
| .050 | -.1723        | -.0696 | -.0974 | -.1023 | -.1089        |               |
| .074 | -.0784        | -.0823 | -.1041 | -.1144 | -.1114        |               |
| .098 | -.0844        | -.0944 | -.1077 | -.1223 | -.0847        |               |
| 1.11 | -.0147        | -.0313 | -.0319 | -.0294 | -.0167        | .0202         |
| 1.13 | 999.9999      | -.0187 | -.0088 | -.0149 | -.0060        | .0297         |
| 1.16 | .0091         | -.0175 | -.0155 | -.0199 | -.0486        | .0076         |
| 1.19 | -.0119        | -.0238 |        | -.0229 | -.0356        | .0239999.9999 |
| 1.25 | .0100         |        | -.0197 | -.0514 | -.0021        | .0555         |
| 1.34 | -.0016        | -.0257 | -.0450 | -.0361 | -.0239        | -.0555        |
| 1.39 |               |        |        | .0137  | .0268999.9999 | -.0349        |
| 1.65 | 999.9999      |        |        | .0810  | 999.9999      | -.0149        |
| 1.70 | -.0385        | -.0554 | -.0669 | -.0918 | -.0385        | .0292999.9999 |
| 1.72 | -.1041        | -.0980 | -.1026 | -.1235 | -.1041        | -.0768        |
| 1.74 | .0287         | -.0402 | .0396  | .0924  | .0180         | 999.9999      |
| 1.75 | .0014999.9999 |        | .0451  | .0294  | .0184         | .0536         |



DATE 07 MAR 77

## TABULATED SOURCE DATA. MSFC TWT 603 (SA28F)

PAGE 221

MSFC TWT 603 (SA28F) SRB - ALL PROUTER NAMES

## REFERENCE DATA

|       |   |          |        |      |   |           |     |
|-------|---|----------|--------|------|---|-----------|-----|
| SREF  | * | 116.2600 | SQ.FT. | XHPP | = | 1044.0000 | IN. |
| LREF  | * | 146.0000 | IN.    | YHPP | = | .0000     | IN. |
| BREF  | * | 146.0000 | IN.    | ZHPP | = | .0000     | IN. |
| SCALE | * | .0055    |        |      |   |           |     |

MACH ( 1 ) = .600 ALPHA ( 1 ) = 179.900 Q(PSF) = 7.5000 PO = 38.000 P = 29.800 RN/L = 6.8000

SECTION 11 SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000225.0000270.0000315.0000

| X/L | .027  | .1213                                 | .1226       | .1145      | .1121         | .1168   |
|-----|---|---------------------------------------|-------------|------------|---------------|---------|
|     | .050  | .0921                                 | .0843       | .0808      | .0758         | .0793   |
|     | .074  | .0256                                 | .0239       | .0160      | .0116         | .0143   |
|     | .098  | -1.381                                | -1.437      | -1.444     | -1.444        | -1.4248 |
|     | -1.11   | .3645                                 | .4206       | .4211      | .4285         | .4285   |
|     | -1.39   | .999 9999                             | .1164       | .1014      | .0978         | .0935   |
|     | -1.68   | .0286                                 | .0378       | .0465      | .0512         | .0521   |
|     | -1.91   | .0259                                 | .0235       | .0163      | .0096         | .0051   |
|     | -2.05   | -                                     | -           | -          | -             | -       |
|     | -3.44   | .0404                                 |             |            |               |         |
|     | -3.92   |                                       |             |            |               |         |
|     | .667  | .999 9999                             | .0650       | .0516      | .0290         | .0529   |
|     | .702  | .0395                                 | .0116       | .0402      | .0176         | .0260   |
|     | .724  | -                                     | .2261       | .2018      | .1922         | .1922   |
|     | .744  | .2248                                 | .2318       | .2840      | .2971         | .2473   |
|     | .755  | .1671999.9999                         |             | .1932      | .2016         | .1615   |
|     | .869  | -1.056                                |             | .0827      | .0190         | .1015   |
|     | .902  | .999 9999                             |             | .2466      | .2559         | .2643   |
|     | .923  | -3546                                 |             | .3712      | .3656         | .3766   |
|     | .945  | .3867                                 |             | .4045      | .5156         | .3710   |
|     | .982  | -.7977                                |             | .8025      | .8059         | .8031   |
|     |   |                                       |             |            |               |         |
|     | MACH ( 2 ) = .901   | ALPHA ( 1 ) = 179.900 Q(PSF) = 7.3800 | PO = 22.010 | P = 13.000 | RN/L = 6.4000 |         |
|     | SECTION 11 SHB  | DEPNTN VARIABLE CP                    |             |            |               |         |
|     | THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000225.0000270.0000315.0000 |                                       |             |            |               |         |

| X/L | .027  | .1323     | .1320  | .1201  | .1185  | .1186  |
|-----|-------|-----------|--------|--------|--------|--------|
|     | .050  | .0915     | .0836  | .0761  | .0738  | .0777  |
|     | .074  | .006      | .0247  | .0233  | .0166  | .0034  |
|     | .098  | -2144     | -2534  | -2452  | -2275  | -1622  |
|     | -1.11 | .3206     | .3143  | .3110  | .3133  | .3305  |
|     | -1.39 | .999 9999 | .1175  | .0874  | .0844  | .0877  |
|     | -1.68 | .0231     | .0252  | .0339  | .0416  | .0475  |
|     | -1.91 | -.0261    | -.0166 | -.0279 | -.0340 | -.0339 |
|     | -2.05 | -.0214    | -.0071 | -.0274 | -.0305 | -.0366 |
|     |       |           |        |        |        |        |

SECTION 11 SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000225.0000270.0000315.0000

| X/L | .027  | .1323     | .1320  | .1201  | .1185  | .1186  |
|-----|-------|-----------|--------|--------|--------|--------|
|     | .050  | .0915     | .0836  | .0761  | .0738  | .0777  |
|     | .074  | .006      | .0247  | .0233  | .0166  | .0034  |
|     | .098  | -2144     | -2534  | -2452  | -2275  | -1622  |
|     | -1.11 | .3206     | .3143  | .3110  | .3133  | .3305  |
|     | -1.39 | .999 9999 | .1175  | .0874  | .0844  | .0877  |
|     | -1.68 | .0231     | .0252  | .0339  | .0416  | .0475  |
|     | -1.91 | -.0261    | -.0166 | -.0279 | -.0340 | -.0339 |
|     | -2.05 | -.0214    | -.0071 | -.0274 | -.0305 | -.0366 |
|     |       |           |        |        |        |        |

MSFC TWT 603 (SA28F) SRB - ALL PROTUBERANCES

(R11081)

MACH ( 2 ) = .901 ALPHA ( 1 ) = 179.900

SECTION ( 1 )SRB DEPENDENT VARIABLE CP

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | Y/L      | Z/L    | 0(PSF) | P0     | P      | RNL       | 6.0000 |
|--|----------|--------|--------|--------|--------|-----------|--------|
| .344   | -.0112   | -.0190 | -.0672 | -.0788 | -.0589 | -.0692999 | .9999  |
| .392   | .999     | .9999  | .1817  | -.1480 | -.1506 | .999      | .9999  |
| .567   | .999     | .9999  | .1532  | .1322  | .1317  | .999      | .9999  |
| .702   | .1555    | .0646  | .0411  | .0416  | .0297  | .0958999  | .9999  |
| .724   | .0656    | .0927  | .0098  | .1147  | .1375  | .0331999  | .9999  |
| .744   | .0927    | .0927  | .0098  | .0771  | .0941  | .0615999  | .9999  |
| .755   | .0516999 | .9999  | .3509  | .0684  | .3237  | .0378999  | .9999  |
| .869   | -.3462   | .902   | .9999  | -.3652 | .4025  | -.3469    | .999   |
| .902   | .999     | .9999  | .4005  | -.4230 | -.3726 | .999      | .9999  |
| .923   | -.3691   | .945   | .3550  | -.3856 | -.4860 | -.4136    | .3740  |
| .945   | .3550    | .982   | .5925  | -.6099 | -.3934 | -.3843    | -.4724 |
| MACH ( 3 ) = 1.199 ALPHA ( 1 ) = 179.900 0(PSF) = 9.1400   |          |        |        |        |        |           |        |
| SECTION ( 1 )SRB DEPENDENT VARIABLE CP   |          |        |        |        |        |           |        |
| THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 |          |        |        |        |        |           |        |
| X/L  | Y/L      | Z/L    | 0001   | 0009   | 0102   | 0201      |        |
| .027   | .0157    | .0001  | -.0799 | -.0840 | -.0654 | .0502     |        |
| .050   | -.0564   | .0564  | -.1919 | -.1978 | -.1831 | -.1676    |        |
| .074   | -.3186   | -.4979 | -.5382 | .5585  | .5503  | .4301     |        |
| .098   | -.4979   | -.1023 | .1395  | -.1391 | -.1446 | -.2527    |        |
| .111   | -.1023   | -.1023 | -.1541 | -.0174 | -.0274 | -.0491    |        |
| .139   | .999     | .9999  | -.0624 | -.0192 | -.0165 | -.0537    |        |
| .168   | .1223    | .0315  | .0006  | .0245  | .0283  | -.0340    |        |
| .191   | -.0045   | -.0124 | -.0124 | -.0258 | -.0296 | -.0312    |        |
| .255   | -.0129   | -.0392 | -.0392 | -.0592 | -.0592 | -.0611    |        |
| .344   | .0214    | -.0312 | -.1861 | -.1144 | -.0783 | -.0520999 |        |
| .392   | .667     | .999   | .9999  | .1170  | -.0490 | .999      |        |
| .702   | .0017    | -.0302 | -.0618 | -.1104 | .0168  | -.0160999 |        |
| .724   | -.2094   | -.2167 | -.2130 | -.0736 | -.0318 | -.0143    |        |
| .744   | .3347    | .3013  | .3784  | .3621  | .3078  | -.1867999 |        |
| .755   | .2457999 | .9999  | .3013  | .2893  | .2368  | .2833999  |        |
| .869   | -.1786   | -.1725 | -.1733 | -.1775 | .999   | .9999     |        |
| .902   | .999     | .9999  | -.4171 | -.4244 | -.4177 | .999      |        |
| .923   | -.4572   | -.4378 | -.4378 | -.4691 | -.5059 | -.4627    |        |
| .945   | -.6779   | -.7477 | -.7477 | -.5986 | -.6760 | -.6429    |        |
| .982   | -.2010   |        |        |        | -.2222 | -.2020    |        |



DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC THT 603 (SAZEF-1)

PAGE 224

MSFC THT 603 (SAZEF-1) 598 - ALL PROTRUSANCES

(R110811)

MACH ( 51 ) = 2.740 ALPHA ( 11 ) = 179.900

SECTION 1 1)598

DEFINITION VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L             | .869 -.0040 | .0100  | -.0054 | -.0137     | .999 .9999 |
|-----------------|-------------|--------|--------|------------|------------|
| .902 .999 .9999 | -.0956      | .0619  | -.0939 | .999 .9999 | -.0699     |
| .923 -.0665     | .0768       | .0640  | -.0828 | -.0559     | -.1047     |
| .945 -.1241     | -.1168      | -.1055 | -.1174 | .1164      |            |
| .982 .1877      |             | .1822  |        | .1804      |            |

MACH ( 61 ) = 3.480 ALPHA ( 11 ) = 179.900 QIPSF = 6.8600

SECTION 1 1)598

DEFINITION VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L               | .027 -.0045 | -.0113 | -.0153 | -.0120 | -.0085 |
|-------------------|-------------|--------|--------|--------|--------|
| .050 -.0221       | -.0289      | -.0345 | -.0318 | -.0288 |        |
| .074 -.0209       | -.0401      | -.0452 | -.0418 | -.0413 |        |
| .098 -.0255       | -.0491      | -.0542 | -.0514 | -.0424 |        |
| .111 .0128        | .0010       | .0077  | .0083  | .0080  | -.0074 |
| .139 .999 .9999   | .0184       | .0173  | .0093  | -.0046 | -.0051 |
| .168 .0268        | .0139       | .0134  | .0071  | .0072  | .0051  |
| .191 .0122        | .0117       | .0072  | .0072  | .0032  | .0049  |
| .255 .0082        |             | .0088  | .0049  | .0065  | .0057  |
| .343 .0001        | -.0029      |        | .0051  | .0018  | .0032  |
| .392 .759399.9999 |             |        |        | .0089  | .0110  |
| .869 .0184        |             |        | .0015  | .0015  | .0015  |
| .902 .999 .9999   |             |        |        | .0029  | .0029  |
| .923 -.0227       |             |        |        | .0065  | .0065  |
| .945 -.0610       |             |        |        | .0139  | .0116  |
| .982 .2230        |             |        |        | .0480  | .0480  |

X/L

.027

.0045

-.0113

-.0153

-.0120

-.0085

.0221

-.0289

-.0345

-.0318

.0040

-.0401

-.0452

-.0418

.0255

-.0491

-.0542

-.0514

.0010

.0077

.0083

-.0074

.0080

-.0051

.0056

-.0051

.0050

-.0052

.0122

.0052

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

.0043

DATE 07 MAR 77

## TABULATED SOURCE DATA. NSFC TWT 603 (SA287)

PAGE 225

NSFC TWT 603 (SA287) SRB - ALL PROTRUSSANCES

(R) 10821 ( 22 AUG 75 )

## REFERENCE DATA

| SREF    | XREF          | SO. FT.       | XHAT        | YHAT    | ZHAT      | RN-SCH   | PHI      | PARAMETrIC DATA                              |
|---------|---------------|---------------|-------------|---------|-----------|----------|----------|--|
| LREF    | 116.0000      | IN.           | 1044.0000   | IN.     | .0000 IN. |          |          | 315.000                                      |
| BREF    | 146.0000      | IN.           | .0000       | .0000   | .0000 IN. |          |          |  |
| SCALE   | .0055         |               |             |         |           |          |          |  |
| MACH    | ( 1 )         | .597          | ALPHA ( 1 ) | -70.000 | Q1PSI     | -3.5300  | P0       | -14.150                                      |
| SECTION | ( 1 )SRB      |               |             |         |           |          | P        | RNL = 4.1000                                 |
| THETA   | .0000         | 22.5000       | 45.0000     | 67.5000 | 90.0000   | 112.5000 | 135.0000 | 157.5000 180.0000 225.0000 270.0000 315.0000 |
| X/L     |               |               |             |         |           |          |          |  |
| .027    | -1.0780       | -1.9271       | -1.8584     | -1.2930 |           |          |          | 1.0247                                       |
| .050    | -7390         | -6009         | -4713       | -2223   |           |          |          | .0765  |
| .074    | .6891         | .2920         | .1595       | .1660   |           |          |          | .1072  |
| .098    | -.6539        | -.0402        | -.9606      | -.0708  |           |          |          |  |
| .111    | -1.3348       | -1.2278       | -.8969      | -.9683  | -1.0029   | -.0399   |          |  |
| .139    | -.7546        | -.8137        | -.7340      | -.1077  | -.1436    | -.1532   |          |  |
| .168    | -.6388        | -.713999      | -.99999     | -.7739  | -.0734    | -.1714   |          |  |
| .191    | -.5984        | -.6373        | -.5984      | -.7560  | -.8430    | -.0240   |          |  |
| .255    | -.4550        | -.999         | -.9999      | -.5321  | -.5321    | -.1209   |          |  |
| .344    | -.3673        | -.3646        | -.4058      | -.5017  | -.6905    | -.7030   |          |  |
| .392    |               |               |             |         |           |          |          |  |
| .567    | 999.9999      | 999.9999      | 999.9999    | -.8109  | -.8109    | -.2667   |          |  |
| .702    | .5484         | .5851         | .6794       | -.8662  | -1.0233   |          |          |  |
| .724    | -.3983        | -.4973        | -.5879      | -.7453  | -.0169    |          |          |  |
| .744    | -.5183        | -.5331        | -.7645      | -.2822  | -.2425    |          |          |  |
| .755    | -.490699.9999 | -.490699.9999 | -.7856      | -.1006  | -.2459    |          |          |  |
| .869    | -.5157        | 999.9999      | 999.9999    | -.7925  | -.2249    |          |          |  |
| .902    | 999.9999      | 999.9999      | 999.9999    | -.7134  | -.2202    |          |          |  |
| .923    | -.4041        | -.4790        | -.7700      | -.0969  | -.1112    |          |          |  |
| .945    | -.3646        | -.5085        | -.7528      | -.0324  | -.0276    |          |          |  |
| .982    | -.3419        |               | -.8352      |         |           |          |          |  |

DATE 07 MAR 77

UNCLASSIFIED SOURCE DATA, MFC TWT 603 (SAGER)

PAGE 226

MASC IMI 601 ISM201 = M1 1001154288 = M1 1001154288

卷之三

REFERENCE DATA

|      |          |         |      |           |     |       |       |     |   |         |
|------|----------|---------|------|-----------|-----|-------|-------|-----|---|---------|
| SREF | 116,2600 | SO. FT. | XHGP | 1044.0000 | IN. | RNSCH | 2.000 | PHI | - | 315.000 |
| LREF | 146,0000 | IN.     | YHGP | .0000     | IN. |       |       |     |   |         |
| BREF | 146,0000 | IN.     | ZHGP | .0000     | IN. |       |       |     |   |         |

| SECTION | (-1)SRB | THETA    | DEPENDENT VARIABLE | CP       |
|---------|---------|----------|--------------------|----------|
|         | .0000   | .22.5000 | 45.0000            | 67.5000  |
|         |         |          | 90.0000            | 112.5000 |

|     |      |         |         |         |         |         |         |         |         |         |         |         |         |             |             |             |          |          |         |       |
|-----|------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------------|-------------|-------------|----------|----------|---------|-------|
| X/1 | .027 | - .7607 | - .7583 | - .7624 | - .7641 | - .7533 | - .7680 | - .7661 | - .7640 | - .7613 | - .7590 | - .7519 | .9869   | - .9295     | .3415       | - .7458     | - .7719  | .9595    |         |       |
| X/2 | .050 | - .7844 | - .7674 | - .7602 | - .7597 | - .7606 | - .7646 | - .7610 | - .7597 | - .7536 | - .7500 | - .7492 | - .7336 | - .69379999 | .9999       | - .68801    | - .6881  | .9581    |         |       |
| X/3 | .073 | - .8074 | - .7824 | - .7624 | - .7592 | - .7606 | - .7646 | - .7610 | - .7597 | - .7536 | - .7500 | - .7492 | - .7336 | - .69379999 | .9999       | - .68801    | - .6881  | .9581    |         |       |
| X/4 | .096 | - .8304 | - .8074 | - .7824 | - .7624 | - .7592 | - .7606 | - .7646 | - .7610 | - .7597 | - .7536 | - .7500 | - .7492 | - .7336     | - .69379999 | .9999       | - .68801 | - .6881  | .9581   |       |
| X/5 | .119 | - .8534 | - .8304 | - .8074 | - .7824 | - .7624 | - .7592 | - .7606 | - .7646 | - .7610 | - .7597 | - .7536 | - .7500 | - .7492     | - .7336     | - .69379999 | .9999    | - .68801 | - .6881 | .9581 |

DATE 07 MAR 77

TABULATED SOURCE DATA. MSFC TWT 603 (SA2EF)

MSFC TWT 604 (SA2EF) SRB - ALL PROTRUSANCES

(R11083)

PAGE 227

MACH ( 2 ) = .902 ALPHA ( 1 ) = 70.000

SECTION 1 1)SRB DEPENDENT VARIABLE CP

THE1A .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .344           | -.5307   | .5329    | -.5356   | -.5545   | -.6194   | .8487    | 1.1179   | 1.5248   |
|------|----------------|----------|----------|----------|----------|----------|----------|----------|----------|
| .392 |                |          |          |          |          |          |          |          |          |
| .667 | 999.9999       | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 999.9999 |
| .702 | -.4997         | -.5125   | -.5125   | -.5525   | -.5916   | -.6458   | -.8133   | 1.0901   | 1.4873   |
| .724 | -.4971         | -.5111   | -.5111   | -.5734   | -.5761   | -.5713   | -.8980   | 1.1895   | 1.5355   |
| .744 | -.4986         | -.4571   | -.4571   | -.5051   | -.6882   | -.7065   | .9233    | 1.0537   | 1.5436   |
| .755 | -.4602998.9999 | -.4490   | -.4490   | -.4566   | -.6495   | -.6179   | 1.1192   | 1.5585   | 1.5585   |
| .869 | -.3935         | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 1.229    | 1.0831   | 1.5213   |
| .902 | 999.9999       | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 1.349    | 1.1875   |          |
| .923 | -.3532         | -.3797   | -.3797   | -.4744   | -.4744   | -.4744   | 1.850    | 1.1990   |          |
| .945 | -.3563         | -.4080   | -.4080   | -.4894   | -.4894   | -.4894   | 2.246    | 1.1085   |          |
| .982 | -.3176         |          |          |          |          |          |          |          |          |

MACH ( 3 ) = 1.194 ALPHA ( 1 ) = 70.000 QIPSF1 = 9.1300 PO = 22.020 P = 9.1500 RN/L = 6.7000

SECTION 1 1)SRB DEPENDENT VARIABLE CP

THE1A .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027           | -.7204         | -.7189         | -.6000   | .5914    | .3265    |        |        |        |
|------|----------------|----------------|----------------|----------|----------|----------|--------|--------|--------|
| .050 | -.7118         | -.7058         | -.5613         | -.6149   | -.6238   | -.3659   |        |        |        |
| .074 | -.6345         | -.6516         | -.5194         | -.6222   | -.6543   | -.3863   |        |        |        |
| .098 | -.5950         | -.6113         | -.5367         | -.5968   | -.6845   | 1.1908   | 1.3921 | 1.6618 | 1.5481 |
| .111 | -.6009         | -.6224         | -.5945         | -.5923   | -.0220   | 1.0691   | 1.413  | 1.9999 | 1.5775 |
| .139 | -.5361         | -.5496         | -.5385         | -.5367   | -.5584   | -.0691   | 1.5926 | 1.1227 | 1.5225 |
| .168 | -.4916         | -.4922999.9999 | -.4922999.9999 | -.4927   | -.4930   | -.1024   | 1.5640 | 1.3757 | 1.5200 |
| .191 | -.4847         | -.4777         | -.4777         | -.5421   | -.5432   | -.1047   | 1.1087 | 1.3289 | 1.4909 |
| .255 | -.4532         | 999.9999       | 999.9999       | 1.4670   | 1.4670   | 1.5299   | 1.3081 |        |        |
| .344 | -.3770         | -.3793         | -.3891         | -.3785   | -.1283   | 1.0758   | 1.2927 |        |        |
| .392 |                |                |                |          |          |          |        |        |        |
| .667 | 999.9999       | 999.9999       | 999.9999       | 999.9999 | 999.9999 | 999.9999 | 1.3229 | 1.2853 | 1.3795 |
| .702 | -.4970         | -.4864         | -.4864         | -.4809   | -.4809   | 1.0475   | 1.2712 |        |        |
| .724 | -.4826         | -.4741         | -.4741         | -.4705   | -.4705   | 1.0784   | 1.1213 |        |        |
| .744 | -.4820         | -.4869         | -.4869         | -.4916   | -.4916   | 1.1229   | 1.1273 |        |        |
| .755 | -.4834999.9999 | -.49646        | -.49646        | -.50946  | -.50946  | 1.1632   | 1.0515 |        |        |
| .869 | -.4323         | 999.9999       | 999.9999       | 999.9999 | 999.9999 | 999.9999 | 1.4357 | 1.4807 | 1.2613 |
| .902 | 999.9999       | 999.9999       | 999.9999       | 999.9999 | 999.9999 | 999.9999 | 1.4750 | 1.9669 | 1.3664 |
| .923 | -.4007         | -.4108         | -.4108         | -.4097   | -.4097   | 1.4855   | 1.5307 | 1.3586 | 1.2869 |
| .945 | -.3906         | -.4108         | -.4108         | -.5979   | -.5979   | 1.5381   | 1.5381 |        |        |
| .982 | -.3591         | -.4549         | -.4549         |          |          |          |        |        |        |

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TNT 603 (SA28F)

PAGE 228

MSFC TNT 603 (SA28F) SRB - ALL PROTUBERANCES

(R111063)

MACH ( 41 = 1.969 ALPHA ( 1 ) = 70.000 Q1PSF ) = 10.920

DEPENDENT VARIABLE CP

SECTION ( 1 )SRB

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L   | .027   | -.2925     | -.3138     | -.0974 | .9212 | 1.6157 |
|---|--------|------------|------------|--------|-------|--------|
| .050  | -.2917 | -.3000     | -.2862     | -.0802 | .9155 | 1.6266 |
| .074  | -.2805 | -.2846     | -.2799     | -.0871 | .9127 | 1.6448 |
| .098  | -.2695 | -.2848     | -.2795     | -.0940 | .8980 | 1.6474 |
| .111  | -.2590 | -.2633     | -.2672     | -.2757 | .8486 | 1.7546 |
| .139  | -.2516 | -.2479     | -.2557     | -.2516 | .2301 | 1.2926 |
| .168  | -.2336 | -.2336     | -.2462     | -.2523 | .1414 | 1.2792 |
| .191  | -.2102 | -.2142     | -.2136     | -.2136 | .2018 | 1.2679 |
| .214  | -.202  | -.2541     | -.2540     | -.2641 | .1446 | 1.2656 |
| .244  | -.2520 | -.2548     | -.2582     | -.2763 | .1233 | 1.2397 |
| .275  | -.2502 | -.2546     | -.2602     | -.2711 | .1727 | 1.1727 |
| .302  | -.2484 | -.24999999 | -.25000000 | -.2743 | .1313 | 1.1312 |
| .339  | -.2426 | -.2424     | -.2424     | -.2743 | .2549 | 1.3548 |
| .369  | -.2402 | -.2402     | -.2426     | -.2743 | .0619 | 1.3548 |
| .392  | -.2336 | -.2336     | -.2336     | -.2743 | .0668 | 1.3548 |
| .415  | -.2252 | -.2252     | -.2252     | -.2539 | .0668 | 1.3548 |
| .432  | -.2158 | -.2158     | -.2158     | -.2539 | .0668 | 1.3548 |
| MACH ( 51 = 2.740 ALPHA ( 1 ) = 70.000 Q1PSF ) = 6.3700   |        |            |            |        |       |        |
| SECTION ( 1 )SRB  |        |            |            |        |       |        |
| THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 |        |            |            |        |       |        |

| X/L   | .027       | -.0881     | -.1052 | .0422  | 1.0289 | 1.7621 |
|---|------------|------------|--------|--------|--------|--------|
| .050  | -.0973     | -.1100     | -.1131 | .0532  | .0054  | .7603  |
| .074  | -.0827     | -.1102     | -.1125 | .0435  | .9743  | .7609  |
| .098  | -.0931     | -.1144     | -.1033 | -.1089 | .0212  | .9574  |
| .111  | -.1009     | -.1016     | -.1125 | -.1041 | -.0044 | .9393  |
| .139  | -.0997     | -.0973     | -.0973 | -.1022 | .3623  | .9046  |
| .168  | -.1016     | -.0973     | -.0973 | -.0129 | .3026  | .8350  |
| .191  | -.0988     | -.0906     | -.0999 | -.0973 | .3178  | .8591  |
| .225  | -.1004     | -.0858     | -.0858 | -.0918 | .3052  | .8384  |
| .314  | -.0967     | -.0858     | -.0858 | -.0918 | .0008  | .3195  |
| .392  | -.0967     | -.0999     | -.0999 | -.0999 | .0022  | .3195  |
| .567  | -.0999     | -.0999     | -.0999 | -.0999 | .0095  | .8331  |
| .702  | -.1149     | -.0991     | -.1095 | -.0143 | .3083  | 1.3766 |
| .724  | -.1149     | -.1186     | -.0924 | .0738  | .4980  | 1.6230 |
| .744  | -.1271     | -.1271     | -.1295 | -.0638 | .1886  | .8232  |
| .755  | -.12729999 | -.12729999 | -.1398 | -.0093 | .3483  | 1.4761 |
| MACH ( 51 = 5.1000 ALPHA ( 1 ) = 70.000 Q1PSF ) = 1.2100  |            |            |        |        |        |        |
| SECTION ( 1 )SRB  |            |            |        |        |        |        |
| THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 |            |            |        |        |        |        |





DATE 07 MAR 77

TABULATED SOURCE DATA. MSFC TWT 603 (SA281)  
MSFC TWT 603 (SA281) SRB - ALL PROTRUSANCES

PAGE 231

## REFERENCE DATA

|       |   |          |         |                  |   |           |     |        |   |       |     |   |         |
|-------|---|----------|---------|------------------|---|-----------|-----|--------|---|-------|-----|---|---------|
| SREF  | • | 116.2600 | SO. FT. | X <sup>REF</sup> | • | 1044.0000 | IN. | RN-SCH | • | 1.000 | PHI | • | 315.000 |
| LREF  | • | 146.0000 | IN.     | Y <sup>REF</sup> | • | .0000     | IN. |        |   |       |     |   |         |
| BREF  | • | 146.0000 | IN.     | Z <sup>REF</sup> | • | .0000     | IN. |        |   |       |     |   |         |
| SCALE | • | .0055    |         |                  |   |           |     |        |   |       |     |   |         |

|      |       |   |      |       |       |   |        |                  |   |        |    |   |        |   |   |        |     |   |        |
|------|-------|---|------|-------|-------|---|--------|------------------|---|--------|----|---|--------|---|---|--------|-----|---|--------|
| MACH | ( 1 ) | • | .601 | ALPHA | ( 1 ) | • | 90.000 | O <sub>PSF</sub> | • | 3.5600 | P0 | • | 18.000 | P | • | 14.110 | P/L | • | 4.1000 |
|------|-------|---|------|-------|-------|---|--------|------------------|---|--------|----|---|--------|---|---|--------|-----|---|--------|

SECTION 1 115R8

## DEPENDENT VARIABLE CP

THE FA .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000

| X/L  | .027 | .5826     | .5730     | .5598     | .5708     | .5708     | .5690     | .5718     | .57383    | .57383    | .5728     | .5728     |
|------|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| .050 | -    | .5801     | .5834     | .5834     | .5834     | .5834     | .5834     | .5834     | .5834     | .5834     | .5834     | .5834     |
| .074 | -    | .5882     | .6131     | .6065     | .6065     | .6065     | .6065     | .6065     | .6065     | .6065     | .6065     | .6065     |
| .098 | -    | .6068     | .6209     | .6209     | .6209     | .6209     | .6209     | .6209     | .6209     | .6209     | .6209     | .6209     |
| .111 | -    | .6209     | .6209     | .6209     | .6209     | .6209     | .6209     | .6209     | .6209     | .6209     | .6209     | .6209     |
| .135 | -    | .6398     | .6398     | .6398     | .6398     | .6398     | .6398     | .6398     | .6398     | .6398     | .6398     | .6398     |
| .159 | -    | .6398     | .6398     | .6398     | .6398     | .6398     | .6398     | .6398     | .6398     | .6398     | .6398     | .6398     |
| .183 | -    | .6145     | .6193     | .6193     | .6193     | .6193     | .6193     | .6193     | .6193     | .6193     | .6193     | .6193     |
| .191 | -    | .6008     | .5899     | .5899     | .5899     | .5899     | .5899     | .5899     | .5899     | .5899     | .5899     | .5899     |
| .255 | -    | .4995     | .5533     | .5533     | .5533     | .5533     | .5533     | .5533     | .5533     | .5533     | .5533     | .5533     |
| .344 | -    | .5497     | .5533     | .5533     | .5533     | .5533     | .5533     | .5533     | .5533     | .5533     | .5533     | .5533     |
| .357 | -    |           |           |           |           |           |           |           |           |           |           |           |
| .567 | -    | .969.9999 | .969.9999 | .969.9999 | .969.9999 | .969.9999 | .969.9999 | .969.9999 | .969.9999 | .969.9999 | .969.9999 | .969.9999 |
| .702 | -    | .5517     | .5756     | .5756     | .5756     | .5756     | .5756     | .5756     | .5756     | .5756     | .5756     | .5756     |
| .724 | -    | .5446     | .5486     | .5486     | .5486     | .5486     | .5486     | .5486     | .5486     | .5486     | .5486     | .5486     |
| .744 | -    | .5526     | .5626     | .5626     | .5626     | .5626     | .5626     | .5626     | .5626     | .5626     | .5626     | .5626     |
| .755 | -    | .5613     | .5699     | .5699     | .5699     | .5699     | .5699     | .5699     | .5699     | .5699     | .5699     | .5699     |
| .869 | -    | .6079     | .6666     | .6666     | .6666     | .6666     | .6666     | .6666     | .6666     | .6666     | .6666     | .6666     |
| .902 | -    | .999.9999 | .999.9999 | .999.9999 | .999.9999 | .999.9999 | .999.9999 | .999.9999 | .999.9999 | .999.9999 | .999.9999 | .999.9999 |
| .923 | -    | .6121     | .6978     | .6978     | .6978     | .6978     | .6978     | .6978     | .6978     | .6978     | .6978     | .6978     |
| .945 | -    | .6149     | .7010     | .7010     | .7010     | .7010     | .7010     | .7010     | .7010     | .7010     | .7010     | .7010     |
| .982 | -    | .8670     | .8706     | .8706     | .8706     | .8706     | .8706     | .8706     | .8706     | .8706     | .8706     | .8706     |

## PARAMETRIC DATA

(P1110851) (22 AUG 79)

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA28F1)

PAGE 232

MSFC TWT 603 (SA28F1) SRB - ALL PROTECTIONS

(111066) (22 AUG 75)

## REFERENCE DATA

|         |          |        |       |           |     |
|---------|----------|--------|-------|-----------|-----|
| SREF :  | 116.2600 | SD.FT. | XMF : | 1044.0000 | IN. |
| LREF :  | 146.0000 | IN.    | YMF : | .0000     | IN. |
| BREF :  | 146.0000 | IN.    | ZMF : | .0000     | IN. |
| SCALE : | .0055    |        |       |           |     |

MACH 1.11 • .602 ALPHA 111 • 90.000 QIPSF1 • 7.9400

SECTION 1 11SRB DEPENDENT VARIABLE CP

1111A .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000

| X/L             | 0.27 | -7521         | -9782                              | -7954  | -5472    | 6771          |          |
|-----------------|------|---------------|------------------------------------|--------|----------|---------------|----------|
|                 | .050 | -.113         | .6944                              | -.6369 | .4504    | -.7624        |          |
|                 | .074 | -6773         | -7242                              | -7111  | -4239    | 8296          |          |
|                 | .098 | -7246         | -7602                              | -.8607 | -.3263   |               |          |
|                 | .111 | -7352         | -.7498                             | -.6395 | .6374    | -.7857        | .7710    |
|                 | .139 | -7189         | -.7163                             | -.7157 | .6024    | -.2425        |          |
|                 | .168 | -6932         | -.6719999.9999                     | -.7044 | -.4926   | -.2735        | .6790    |
|                 | .191 | -6301         | -.6370                             | -.5361 | -.3526   | -.2819        | -.7170   |
|                 | .255 | -6741         | 999.9999                           | -.7306 | -.2982   | -.0768        |          |
|                 | .344 | -6055         | -.6550                             | -.7306 | -.1117   | -.3867        |          |
|                 | .392 |               |                                    |        | -.0382   |               |          |
|                 | .667 | 999.9999      | 999.9999                           | -.9764 |          | -.3288        |          |
|                 | .702 | -6597         | -.6501                             | -.7676 | -.1008   | -.4499        |          |
|                 | .724 | -6573         | -.6431                             | -.7336 | -.9307   | -.1454        |          |
|                 | .744 | -6633         | -.6463                             | -.7042 | -.2218   | -.0454        |          |
|                 | .755 | -5821999.9999 | -.6415                             | -.6495 | -.3415   | -.5093        |          |
|                 | .869 | -6925         | 999.9999                           | -.6499 | -.2059   | -.3548        |          |
|                 | .902 | 999.9999      | 999.9999                           | -.4534 | -.4317   | -.1052        |          |
|                 | .923 | -7191         | -.7681                             | -.8969 | -.2401   | -.1030        |          |
|                 | .945 | -7489         | -.8018                             | -.1079 | -.0106   | -.0514        |          |
|                 | .982 | -9392         |                                    |        |          |               |          |
| MACH 1.21       |      | .903          | ALPHA 111 • 90.000 QIPSF1 • 7.4100 | PO     | • 22.020 | P             | • 12.980 |
| SECTION 1 11SRB |      |               | DEPENDENT VARIABLE CP              |        |          |               |          |
| 1111A           |      |               |                                    |        |          |               |          |
| X/L             | 0.27 | -5693         | -5734                              | -5700  | -.0763   | 7832          |          |
|                 | .050 | -5781         | -5788                              | -.5721 | -.0169   |               |          |
|                 | .074 | -5882         | -5822                              | -.5808 | .0374    | 9425          |          |
|                 | .098 | -6098         | -.6072                             | -.6132 | 1.402    | 1.0202        |          |
|                 | .111 | -5315         | -.6241                             | -.6153 | -.5687   | 1.0323        |          |
|                 | .139 | -5923         | -.5983                             | -.6196 | -.6866   | 1.257999.9999 |          |
|                 | .168 | -5660         | -.562999.9999                      | -.5929 | -.7490   | 1.2232        |          |
|                 | .191 | -5565         | -.5660                             | -.6267 | -.6335   | 1.2230        |          |
|                 | .255 | -5194         |                                    |        | -.5660   | 1.2332        |          |

DATE 07 MAR 77

## TABULATED SOURCE DATA. MSFC TWT 603 (SA28F)

PAGE 233

MSFC TWT 603 (SA28F) SFB - ALL PROTRUSANCES

(RI11065)

MACH 1 21 = .903

ALPHA 1 11 = 90.000

SECTION 1 11SFB

DEPENDENT VARIABLE CP

THE1A .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | 314          | -.5403   | -.5471   | -.5484   | -.5558   | -.6044   | .9643    | 1.2392   | 1.9477   |
|-----|--------------|----------|----------|----------|----------|----------|----------|----------|----------|
| 392 | 667          | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 999.9999 |
| 702 | -5173        | -.5228   | -.5430   | -.5505   | -.5552   | -.6139   | .2334    | .2398    | 1.2402   |
| 724 | -5004        | -.5091   | -.5282   | -.5835   | -.5835   | -.6166   | .9521    | 1.2381   | 1.2381   |
| 744 | -5342        | -.5430   | -.6594   | -.7902   | -.7902   | -.6631   | .9184    | .9184    | .9184    |
| 755 | -543999.9999 | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 9326     | 9326     | 9326     |
| 869 | -5693        | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 1.2379   | 1.2379   | 1.2379   |
| 902 | 999.9999     | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 1.2379   | 1.2379   | 1.2379   |
| 923 | -5727        | -.5747   | -.5747   | -.6098   | -.6098   | -.6098   | 1.2379   | 1.2379   | 1.2379   |
| 945 | -5747        | -.6214   | -.6214   | -.8909   | -.8909   | -.8909   | 1.2379   | 1.2379   | 1.2379   |
| 982 | -5329        | -.7231   | -.7231   | -.8933   | -.8933   | -.8933   | 1.2379   | 1.2379   | 1.2379   |

MACH 1 31 = 1.201 ALPHA 1 11 = 90.000 OIPSFT = 9.1600 PO = 22.030 P = 9.0700 RNL = 6.7000

SECTION 1 11SFB

DEPENDENT VARIABLE CP

THE1A .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | 027           | .5144          | -.5136   | -.5239   | .3330    | .0358    | 1.0358 | 1.0358 | 1.0358 |
|-----|---------------|----------------|----------|----------|----------|----------|--------|--------|--------|
| 050 | .5180         | -.5216         | -.5301   | .3764    | .3764    | .1026    | 1.026  | 1.026  | 1.026  |
| 074 | .5155         | -.5149         | -.5264   | .4174    | .4174    | .1583    | 1.583  | 1.583  | 1.583  |
| 098 | .5071         | -.5114         | -.5658   | .5045    | .5045    | .2233    | 1.2233 | 1.2233 | 1.2233 |
| 111 | -5027         | -.5055         | -.5112   | -.5444   | -.0670   | .5567    | 1.0713 | 1.0713 | 1.0713 |
| 139 | -4942         | -.4916         | -.4951   | -.5109   | -.1025   | .5749    | 1.1496 | 1.1496 | 1.1496 |
| 168 | -4847         | -.4882999.9999 | 999.9999 | -.4924   | -.4951   | -.1026   | .5819  | 1.1709 | 1.1709 |
| 191 | -4814         | -.4836         | -.5702   | -.5685   | -.0944   | -.1714   | 1.4021 | 1.4021 | 1.4021 |
| 255 | -4665         | 999.9999       | 999.9999 | -.4776   | -.4776   | -.0934   | 1.4072 | 1.4072 | 1.4072 |
| 344 | -4231         | -.4346         | -.4384   | -.4394   | -.4394   | -.0934   | 1.4072 | 1.4072 | 1.4072 |
| 392 | 999.9999      | 999.9999       | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 1.4072 | 1.4072 | 1.4072 |
| 667 | 999.9999      | 999.9999       | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 1.4072 | 1.4072 | 1.4072 |
| 702 | -4511         | -.4505         | -.4509   | -.4555   | -.1079   | 1.1703   | 1.4073 | 1.4073 | 1.4073 |
| 724 | -4463         | -.4503         | -.4478   | -.4670   | -.1045   | 1.1649   | 1.4080 | 1.4080 | 1.4080 |
| 744 | -4504         | -.5644         | -.4689   | -.4689   | -.375    | 1.1610   | 1.4090 | 1.4090 | 1.4090 |
| 755 | -4516999.9999 | 999.9999       | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 1.4090 | 1.4090 | 1.4090 |
| 969 | 992           | -.5075         | 999.9999 | 999.9999 | 999.9999 | 999.9999 | 1.4090 | 1.4090 | 1.4090 |
| 982 | -.4835        | -.5190         | -.5190   | -.5291   | -.5291   | -.5291   | 1.4090 | 1.4090 | 1.4090 |

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TNT 603 (SA28F)

PAGE 234

MSFC TNT 603 (SA28F) SRB - ALL PROPERTIES

(R11065)

MACH (4) = 1.954 ALPHA (1) = 90.000 Q(PSF) = 11.010 PO = 30.010 P = 4.1200 RNL = 7.6000

SECTION 11SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L   | .027      | -.2544    | -.2550 | -.1838 | .6549  | 1.3022        |
|---|-----------|-----------|--------|--------|--------|---------------|
| .050  | -.2556    | -.2558    | -.1624 | .6966  | 1.3683 |               |
| .074  | -.2569    | -.2551    | -.1512 | .7160  | 1.4247 |               |
| .098  | -.2560    | -.2540    | -.1247 | .7828  |        |               |
| .111  | -.2564    | -.2533    | -.2554 | .8281  | 1.3305 | 1.332         |
| .139  | -.2541    | -.2519    | -.2513 | .8464  | 1.3950 | .7858         |
| .168  | -.2502    | -.2506999 | 9999   | .8554  | 1.4052 | .6394999.9999 |
| .191  | -.2477    | -.2490    | -.2530 | .8551  | 1.4198 | .6347         |
| .255  | -.2387    | 999.9999  | -.177  | .8744  | .6479  | .8599         |
| .344  | -.2496    | -.2507    | -.2550 | .8882  | .6504  | .1506         |
| .392  | 999.9999  | 999.9999  | -.119  | .8882  | .6518  |               |
| .667  | 999.9999  | 999.9999  | -.016  | .8706  | .6345  |               |
| .702  | -.2480    | -.2506    | -.2507 | -.153  | .6475  |               |
| .724  | -.2489    | -.2486    | -.2530 | .2733  | .6476  |               |
| .744  | -.2526    | -.2493    | -.2574 | .2764  | .6473  |               |
| .755  | -.2536999 | 9999      | -.2585 | .2639  | .6466  |               |
| .869  | 999.9999  | 999.9999  | -.1268 | .2697  | .6415  |               |
| .902  | 999.9999  | 999.9999  | -.138  | .8355  | .6406  |               |
| .923  | -.2596    | -.2496    | -.1310 | .7757  | .6369  |               |
| .945  | -.2592    | -.2579    | -.1321 | .8045  | .6440  |               |
| .982  | -.1614    |           | -.2067 | .8588  | .6482  |               |
|   |           |           | -.1272 |        | .6051  |               |
| MACH (5) = 2.740 ALPHA (1) = 90.0000 Q(PSF) = 6.3700 PO = 30.030 P = 1.2100 RNL = 5.1000            |           |           |        |        |        |               |
| SECTION 11SRB DEPENDENT VARIABLE CP   |           |           |        |        |        |               |
| THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 |           |           |        |        |        |               |
| X/L   | .027      | -.0725    | -.0891 | -.0238 | .7910  | 1.5046        |
| .050  | -.0825    | -.0952    | -.0128 | .8093  | .5502  |               |
| .074  | -.0731    | -.0953    | -.0093 | .8141  | .5824  |               |
| .098  | -.0831    | -.092     | -.0101 | .8670  | .6230  |               |
| .111  | -.0897    | -.0950    | -.1077 | .9070  | 1.4431 |               |
| .139  | -.0919    | -.0923    | -.010  | .9503  | .9344  |               |
| .168  | -.0953    | -.0895999 | 9999   | -.0041 | .9555  |               |
| .191  | -.0956    | -.0854    | -.0983 | .3623  | 1.5232 |               |
| .255  | -.0979    | 999.9999  | -.0950 | .0193  | 1.5198 |               |
| .344  | -.1009    | -.0849    | -.0976 | .0238  | .3728  |               |
| .392  |           |           |        | .9574  | 1.5250 |               |
| .667  | 999.9999  | 999.9999  | -.0218 | .9489  | .5141  |               |
| .702  | -.1125    | -.0950    | -.1057 | .3708  | .7573  |               |
| .724  | -.1113    | -.1113    | -.0962 | .0107  | .5107  |               |
| .744  | -.1137    | -.1113    | -.1247 | .0003  | .7573  |               |
| .755  | -.1143999 | 9999      | -.1271 | .0125  | .5064  |               |
|   |           |           |        | .3586  | .7542  |               |
|   |           |           |        |        | .5052  |               |

DATE 07 MAR 77

TABULATED SOURCE DATA. MSFC TWT 603 (SA28F)

PAGE 235

MSFC TWT 603 (SA28F)

SRB - ALL PROTUBERANCES

PAGE 235

(RI1086)

DEPENDENT VARIABLE CP

(RI1086)

SECTION 11 SRB

DEPENDENT VARIABLE CP

(RI1086)

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

X/L .869 -.1125 999.9999 .0064 .9247 1.7575  
.902 999.9999 .0038 .8697 1.7933  
.923 -.1180 .0307 .8856 1.7550  
.945 -.1168 -.1162 -.0395 1.7757  
.982 .0081 .0252 .9346 1.7700

MACH 1 (6) = 3.480 ALPHA (1) = 90.000 Q(IPSF) = 6.8700 P0 = 60.050 P = .81000 RN/L = 6.9000

SECTION 11 SRB

DEPENDENT VARIABLE CP

(RI1086)

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

X/L .027 -.0182 -.0345 .0222 .7790 1.5019  
.050 -.0289 -.0385 .0290 .7919 1.5441  
.074 -.0198 -.0369 .0319 .8002 1.5851  
.098 -.0278 -.0391 .0419 .0476 .8516 1.6280  
.111 -.0328 -.0380 -.0497 -.0470 .3639 .8966 1.4443 1.6921 .8771 1.0273 -.0413  
.139 -.0368 -.0380 -.0497 -.0419 .3641 .9390 1.5303 1.7940999.9999 1.3700 -.0436  
.168 -.0397 -.0346999.9999 -.0447 .0521 .3772 .9564 1.5468 1.8007 .9639 1.0217 -.0446  
.191 -.0413 -.0328 -.0425 .0549 .3877 1.5480 1.7982 1.9200 1.0521  
.255 -.0436 .999.9999 .0649 .9750 1.5637 1.8005 1.0713  
.344 -.0470 -.0323 -.0390 .0706 .4062 1.5637 1.8063 1.0736  
.392 .667 999.9999 .0712 .0684 .9682 1.8044 .0820  
.702 -.0598 -.0407 -.0509 .0646 .3930 1.5538 1.8123  
.724 -.0588 -.0588 -.0396 .0566 .3849 1.5565 1.8100  
.744 -.0616 -.0511 .0615 .0613 .3934 1.5440 1.8042  
.755 -.0610999.9999 -.0661 .0684 .3840 1.5424 1.8055 1.0893  
.869 -.0576 999.9999 .0567 .0567 .9457 1.7945  
.902 999.9999 .0407 .0448 .8888 1.8036  
.923 -.0616 -.0486 .0757 .9049 1.7869  
.945 -.0610 -.0593 .0155 .9487 1.8019  
.982 .0296 .0420 1.7799

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

PAGE 235

MSFC TWT 603 (SA28F) SRB - ALL PROTRUANCES

(IR110871 ( 22 AUG 75 )

## REFERENCE DATA

| SREF    | 116.2600 SQ.FT. | XMF  | 1044.0000 IN.   |
|---------|-----------------|------|---|
| LREF    | 146.0000 IN.    | YMF  | .0000 IN.   |
| BREF    | 146.0000 IN.    | ZMF  | .0000 IN.   |
| SCALE   | .0055           |      |   |
| MACH    | .11             | .601 | ALPHA (1) = 110.000 Q(PSF) = 3.5700   |
| SECTION | 11SRB           |      | DEPENDENT VARIABLE CP   |
| THETA   | .0000           | .22  | 5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000 |

| X/L  | -5481     | -4576    | -4172   | -4348   | 3137  |
|------|-----------|----------|---------|---------|-------|
| .027 | -5477     | -5082    | -5232   | -5286   | .3545 |
| .050 | -4289     | -5151    | -8235   | -5985   | .3981 |
| .074 | -3633     | -4086    | -5767   | -1.0336 | .5234 |
| .098 | -3515     | -3707    | -3873   | -1.2007 | .5051 |
| .111 | -3615     | -3864    | -4152   | -1.4436 | .1979 |
| .139 | -3976     | -4201999 | .96999  | -1.0518 | .5272 |
| .168 | -4198     | -4395    | -4397   | -1.4604 | .2937 |
| .191 | -4198     | -4395    | -4397   | -1.7174 | .2049 |
| .255 | -4731     | 999.9999 | -6253   | -1.4759 | .5957 |
| .344 | -5973     | -5744    | -6253   | -1.5935 | .6150 |
| .392 | 999.9999  | 999.9999 | -7320   | -1.8036 | .9357 |
| .667 | 999.9999  | 999.9999 | -7250   | -1.4911 | .1875 |
| .702 | -5204     | -5297    | -7250   | -1.2036 | .2094 |
| .724 | -4601     | -5105    | -7250   | -1.2211 | .6555 |
| .744 | -5286     | -5341    | -7250   | -1.2049 | .0217 |
| .755 | -50059999 | 999.9999 | -5593   | -1.3015 | .5960 |
| .869 | -6524     | 999.9999 | -6152   | -1.3015 | .5267 |
| .902 | 999.9999  | 999.9999 | -7958   | -1.3088 | .8807 |
| .923 | -7132     | -6717    | -7958   | -1.3116 | .2862 |
| .945 | -6917     | -7256    | -7120   | -1.3116 | .5935 |
| .982 | -5806     |          | -1.3514 | -1.333  | .3635 |
|      |           |          |         | -1.0941 | .0941 |

## PARAMETRIC DATA

| RN-SCH | 1.000 | PHI | .315.000 |
|--------|-------|-----|----------|
|        |       |     |          |

DATE 07 MAR 77

TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)  
 MSFC TWT 603 (SA28F) SRB - ALL PROTUBERANCES

PAGE 237

(R11088) (22 AUG 75)

## REFERENCE DATA

|       |   |          |         |      |   |           |     |
|-------|---|----------|---------|------|---|-----------|-----|
| SREF  | - | 116.2600 | SO. FT. | XMRP | - | 1044.0000 | IN. |
| LREF  | - | 146.0000 | IN.     | YMRP | - | .0000     | IN. |
| BREF  | - | 146.0000 | IN.     | ZMRP | - | .0000     | IN. |
| SCALE | - | .0055    |         |      |   |           |     |

MACH (1) = .600 ALPHA (1) = 110.000 Q(PSF) = 7.5100 PO = 38.020 P = 29.810 RN/L = 8.7000

## SECTION 11 SRB

DEPENDENT VARIABLE CP  
 THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L   | THETA                               | REFERENCE DATA  | PARAMETRIC DATA          |
|---|-------------------------------------|-----------------|--------------------------|
| .027  | -5351                               | -5498           | -8553                    |
| .050  | -5155                               | -5073           | -8716                    |
| .074  | -4868                               | -4739           | -8742                    |
| .098  | -4777                               | -4897           | -1.0204                  |
| .111  | -4757                               | -4957           | -5120                    |
| .139  | -4979                               | -5347           | -5818                    |
| .151  | -5117                               | -5608999.9999   | -6443                    |
| .191  | -5248                               | -5831           | -6811                    |
| .255  | -5821                               | -999.9999       | -7360                    |
| .344  | -6468                               | -7231           | -1.2396                  |
| .392  | -667                                | 999.9999        | -8325                    |
| .702  | -6028                               | -6681           | -1.0875                  |
| .724  | -6673                               | -64117          | -1.2330                  |
| .744  | -6265                               | -5421           | -1.4187                  |
| .755  | -6959999.9999                       | -7541           | -1.5955                  |
| .869  | -7071                               | 999.9999        | -8113                    |
| .902  | 999.9999                            | 999.9999        | -1.3947                  |
| .923  | -7725                               | -7260           | -1.7649                  |
| .945  | -7983                               | -7361           | -1.7314                  |
| .982  | -5863                               | -1.5039         | -1.2920                  |
| MACH (2) = .903   | ALPHA (1) = 110.000 Q(PSF) = 7.4100 | PO = 22.010     | P = 12.910 RN/L = 6.3000 |
| SECTION 11 SRB  | DEPENDENT VARIABLE CP               |                 |                          |
| THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 |                                     |                 |                          |
| X/L   | REFERENCE DATA                      | PARAMETRIC DATA |                          |
| .027  | -3581                               | -3566           | -3573                    |
| .050  | -3535                               | -4057           | -4013                    |
| .074  | -3385                               | -3497           | -5909                    |
| .098  | -3094                               | -3589           | -3634                    |
| .111  | -3397                               | -3568           | -3735                    |
| .139  | -3543                               | -3713           | -3701                    |
| .168  | -3822                               | -3919999.9999   | -4396                    |
| .191  | -3973                               | -4133           | -4213                    |
| .255  | -4390                               | 999.9999        | -4903                    |
| MACH (1) = .600 ALPHA (1) = 110.000 Q(PSF) = 7.5100 PO = 38.020 P = 29.810 RN/L = 8.7000            | DEPENDENT VARIABLE CP               |                 |                          |
| SECTION 11 SRB  | DEPENDENT VARIABLE CP               |                 |                          |
| THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 |                                     |                 |                          |
| X/L   | REFERENCE DATA                      | PARAMETRIC DATA |                          |
| .027  | -3581                               | -3566           | -3573                    |
| .050  | -3535                               | -4057           | -4013                    |
| .074  | -3385                               | -3497           | -5909                    |
| .098  | -3094                               | -3589           | -3634                    |
| .111  | -3397                               | -3568           | -3735                    |
| .139  | -3543                               | -3713           | -3701                    |
| .168  | -3822                               | -3919999.9999   | -4396                    |
| .191  | -3973                               | -4133           | -4213                    |
| .255  | -4390                               | 999.9999        | -4903                    |

MSFC TWT 603 (SA287) SRB - ALL PROTRUSANCES

(RI1088)

## MACH 1.21 • .903 ALPHA 1.11 • 110.000

## SECTION 1 11SRB

## DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .344 | -.4303   | -.4266   | -.4498   | -.4643 | -.5450 | .8103 | 1.0634 | 1.4591 |
|-----|------|----------|----------|----------|--------|--------|-------|--------|--------|
|     | .392 | -.5617   | .56173   | -.5692   | -.686  | .1401  | .8986 | 1.0672 | 1.6572 |
|     | .667 | 999.9999 | 999.9999 | -.5659   | -.684  | .7171  | .6766 | 1.099  | 1.5457 |
|     | .702 | -.5643   | -.5815   | -.5908   | -.6551 | .8102  | .6322 | .8995  | 1.5990 |
|     | .724 | 1.5970   | -.5869   | -.6260   | -.6112 | .7619  | .6900 | 1.787  | 1.9999 |
|     | .744 | -.6260   | -.6359   | -.6362   | -.6206 | .6490  | .8525 | 1.1412 | 1.7450 |
|     | .755 | -.6362   | 999.9999 | -.6362   | -.7206 | .703   | .533  | 1.476  | 1.7287 |
|     | .869 | 1.7392   | 999.9999 | 999.9999 | -.7576 | .7576  | .158  | .2862  |        |
|     | .902 | 999.9999 | 999.9999 | 999.9999 | -.7451 | .881   | .2516 | .1244  | 1.948  |
|     | .923 | 1.7423   | -.7453   | -.7504   | -.9579 | .4080  | .1378 | .2169  | 1.3593 |
|     | .945 | -.7453   | -.7504   | -.7634   |        |        |       |        |        |
|     | .982 | 1.5321   |          |          |        |        |       |        |        |

## MACH 1.31 • 1.195 ALPHA 1.11 • 110.000 QIPST1 • 9.1300 PO • 22.010 P • 9.1300 RN/L • 6.7000

## SECTION 1 11SRB

## DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .027 | 1.4263        | 1.4216        | 1.435    | 1.435  | 1.0310 | .5902  |        |
|-----|------|---------------|---------------|----------|--------|--------|--------|--------|
|     | .071 | 1.4255        | 1.4256        | 1.4250   | 1.4250 | .0338  | .6580  |        |
|     | .108 | 1.4209        | 1.4643        | 1.4691   | 1.4691 | .0839  | .7206  |        |
|     | .111 | 1.4069        | 1.4081        | 1.3982   | 1.4659 | 1.644  |        |        |
|     | .124 | 1.4073        | 1.4081        | 1.4075   | 1.4085 | 1.2477 | 1.644  |        |
|     | .168 | 1.4394        | 1.4309        | 1.4278   | 1.4272 | 1.2512 | 1.3870 |        |
|     | .191 | 1.4662        | 1.4647        | 1.4647   | 1.4435 | 1.1993 | 1.4292 |        |
|     | .255 | 1.4590        | 1.4593        | 1.4658   | 1.4658 | 1.1800 | 1.9631 |        |
|     | .344 | 1.4606        | 1.4606        | 1.4606   | 1.4667 | 1.1667 | 1.9845 |        |
|     | .362 | 1.4632        | 1.4824        | 1.4809   | 1.5012 | 1.1480 | 1.2223 |        |
|     | .667 | 999.9799      | 999.9799      | 999.9799 | 1.4107 | .4894  | 1.2196 | 1.4483 |
|     | .702 | 1.179         | 1.280         | 1.234    | 1.253  | 1.1558 | 1.207  | 1.5971 |
|     | .724 | 1.4382        | 1.4369        | 1.4285   | 1.4285 | 1.2011 | 1.2812 | 1.4013 |
|     | .744 | 1.4335        | 1.4451        | 1.5209   | 1.5291 | 1.1145 | 1.8879 | 1.4134 |
|     | .755 | 1.459399.9999 | 1.459399.9999 | 1.5053   | 1.5282 | 1.1379 | 1.025  | 1.9999 |
|     | .869 | 1.5110        | 1.5110        | 1.5110   | 1.5281 | .5058  | 1.3130 | 1.4455 |
|     | .902 | 999.9919      | 999.9999      | 999.9999 | 1.5908 | .4687  | 1.3865 | 1.4007 |
|     | .923 | 1.5571        | 1.5483        | 1.5502   | 1.5602 | .5844  | 1.2992 | 1.0376 |
|     | .945 | 1.5728        | 1.5759        | 1.5759   | 1.5759 | .7018  | 1.2992 |        |
|     | .982 | 1.2374        |               |          |        |        |        |        |

ORIGINAL PAGE IS FWR  
COPY BY R. E. DURR



DATE 07 MAR 77

TABULATED SOURCE DATA, NSFC TWT 803 ISA28F1

PAGE 240

MSFC TWT 603 ISA28F1 SRB - ALL PROTURANCES

MACH 1.51 = 2.740 ALPHA 11 = 110.000

SECTION 1 11SRB

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000225.0000270.0000315.0000

| DEPENDENT VARIABLE CP   |      |                |               |         |       |        |        |        |                |
|---|------|----------------|---------------|---------|-------|--------|--------|--------|----------------|
| X/L   | .869 | -1.1212        | 999.9999      | - .0188 | .8082 | 1.6045 |        |        |                |
|   | .902 | 999.9999       | 999.9999      | .0040   | .5751 | .0428  |        |        |                |
|   | .923 | -1.1256        | -1.1062       | -.0012  | .8558 | .5957  | -.0011 |        |                |
|   | .945 | -1.1212        | -1.1347       | -.0710  | .7875 | 1.4343 | -.1073 |        |                |
|   | .982 | .1613          |               | .0502   |       | .7541  |        |        |                |
| MACH 1.61 = 3.480 ALPHA 11 = 110.000 QIPSF1 = 6.8600 PO = 60.010 P = 81000 RNL = 7.1000 |      |                |               |         |       |        |        |        |                |
| DEPENDENT VARIABLE CP   |      |                |               |         |       |        |        |        |                |
| X/L   | .027 | - .0229        | - .0352       | -.0308  | .4098 | .8783  |        |        |                |
|   | .050 | -.0313         | -.0375        | -.0235  | .4299 | .9081  |        |        |                |
|   | .074 | - .0268        | -.0399        | -.0156  | .4561 | .9349  |        |        |                |
|   | .098 | -.0336         | -.0444        | -.0331  | .3896 | .8439  |        |        |                |
|   | .111 | - .0386        | -.0472        | -.0500  | .2436 | .6376  | 1.0779 | 1.2705 | .5051          |
|   | .139 | -.0404         | -.0455        | -.0545  | .0476 | .3432  | .8377  | 1.3376 | 1.5704999.9999 |
|   | .168 | -.0449         | -.042999.9399 | -.0511  | .0539 | .8585  | 1.3789 | .5947  | 1.1009         |
|   | .191 | -.0472         | -.0386        | -.0483  | .0538 | .3567  | 1.3694 | .5845  | .0564          |
|   | .255 | -.0494         | 999.9999      | .0542   | .0542 | .8553  | 1.3727 | .5851  | .0523          |
|   | .344 | -.0539         | -.0392        | -.0448  | .0547 | .3584  |        |        |                |
|   | .392 |                |               |         | .0553 |        |        |        |                |
|   | .667 | 999.9999       | 999.9999      | .0440   | .8670 |        |        |        |                |
|   | .702 | -.0630         | -.0454        | -.0550  | .3670 | 1.4635 | 1.7237 | .0418  |                |
|   | .724 | -.0624         | -.0647        | -.0437  | .091  | .2495  | .9087  | 1.0558 |                |
|   | .744 | -.0624         | -.0613        | -.0601  | .0903 | .4651  | .8546  | .1369  |                |
|   | .755 | -.0625999.9399 |               | -.0636  | .0693 | .3726  | 1.4414 | 1.7018 |                |
|   | .869 | -.0669         | 999.9999      | .0192   |       | .8202  |        | .0818  |                |
|   | .902 | 999.9399       | 999.9399      | .0378   |       | .5711  |        |        |                |
|   | .923 | -.0692         | -.0568        | .0311   |       | .8258  | 1.6465 |        |                |
|   | .945 | -.0703         | -.0771        | -.0184  |       | .7466  | 1.3812 | .1151  |                |
|   | .982 | .1973          |               | .0931   |       |        | 1.7605 |        |                |

(RI1068)

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA2BF)

MSFC TWT 603 (SA2BF) SRB - ALL FROUDEANCES

## REFERENCE DATA

|       |          |        |      |                 |
|-------|----------|--------|------|-----------------|
| SREF  | 116.2600 | SO.FT. | XMRP | = 1044.0000 IN. |
| LREF  | 146.0000 | IN.    | YMRP | = .0000 IN.     |
| BREF  | 146.0000 | IN.    | ZMRP | = .0000 IN.     |
| SCALE | = .0055  |        |      |                 |

MACH ( 1 ) = .599 ALPHA ( 1 ) = 130.100 Q(PSF) = 7.5000 PO = 38.020 P = 29.820 RN/L = 8.8000

## SECTION ( 1 )SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .027 | -.1406  | -1400    | * 511   | -5031  | .0429 |
|-----|------|---------|----------|---------|--------|-------|
|     | .050 | -.1738  | -.1737   | -.1758  | -.5311 | .0522 |
|     | .074 | -.2054  | -.2059   | -.2259  | -.5357 | .0549 |
|     | .098 | -.2359  | -.2468   | -.2653  | -.5754 |       |
|     | .111 | -.2647  | -.2608   | -.2602  | -.9648 | -2989 |
|     | .139 | -.2836  | -.2851   | -.2861  | -.5161 | .2343 |
|     | .168 | -.3131  | -.309999 | -.30999 | -.6001 | .3063 |
|     | .191 | -.3384  | -.3447   | -.3568  | -.6011 | .3633 |
|     | .255 | .0030   | .4434    | .999    | -.0121 | .3063 |
|     | .344 | .0000   | .4434    | .999    | -.0121 | .3063 |
|     | .392 | .0000   | .4434    | .999    | -.0121 | .3063 |
|     | .667 | .0000   | .999     | .9999   | -.0121 | .3063 |
|     | .702 | .0000   | .3878    | .5455   | -.0121 | .3063 |
|     | .724 | .0000   | .5858    | .6129   | -.0121 | .3063 |
|     | .744 | .0000   | .3646    | .4299   | -.0121 | .3063 |
|     | .755 | .000099 | .999999  | .4605   | -.0121 | .3063 |
|     | .869 | .0000   | .999     | .9999   | -.0121 | .3063 |
|     | .902 | .999    | .9999    | .9999   | -.0121 | .3063 |
|     | .923 | -.5189  | -.5197   | -.0121  | -.0121 | .3063 |
|     | .945 | -.5402  | -.7273   | -.0477  | -.0477 | .3063 |
|     | .982 | -.3542  | -.8561   | -.8561  | -.8561 | .3063 |

MACH ( 2 ) = .903 ALPHA ( 1 ) = 130.100 Q(PSF) = 7.4000 PO = 22.010 P = 12.980 RN/L = 6.3000

## SECTION ( 1 )SRB DEPENDENT VARIABLE CP

| X/L | .027 | -.2515 | -.2553 | -.2617 | -.4748 | -.0760 |
|-----|------|--------|--------|--------|--------|--------|
|     | .050 | -.2690 | -.2774 | -.2939 | -.5311 | -.0393 |
|     | .074 | -.2907 | -.3074 | -.3256 | -.4293 | .0233  |
|     | .098 | -.3189 | -.3302 | -.3932 | -.4787 | .0233  |
|     | .111 | -.3370 | -.3423 | -.3523 | -.5382 | -.1723 |
|     | .139 | -.3540 | -.3584 | -.3880 | -.6040 | -.1723 |
|     | .168 | -.3702 | -.3883 | -.4207 | -.8226 | -.1931 |
|     | .191 | -.5915 | -.4140 | -.4328 | -.7855 | -.3357 |
|     | .255 | -.4483 | -.999  | .9999  | -.1459 | -.4117 |

| X/L | .027 | -.2515 | -.2553 | -.2617 | -.4748 | -.0760 |
|-----|------|--------|--------|--------|--------|--------|
|     | .050 | -.2690 | -.2774 | -.2939 | -.5311 | -.0393 |
|     | .074 | -.2907 | -.3074 | -.3256 | -.4293 | .0233  |
|     | .098 | -.3189 | -.3302 | -.3932 | -.4787 | .0233  |
|     | .111 | -.3370 | -.3423 | -.3523 | -.5382 | -.1723 |
|     | .139 | -.3540 | -.3584 | -.3880 | -.6040 | -.1723 |
|     | .168 | -.3702 | -.3883 | -.4207 | -.8226 | -.1931 |
|     | .191 | -.5915 | -.4140 | -.4328 | -.7855 | -.3357 |
|     | .255 | -.4483 | -.999  | .9999  | -.1459 | -.4117 |

| X/L | .027 | -.2515 | -.2553 | -.2617 | -.4748 | -.0760 |
|-----|------|--------|--------|--------|--------|--------|
|     | .050 | -.2690 | -.2774 | -.2939 | -.5311 | -.0393 |
|     | .074 | -.2907 | -.3074 | -.3256 | -.4293 | .0233  |
|     | .098 | -.3189 | -.3302 | -.3932 | -.4787 | .0233  |
|     | .111 | -.3370 | -.3423 | -.3523 | -.5382 | -.1723 |
|     | .139 | -.3540 | -.3584 | -.3880 | -.6040 | -.1723 |
|     | .168 | -.3702 | -.3883 | -.4207 | -.8226 | -.1931 |
|     | .191 | -.5915 | -.4140 | -.4328 | -.7855 | -.3357 |
|     | .255 | -.4483 | -.999  | .9999  | -.1459 | -.4117 |

| X/L | .027 | -.2515 | -.2553 | -.2617 | -.4748 | -.0760 |
|-----|------|--------|--------|--------|--------|--------|
|     | .050 | -.2690 | -.2774 | -.2939 | -.5311 | -.0393 |
|     | .074 | -.2907 | -.3074 | -.3256 | -.4293 | .0233  |
|     | .098 | -.3189 | -.3302 | -.3932 | -.4787 | .0233  |
|     | .111 | -.3370 | -.3423 | -.3523 | -.5382 | -.1723 |
|     | .139 | -.3540 | -.3584 | -.3880 | -.6040 | -.1723 |
|     | .168 | -.3702 | -.3883 | -.4207 | -.8226 | -.1931 |
|     | .191 | -.5915 | -.4140 | -.4328 | -.7855 | -.3357 |
|     | .255 | -.4483 | -.999  | .9999  | -.1459 | -.4117 |

| X/L | .027 | -.2515 | -.2553 | -.2617 | -.4748 | -.0760 |
|-----|------|--------|--------|--------|--------|--------|
|     | .050 | -.2690 | -.2774 | -.2939 | -.5311 | -.0393 |
|     | .074 | -.2907 | -.3074 | -.3256 | -.4293 | .0233  |
|     | .098 | -.3189 | -.3302 | -.3932 | -.4787 | .0233  |
|     | .111 | -.3370 | -.3423 | -.3523 | -.5382 | -.1723 |
|     | .139 | -.3540 | -.3584 | -.3880 | -.6040 | -.1723 |
|     | .168 | -.3702 | -.3883 | -.4207 | -.8226 | -.1931 |
|     | .191 | -.5915 | -.4140 | -.4328 | -.7855 | -.3357 |
|     | .255 | -.4483 | -.999  | .9999  | -.1459 | -.4117 |

| X/L | .027 | -.2515 | -.2553 | -.2617 | -.4748 | -.0760 |
|-----|------|--------|--------|--------|--------|--------|
|     | .050 | -.2690 | -.2774 | -.2939 | -.5311 | -.0393 |
|     | .074 | -.2907 | -.3074 | -.3256 | -.4293 | .0233  |
|     | .098 | -.3189 | -.3302 | -.3932 | -.4787 | .0233  |
|     | .111 | -.3370 | -.3423 | -.3523 | -.5382 | -.1723 |
|     | .139 | -.3540 | -.3584 | -.3880 | -.6040 | -.1723 |
|     | .168 | -.3702 | -.3883 | -.4207 | -.8226 | -.1931 |
|     | .191 | -.5915 | -.4140 | -.4328 | -.7855 | -.3357 |
|     | .255 | -.4483 | -.999  | .9999  | -.1459 | -.4117 |

| X/L | .027 | -.2515 | -.2553 | -.2617 | -.4748 | -.0760 |
|-----|------|--------|--------|--------|--------|--------|
|     | .050 | -.2690 | -.2774 | -.2939 | -.5311 | -.0393 |
|     | .074 | -.2907 | -.3074 | -.3256 | -.4293 | .0233  |
|     | .098 | -.3189 | -.3302 | -.3932 | -.4787 | .0233  |
|     | .111 | -.3370 | -.3423 | -.3523 | -.5382 | -.1723 |
|     | .139 | -.3540 | -.3584 | -.3880 | -.6040 | -.1723 |
|     | .168 | -.3702 | -.3883 | -.4207 | -.8226 | -.1931 |
|     | .191 | -.5915 | -.4140 | -.4328 | -.7855 | -.3357 |
|     | .255 | -.4483 | -.999  | .9999  | -.1459 | -.4117 |

| X/L | .027 | -.2515 | -.2553 | -.2617 | -.4748 | -.0760 |
|-----|------|--------|--------|--------|--------|--------|
|     | .050 | -.2690 | -.2774 | -.2939 | -.5311 | -.0393 |
|     | .074 | -.2907 | -.3074 | -.3256 | -.4293 | .0233  |
|     | .098 | -.3189 | -.3302 | -.3932 | -.4787 | .0233  |
|     | .111 | -.3370 | -.3423 | -.3523 | -.5382 | -.1723 |
|     | .139 | -.3540 | -.3584 | -.3880 | -.6040 | -.1723 |
|     | .168 | -.3702 | -.3883 | -.4207 | -.8226 | -.1931 |
|     | .191 | -.5915 | -.4140 | -.4328 | -.7855 | -.3357 |
|     | .255 | -.4483 | -.999  | .9999  | -.1459 | -.4117 |

| X/L | .027 | -.2515 | -.2553 | -.2617 | -.4748 | -.0760 |
|-----|------|--------|--------|--------|--------|--------|
|     | .050 | -.2690 | -.2774 | -.2939 | -.5311 | -.0393 |
|     | .074 | -.2907 | -.3074 | -.3256 | -.4293 | .0233  |
|     | .098 | -.3189 | -.3302 | -.3932 | -.4787 | .0233  |
|     | .111 | -.3370 | -.3423 | -.3523 | -.5382 | -.1723 |
|     | .139 | -.3540 | -.3584 | -.3880 | -.6040 | -.1723 |
|     | .168 | -.3702 | -.3883 | -.4207 | -.8226 | -.1931 |
|     | .191 | -.5915 | -.4140 | -.4328 | -.7855 | -.3357 |
|     | .255 | -.4483 | -.999  | .9999  | -.1459 | -.4117 |

| X/L | .027 | -.2515 | -.2553 | -.2617 | -.4748 | -.0760 |
|-----|------|--------|--------|--------|--------|--------|
|     | .050 | -.2690 | -.2774 | -.2939 | -.5311 | -.0393 |
|     | .074 | -.2907 | -.3074 | -.3256 | -.4293 | .0233  |
|     | .098 | -.3189 | -.3302 | -.3932 | -.4787 | .0233  |
|     | .111 | -.3370 | -.3423 | -.3523 | -.5382 | -.1723 |
|     | .139 | -.3540 | -.3584 | -.3880 | -.6040 | -.1723 |
|     | .168 | -.3702 | -.3883 | -.4207 | -.8226 | -.1931 |
|     | .191 | -.5915 | -.4140 | -.4328 | -.7855 | -.3357 |
|     | .255 | -.4483 | -.999  | .9999  | -.1459 | -.4117 |

| X/L | .027 | -.2515 | -.2553 | -.2617 | -.4748 | -.0760 |
|-----|------|--------|--------|--------|--------|--------|
|     | .050 | -.2690 | -.2774 | -.2939 | -.5311 | -.0393 |
|     | .074 | -.2907 | -.3074 | -.3256 | -.4293 | .0233  |
|     | .098 | -.3189 | -.3302 | -.3932 | -.4787 | .0233  |
|     | .111 | -.3370 | -.3423 | -.3523 | -.5382 | -.1723 |
|     | .139 | -.3540 | -.3584 | -.3880 | -.6040 | -.1723 |
|     | .168 | -.3702 | -.3883 | -.4207 | -.8226 | -.1931 |
|     | .191 | -.5915 | -.4140 | -.4328 | -.7855 | -.3357 |
|     | .255 | -.4483 | -.999  | .9999  | -.1459 | -.4117 |

| X/L | .027 | -.2515 | -.2553 | -.2617 | -.4748 | -.0760 |
|-----|------|--------|--------|--------|--------|--------|
|     | .050 | -.2690 | -.2774 | -.2939 | -.5311 | -.0393 |
|     | .074 | -.2907 | -.3074 | -.3256 | -.4293 | .0233  |
|     | .098 | -.3189 | -.3302 | -.3932 | -.4787 | .0233  |
|     | .111 | -.3370 | -.3423 | -.3523 | -.5382 | -.1723 |
|     | .139 | -.3540 | -.3584 | -.3880 | -.6040 | -.1723 |
|     | .168 | -.3702 | -.3883 | -.4207 | -.8226 | -.1931 |
|     | .191 | -.5915 | -.4140 | -.4328 | -.7855 | -.3357 |
|     | .255 | -.4483 | -.999  | .9999  | -.1459 | -.4117 |

| X/L | .027 | -.2515 | -.2553 | -.2617 | -.4748 | -.0760 |
|-----|------|--------|--------|--------|--------|--------|
|     | .050 | -.2690 | -.2774 | -.2939 | -.5311 | -.0393 |
|     | .074 | -.2907 | -.3074 | -.3256 | -.4293 | .0233  |
|     | .098 | -.3189 | -.3302 | -.3932 | -.4787 | .0233  |
|     | .111 | -.3370 | -.3423 | -.3523 | -.5382 | -.1723 |
|     | .139 | -.3540 | -.3584 | -.3880 | -.6040 | -.1723 |
|     | .168 | -.3702 | -.3883 | -.4207 | -.8226 | -.1931 |
|     | .191 | -.5915 | -.4140 | -.4328 | -.7855 | -.3357 |
|     | .255 | -.4483 | -.999  | .9999  | -.1459 | -.4117 |

| X/L | .027 | -.2515 | -.2553 | -.2617 | -.4748 | -.0760 |
|-----|------|--------|--------|--------|--------|--------|
|     | .050 | -.2690 | -.2774 | -.2939 | -.5311 | -.0393 |
|     | .074 | -.2907 | -.3074 | -.3256 | -.4293 | .0233  |
|     | .098 | -.3189 | -.3302 | -.3932 | -.4787 | .0233  |
|     | .111 | -.3370 | -.3423 | -.3523 | -.5382 | -.1723 |
|     | .139 | -.3540 | -.3584 | -.3880 | -.6040 | -.1723 |
|     | .168 | -.3702 | -.3883 | -.4207 | -.8226 | -.1931 |
|     | .191 | -.5915 | -.4140 | -.4328 | -.7855 | -.3357 |
|     | .255 | -.4483 | -.999  | .9999  | -.1459 | -.4117 |

| X/L | .027 | -.2515 | -.2553 | -.2617 | -.4748 | -.0760 |
|-----|------|--------|--------|--------|--------|--------|
|     | .050 | -.2690 | -.2774 | -.2939 | -.5311 | -.0393 |
|     | .074 | -.2907 | -.3074 | -.3256 | -.4293 | .0233  |
|     | .098 | -.3189 | -.3302 | -.3932 | -.4787 | .0233  |
|     | .111 | -.3370 | -.3423 | -.3523 | -.5382 | -.1723 |
|     | .139 | -.3540 | -.3584 | -.3    |        |        |

## MSFC TWT 603 (SA28F) SRB - ALL PROTRUANCES

MACH ( 21 ) = .903 ALPHA ( 1 ) = 130.100

SECTION ( 1 ) SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .344 | -.4795    | -.4856   | -.5169   | -.8125   | -.7329 | .4652  | .6749  | -.5693   |
|-----|------|-----------|----------|----------|----------|--------|--------|--------|----------|
|     | .392 | 999.9999  | 999.9999 | -.8886   | -.7600   | -.0748 | .6822  | -.7026 |          |
|     | .667 | 999.9999  | 999.9999 | -.5720   | -1.0257  | -.7352 | .6030  | .7301  | -.6376   |
|     | .702 | -.4931    | -.4949   | -.5436   | -.6011   | -.8605 | .0103  | .1692  | -.6889   |
|     | .724 | -.5619    | -.5323   | -.6631   | -.7584   | -.5741 | .7098  | 1.0010 | 999.9999 |
|     | .744 | -.5341    | -.5606   | -.6883   | -.7475   | -.6882 | .5753  | .8315  | -.7896   |
|     | .755 | -.5599999 | 999.9999 | -.6903   | 999.9999 | -.8916 | -.0061 | .7801  | -.7254   |
|     | .869 | -.6903    | 999.9999 | 999.9999 | -.11001  | -.3450 | .2297  |        |          |
|     | .902 | 999.9999  | 999.9999 | -.6652   | -.8208   | -.1912 | .8252  | -.7302 |          |
|     | .923 | -.7040    | -.6910   | -.6269   | -.7441   | -.1960 | .6543  | -.6388 |          |
|     | .945 |           |          |          | -.5186   |        | 1.1031 |        |          |
|     | .982 | -.4004    |          |          |          |        |        |        |          |

MACH ( 3 ) = 1.196 ALPHA ( 1 ) = 130.100 Q/P(SR) = 9.1300 P0 = 22.010 P = 9.1300 RFL = 6.7000

SECTION ( 1 ) SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .027 | -.2901    | -.2955     | -.3052   | -.3542 | -.3542 | .0694 |        |        |
|-----|------|-----------|------------|----------|--------|--------|-------|--------|--------|
|     | .050 | -.3091    | -.3091     | -.3276   | -.3054 | -.3054 | .1317 |        |        |
|     | .074 | -.3279    | -.3359     | -.3442   | -.2424 | -.2424 | .1569 |        |        |
|     | .098 | -.3120    | -.3491     | -.3546   | -.3751 | -.3751 | .0620 |        |        |
|     | .111 | -.3507    | -.3546     | -.3579   | -.3273 | -.3273 | .3023 | .4390  | -.3911 |
|     | .139 | -.3594    | -.3649     | -.3685   | -.3677 | -.3348 | .1556 | .5850  | -.3540 |
|     | .168 | -.3780    | -.38029999 | 999.9999 | -.3819 | -.3086 | .1956 | .8213  | -.3571 |
|     | .191 | -.3907    | -.3944     | -.3961   | -.4202 | -.3042 | .6426 | .4516  | -.3935 |
|     | .255 | -.4202    | 999.9999   | 999.9999 | -.4775 | -.4775 | .2110 | .8180  | -.4238 |
|     | .344 | -.4294    | -.4198     | -.4404   | -.4515 | -.2841 | .6545 | .8226  | -.4514 |
|     | .392 |           |            |          | -.4470 |        |       | .8245  | -.4803 |
|     | .667 | 999.9999  | 999.9999   | -.4861   | -.4656 | -.2487 | .8842 |        |        |
|     | .702 | -.4236    | -.4358     | -.5377   | -.5222 | -.2423 | .8151 | .9871  |        |
|     | .724 | -.5076    | -.5168     | -.4752   | -.6021 | -.4264 | .2256 | .3582  |        |
|     | .744 | -.4602    | -.4368     | -.4844   | -.5765 | -.0986 | .9328 | .1730  | -.4466 |
|     | .755 | -.4809999 | 999.9999   | -.5297   | -.5297 | -.2138 | .7911 | 1.0005 | -.5936 |
|     | .869 | -.5480    | 999.9999   | 999.9999 | -.6039 | -.3157 |       | .9405  |        |
|     | .902 | 999.9999  | 999.9999   | -.6495   | -.6716 | -.0327 |       | .3844  |        |
|     | .923 | -.5911    | -.5826     | -.6665   | -.6812 | -.4828 |       | .9975  |        |
|     | .945 | -.5847    | -.6812     | -.6838   | -.4594 |        |       | .8252  |        |
|     | .982 | -.1716    |            |          |        |        |       | 1.2754 |        |

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA2EF)

MACH (4) = 1.961    ALPHA (1) = 130.100    OIPSF1 = 10.960    PO = 30.010    P = 4.0700    RNL = 7.6000

## SECTION 11(SRB)

DEPENDENT VARIABLE CP

THEIA .00000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | Y/L                   | Z/L             | DEPENDENT VARIABLE CP | PO         | P            | RNL           | PAGE 243 |
|--|-----------------------|-----------------|-----------------------|------------|--------------|---------------|----------|
| .027   | .2238                 | .2266           | .2311                 | .0262      | .2512        | .2948         | (R11089) |
| .050   | .2301                 | .2297           | .2345                 | .0069      | .2948        | .2890         |          |
| .074   | .2302                 | .2380           | .2406                 | .0217      | .2281        | .2495         |          |
| .098   | .2414                 | .2435           | .2432                 | .0089      | .7257        | .8560         |          |
| .111   | .2446                 | .2485           | .2492                 | .3977      | .3878        | .8511         |          |
| .139   | .2516                 | .2573           | .2572                 | .1998      | .1755        | .0346999.9999 |          |
| .168   | .2608                 | .2615999.9999   | .2651                 | .1001      | .4840        | .9630         |          |
| .191   | .2626                 | .2595           | .2626                 | .1786      | .0856        | .6034         |          |
| .255   | .2731                 | .2638           | .2643                 | .0915      | .8224        | .9608         |          |
| .344   | .2638                 | .2524           | .2602                 | .1774      | .4716        | .9574         |          |
| .392   | .999                  | .9999           | .9999                 | .1792      | .8216        | .9649         |          |
| .667   | .999                  | .9999           | .9999                 | .1742      | .0924        | .9600         |          |
| .702   | .2524                 | .2616           | .2616                 | .1816      | .4713        | .0199         |          |
| .724   | .2714                 | .2641           | .2641                 | .1757      | .1079        | .7920         |          |
| .744   | .2356                 | .2356           | .2356                 | .2715      | .0452        | .2118         |          |
| .755   | .354999.9999          | .2664           | .2596                 | .0452      | .4085        | .4167         |          |
| .869   | .2625                 | .2625           | .2625                 | .0965      | .2413        | .1.1401       |          |
| .902   | .999                  | .9999           | .9999                 | .1843      | .5252        | .3528         |          |
| .923   | .2654                 | .2654           | .2654                 | .2208      | .1305        | .1.104        |          |
| .945   | .2083                 | .2083           | .2083                 | .2240      | .5230        | .3864         |          |
| .982   | .1442                 | .1442           | .1442                 | .2586      | .3350        | .1.0768       |          |
|  |                       |                 |                       | .2678      | .3350        | .7257         |          |
|  |                       |                 |                       | .2678      | .1.389       | .1.5224       |          |
| MACH (5) = 2.740   | ALPHA (1) = 130.120   | OIPSF1 = 6.3700 | PO = 30.030           | P = 1.2100 | RNL = 5.2000 |               |          |
| SECTION 11(SRB)  | DEPENDENT VARIABLE CP |                 |                       |            |              |               |          |
| THEIA .00000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000 |                       |                 |                       |            |              |               |          |
| X/L  | Y/L                   | Z/L             | DEPENDENT VARIABLE CP | PO         | P            | RNL           |          |
| .027   | .0816                 | .0982           | .1202                 | .0842      | .3178        | .3415         |          |
| .050   | .0948                 | .1020           | .1196                 | .1091      | .3549        |               |          |
| .074   | .0858                 | .1092           | .1171                 | .1297      | .3500        |               |          |
| .098   | .0967                 | .1153           | .1208                 | .1140      | .1297        |               |          |
| .111   | .1036                 | .1117           | .1210                 | .0447      | .1667        | .0017         |          |
| .139   | .1052                 | .1117           | .1238                 | .1214      | .0361        | .5351         |          |
| .168   | .1117                 | .1068999.9929   | .1189                 | .0350      | .1892        | .0181999.9999 |          |
| .191   | .1153                 | .1012           | .1141                 | .0358      | .1843        | .8761         |          |
| .255   | .1171                 | .999.9999       | .1091                 | .0359      | .5290        | .8596         |          |
| .344   | .1220                 | .1015           | .1091                 | .0334      | .1804        | .0035         |          |
| .392   | .999.9999             | .1015           | .1091                 | .0310      | .6150        | .0090         |          |
| .667   | .999.9999             | .999.9999       | .1091                 | .0413      | .5150        | .0193         |          |
| .702   | .1286                 | .1058           | .1148                 | .0697      | .1492        | .7881         |          |
| .724   | .1329                 | .1323           | .1064                 | .1165      | .0237        | .2208         |          |
| .744   | .1183                 | .1202           | .105                  | .1012      | .6006        | .1.7826       |          |
| .755   | .1177999.9999         | .1208           | .1208                 | .0417      | .3549        | .1.2760       |          |

MSFC TWT 603 (SA28F) SRB - ALL PROTRUBERANCES

(R11089)

| MACH ( 5 ) =     | 2.740 | ALPHA ( 1 ) =  | 130.120    | DEPENDENT VARIABLE CP |         |          |           |
|------------------|-------|----------------|------------|-----------------------|---------|----------|-----------|
| SECTION ( 1 )SRB |       |                |            |                       |         |          |           |
| THETA            | .0000 | 22.5000        | 45.0000    | 67.5000               | 90.0000 | 112.5000 | 135.0000  |
| X/L              | .869  | -.1293         | 999.9999   | -.0516                | .6346   | 1.2542   |           |
|                  | .902  | .999.9999      | 999.9999   | -.0747                | .2262   | .4272    |           |
|                  | .923  | -.1299         | -.1238     | -.0674                | .4993   | 1.0517   | -.0448    |
|                  | .945  | -.1177         | -.1341     | -.0977                | .3197   | .7141    | -.1013    |
|                  | .982  | .2893          | .8998      |                       |         | 1.6139   |           |
| MACH ( 6 ) =     | 3.480 | ALPHA ( 1 ) =  | 130.120    | Q(PSF) =              | 6.8600  | P0 =     | 60.010    |
| SECTION ( 1 )SRB |       |                |            |                       |         | P =      | .81000    |
| THETA            | .0000 | 22.5000        | 45.0000    | 67.5000               | 90.0000 | 112.5000 | 135.0000  |
| X/L              | .027  | -.0316         | -.0418     | -.0576                | .1058   | .3070    |           |
|                  | .050  | -.0395         | -.0458     | -.0576                | .1351   | .3442    |           |
|                  | .074  | -.0356         | -.0508     | -.0571                | .1562   | .3752    |           |
|                  | .098  | -.0424         | -.0542     | -.0542                | .1616   | .3865    |           |
|                  | .111  | -.0469         | -.0554     | -.0627                | .2033   | .5294    | .0257     |
|                  | .139  | -.0480         | -.0537     | -.0632                | .2241   | .5601    | .04939999 |
|                  | .168  | -.0525         | -.04929999 | -.0593                | .2219   | .5612    | .9999     |
|                  | .191  | -.0554         | -.0458     | -.0576                | .2219   | .9090    | -.0032    |
|                  | .255  | -.0576         | -.0457     | -.0520                | .0161   | .9050    | -.0582    |
|                  | .344  | -.0610         | -.0457     | -.0520                | .2220   | .5815    | -.0173    |
|                  | .392  | .999.9999      | .999.9999  | .0173                 |         |          | -.0610    |
|                  | .667  | .999.9999      | .999.9999  | .0077                 |         |          |           |
|                  | .702  | -.0603         | -.0542     | -.0604                | .0151   |          |           |
|                  | .724  | -.0689         | -.0711     | -.0536                | .0319   |          |           |
|                  | .744  | -.0683         | -.0694     | -.0554                | .1091   |          |           |
|                  | .755  | -.0694999.9999 | -.0621     | -.0621                | .5572   |          |           |
|                  | .869  | -.0728         | .999.9999  | -.0131                | .3966   |          |           |
|                  | .902  | .999.9999      | .999.9999  | -.0221                |         |          |           |
|                  | .923  | -.0723         | -.0699     | -.0197                |         |          |           |
|                  | .945  | -.0672         | -.0751     | -.0107                |         |          |           |
|                  | .982  | .3194          | .1852      | .1852                 |         |          |           |

DATE 07 MAR 77

STABULATED SOURCE DATA, MRC THT 603 (SA28F)

PAGE 245

卷之三

卷之三

PREFERENCE DATA

|      |   |          |         |      |   |      |       |     |        |   |       |     |   |         |
|------|---|----------|---------|------|---|------|-------|-----|--------|---|-------|-----|---|---------|
| SREF | - | 116,2600 | 50. FT. | XHPP | - | 1044 | .0000 | IN. | RN-SCH | - | 2.000 | PHI | - | 315.000 |
| LREF | - | 146,0000 | IN.     | YHPP | - |      | .0000 | IN. |        |   |       |     |   |         |
| BREF | - | 146,0000 | IN.     | ZHPP | - |      | .0000 | IN. |        |   |       |     |   |         |

SECTION 115RB DEPENDENT VARIABLE CP  
THEA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000225.0000270.0000315.0000

MACH 1.21 a .902 ALPHA ( 1 ) = 149.000 0.0PSF) □ 7.3900 P0 = 22.010 p = 12.990 PN/L = 6.3000 SECTION 1 11138

THE TA .00000 22? 55.0 45. 0000 67.5000 90.000112 5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | 0.27   | -0.32     | -0.172 | -0.071 | -0.278  | -0.077    |
|------|--------|-----------|--------|--------|---------|-----------|
| 0.30 | -1.137 | -1.357    | -1.252 | -1.154 | -1.434  | -0.969    |
| 0.74 | -2.223 | -2.366    | -3.317 | -3.519 | -3.947  | -7.055    |
| 0.98 | -3.154 | -3.149    | -4.273 | -5.084 | -6.893  | -14.665   |
| 1.11 | -4.578 | -4.377    | -4.117 | -3.999 | -4.813  | -9.996    |
| 1.39 | -2.750 | -2.875    | -2.576 | -4.976 | -6.6248 | -22.97999 |
| 1.68 | -2.720 | -2.872999 | -9969  | -2.882 | -5.997  | -1.997    |
| 1.91 | -2.717 | -2.930    | -2.819 | -5.95  | -1.462  | -27.29    |
| 2.65 | -2.757 | 0.000     | 0.000  | -4.936 | -20.69  | -25.98    |

MSFC TWT 603 (SABRE) SRB - ALL PROUBERANCES

IRI 10901

MACH 1.21 - 902 AN BPA 111 - 149.000

10

SECTION : 115RB  
DEPARTMENT VARIABLE CP

|  |
|--|
|  |
|--|

SELLING - INVESTMENT PROPERTY  
144-1111-1111-1111

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA2SF)

PAGE 247

MSFC TWT 603 (SA2SF) SRB - ALL PROTUBERANCES  
 SECTION 1 1:SRB      DEPENDENT VARIABLE CP  
 THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000225.0000270.0000315.0000

| X/L  | MACH 1 (1) * | ALPHA (1) * | 1.972    | 1.972 | 149.000  | Q1PSF1 = 10.910 | P0 = 30.010 | P = 4.0100 | RN/L = 7.6000 |
|------|--------------|-------------|----------|-------|----------|-----------------|-------------|------------|---------------|
| .027 | -.1584       |             | -1538    |       | -.1546   |                 | -.1817      |            | -.0899        |
| .050 | -.1779       |             | -1745    |       | -.1691   |                 | -.1881      |            | -.0755        |
| .074 | -.1918       |             | -1895    |       | -.1852   |                 | -.1637      |            | -.0503        |
| .098 | -.2120       |             | -2053    |       | -.2200   |                 | -.1720      |            |               |
| .111 | -.2046       |             | -2056    |       | -.2200   |                 | -.0926      |            |               |
| .139 | -.1813       |             | -1795    |       | -1820    |                 | -.0274      |            |               |
| .168 | -.1809       |             | -1821    |       | 9999     |                 | -.0719      |            |               |
| .191 | -.1847       |             | -1866    |       | -1887    |                 | -.0216      |            |               |
| .255 | -.1826       |             | -1665    |       | 999.9993 |                 | -.0845      |            |               |
| .344 | -.1577       |             | -1665    |       | -2068    |                 | -.2015      |            |               |
| .392 | 999.9999     |             | 999.9999 |       | -1856    |                 | -.2202      |            |               |
| .667 | 999.9999     |             | 999.9999 |       | -1856    |                 | -.0632      |            |               |
| .702 | -.1761       |             | -2146    |       | -2316    |                 | -.2063      |            |               |
| .724 | -.2871       |             | -2690    |       | -2410    |                 | -.2398      |            |               |
| .744 | -.1746       |             | -2023    |       | -2429    |                 | -.2575      |            |               |
| .755 | -.1939       |             | 999999   |       | -2292    |                 | -.1320      |            |               |
| .869 | .2304        |             | 999.9999 |       | -1773    |                 | -.0771      |            |               |
| .902 | 999.9999     |             | 999.9999 |       | -2292    |                 | -.526       |            |               |
| .923 | -.2515       |             | 2665     |       | -2665    |                 | -.2687      |            |               |
| .945 | -.2651       |             | 2907     |       | -2910    |                 | -.1863      |            |               |
| .962 | .1713        |             |          |       | .0997    |                 | -.2907      |            |               |
|      |              |             |          |       |          |                 | -.1152      |            |               |
|      |              |             |          |       |          |                 | 1.1284      |            |               |

MACH 1 (1) \*

SECTION 1 1:SRB      DEPENDENT VARIABLE CP  
 THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000225.0000270.0000315.0000

| X/L  | MACH 1 (1) * | ALPHA (1) * | 2.740    | 149.000 | Q1PSF1 = 6.3700 | P0 = 30.030 | P = 4.2100 | RN/L = 5.2000 |        |
|------|--------------|-------------|----------|---------|-----------------|-------------|------------|---------------|--------|
| .027 | -.0764       |             | .0856    |         | -.0935          |             | -.0813     |               | -.0337 |
| .050 | -.0868       |             | .0923    |         | -.0955          |             | -.0674     |               | .0132  |
| .074 | -.0843       |             | .1001    |         | -.1062          |             | -.0607     |               | .3067  |
| .098 | -.0329       |             | .1062    |         | -.1117          |             | -.0558     |               | .3067  |
| .111 | -.0995       |             | .1065    |         | -.1117          |             | -.0199     |               | .3373  |
| .139 | -.0977       |             | .1007    |         | -.1074          |             | -.0771     |               | .3567  |
| .168 | -.0989       |             | .0965    |         | 9999            |             | -.0995     |               | .4204  |
| .191 | -.1001       |             | .0923    |         | -.0971          |             | -.0831     |               | .3694  |
| .255 | -.1001       |             | .0999    |         | 999.9999        |             | -.0850     |               | .3567  |
| .344 | -.0965       |             | .0874    |         | -.0983          |             | -.0556     |               | .2019  |
| .392 | 999.9999     |             | 999.9999 |         | -.0811          |             | -.0274     |               | .3670  |
| .667 | 999.9999     |             | 999.9999 |         | -.0953          |             |            |               |        |
| .702 | -.1183       |             | -1061    |         | -.1165          |             | -.0320     |               | .2305  |
| .724 | -.1384       |             | -1378    |         | -.1092          |             | -.0287     |               | .3225  |
| .744 | -.0947       |             | .0977    |         | -.1147          |             | -.0225     |               | .2353  |
| .755 | -.1001       |             | 999.9999 |         | -.1074          |             | -.0443     |               | .1352  |
|      |              |             |          |         |                 |             | -.0229     |               |        |
|      |              |             |          |         |                 |             | 1.1284     |               |        |

MSFC TWT 603 (SA28F) SRB - ALL PROTUBERANCES

(R110901)

MACH 1 51 • 2.740 ALPHA 1 11 • 149.000  
 SECTION 1 1) SRB DEPENDENT VARIABLE CP  
 THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000  
 X/L .869 -.1058 999.9999 -.0831 .2541 .4330  
 .902 999.9999 999.9999 -.1329 .0824 -.0395  
 .923 -.1189 -.1268 -.0838 .2626 .4369  
 .935 -.1305 -.1378 -.1196 -.0115 .1140 -.0722  
 .982 .2559 .2402 .2402 .2402 .1322

MACH 1 61 • 3.480 ALPHA 1 11 • 149.020 QIPSF1 = 6.8600 PG = 60.020 P = .81000 RN/L = 7.10000  
 SECTION 1 1) SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000  
 X/L .027 -.0203 -.0444 -.0539 -.0325 -.0294  
 .050 -.0399 -.0477 -.0569 -.0246 .0474  
 .074 -.0265 -.0539 -.0624 -.0190 .0587  
 .098 -.0427 -.0579 -.0652 -.0100 .0604  
 .111 -.0194 -.0596 -.0663 -.0630 .2171 .4234  
 .139 -.0194 -.0515 -.0624 -.0560 .2313 .4437999.9999  
 .168 -.0539 -.0500999.9999 .0551 .0252 .2328 .3805 .4493 .2396  
 .191 -.0556 -.0455 -.0565 -.0258 .0700 .3879 .4493 .2396  
 .255 -.0556 999.9999 -.0280 .2329 .3817 .4493 .2396  
 .344 -.0545 -.0427 -.0500 -.0308 .2329 .3924 .4493 .2396  
 .392 .667 999.9939 .999.9999 -.0613 .2430 .3991 .4493 .2396  
 .724 -.0187 -.0049 -.0524 -.0601 .0158 .2464 .4557 .0576  
 .744 -.0115 -.0449 -.0524 -.0601 .0254 .2464 .4557 .0576  
 .755 -.0177999.9999 .999.9999 .0585 .0001 .1742 .2312 .3901 .0074  
 .869 -.0556 .999.9999 .999.9999 .0585 .0292 .2312 .3901 .0074  
 .902 999.9999 .999.9999 .0692 .0311 .0485 .2267 .3574 .0555  
 .923 -.0630 -.0692 .0297 .0519 .0519 .2267 .3574 .0555  
 .945 -.0748 -.0748 .0632 .0519 .0519 .2267 .3574 .0555  
 .982 .2932 .2932 .2932 .2932 .2932 .2932 .2932 .0555

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSEC TWT 603 (SA28F)

PAGE 249

MSEC TWT 603 (SA28F) SRB - ALL FRIULERANCES

## REFERENCE DATA

| SREF  | 116.2600 SQ.FT. | XMRP | 1044.0000 IN. | RN-SCH | 2.000 | PHI | 315.000 |
|-------|-----------------|------|---------------|--------|-------|-----|---------|
| LREF  | 146.0000 IN.    | YMRP | .0000 IN.     |        |       |     |         |
| BREF  | 146.0000 IN.    | ZMRP | .0000 IN.     |        |       |     |         |
| SCALE | .0055           |      |               |        |       |     |         |

MACH (1) = .600 ALPHA (1) = 169.900 Q(PSF) = 7.5100 PO = 38.030 P = 29.810 RN/L = 8.8000

## SECTION 11)SRB

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

## DEPENDENT VARIABLE CP

| X/L             | 1055                | 1050            | 1175        | 1235       | 1194          | 0474  | 0530         |
|-----------------|---------------------|-----------------|-------------|------------|---------------|-------|--------------|
| .027            | .0737               | .0711           | .0821       | .0685      |               |       |              |
| .050            | .0060               | .0093           | .0159       | .0249      |               |       |              |
| .074            | .1122               | .1078           | .1535       | .2954      |               |       |              |
| .098            | .3069               | .3138           | .3579       | .6423      | .7337         | .7076 | .5308        |
| .111            | .3038               | .0958           | .1112       | .1487      | .1719         | .1416 | .096999.9999 |
| .139            | .1036               | .0305           | .0792       | .1210      | .1223         | .1058 | .1539        |
| .168            | .6718               | .0761999.9999   | .0657       | .1050      | .1009         | .0814 | .1115        |
| .191            | .0644               | .0651           | .0979       | .1097      | .1009         | .0392 | .0716        |
| .255            | .0942               | .999.9999       | .0557       | .0970      | .1225         | .1135 | .0226        |
| .344            | .0594               | .0557           | .0970       | .1415      | .1225         | .1135 | .0179        |
| .392            | .999.9999           | .999.9999       | .0305       | .0657      | .0416         | .0193 | .0139        |
| .667            | .999.9999           | .999.9999       | .0267       | .0277      | .0641         | .0367 | .0103        |
| .702            | .0611               | .0434           | .0296       | .2413      | .2877         | .3754 | .1208        |
| .724            | .0664               | .0734           | .0296       | .1586      | .1271         | .3972 | .0138        |
| .744            | .0392               | .0296           | .0296       | .2081      | .2844         | .3697 | .094         |
| .755            | .0223999.9999       | .999.9999       | .0690       | .0771      | .1241         | .2163 | .2657        |
| .869            | .3471               | .999.9999       | .04827      | .3413      | .0848         | .2621 | .1513        |
| .902            | .999.9999           | .999.9999       | .4223       | .5200      | .3423         | .2510 | .999.9999    |
| .923            | .4013               | .4223           | .5047       | .5526      | .4646         | .2510 | .2950        |
| .945            | .3786               | .4223           | .5007       | .5047      | .6595         | .7277 | .1513        |
| .982            | .4484               |                 |             |            |               | .5504 | .4933        |
| MACH (2) = .905 | ALPHA (1) = 169.900 | Q(PSF) = 7.4200 | PO = 22.010 | P = 12.340 | RN/L = 6.4000 |       |              |

| X/L  | 0709  | .0506         | .0359 | .0541 | .0587 |       |       |
|------|-------|---------------|-------|-------|-------|-------|-------|
| .027 | .031  | .060          | .079  | .0455 | .0533 |       |       |
| .050 | .0461 | .0789         | .2198 | .2263 | .2296 |       |       |
| .074 | .1882 | .2238         | .3491 | .3351 | .3792 |       |       |
| .098 | .3136 | .3495         | .4346 | .3769 | .316  | .2635 | .3206 |
| .111 | .1191 | .1216         | .1791 | .1502 | .1232 | .0437 | .3718 |
| .139 | .0870 | .0393939.3939 | .0850 | .1105 | .0951 | .0495 | .3810 |
| .160 | .0726 | .0722         | .0718 | .1022 | .0869 | .0029 | .1472 |
| .191 | .0696 | .999.9999     | .0713 | .1013 | .0434 | .0144 | .0827 |
| .255 |       |               |       |       |       |       | .0912 |

THE TA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

## SECTION 11)SRB

## DEPENDENT VARIABLE CP

DATE 07 MAR 77

## TABULATED SOURCE DATA. MSFC TWT 603 (SA28F1)

PAGE 250

MSFC TWT 603 (SA28F1) SRB - ALL PROTUBERANCES

(RI1091)

MACH ( 2 ) = .905 ALPHA ( 1 ) = 169.900

SECTION ( 1 ) SRB

DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .344 | -.0873    | -.0869    | -.1206         | -.1412 | -.1276 | -.0285 | -.0010 | -.1276    |
|-----|------|-----------|-----------|----------------|--------|--------|--------|--------|-----------|
|     | .392 | .999.9999 | .999.9999 | .0218          | .1537  | .0584  | .0975  | .0119  | -.1533    |
|     | .667 | .999.9999 | .0293     | .0554          | .0713  | .0725  | .0077  | .0676  | .0255     |
|     | .702 | -.0125    | -.0239    | -.0314         | -.0273 | .0123  | -.2370 | -.3010 | .0669     |
|     | .724 | -.0239    | -.0314    | -.0939         | -.0273 | .0123  | .0957  | .2511  | .999.9999 |
|     | .744 | -.0980    | -.0939    | -.1533999.9999 | -.0979 | .0636  | -.0017 | .2025  | .0499     |
|     | .755 | -.3990    | -.3990    | -.999.9999     | .4570  | .4570  | .2301  | .1537  | -.0448    |
|     | .869 | .999.9999 | .999.9999 | .4482          | .4321  | .4247  | .4190  | -.4190 |           |
|     | .902 | .999.9999 | .999.9999 | .4482          | .3839  | .4833  | .5048  | -.4356 |           |
|     | .923 | -.3604    | -.4111    | -.3323         | -.3797 | .6439  | .6275  | -.4111 |           |
|     | .945 | -.3035    | -.3198    |                |        |        |        |        |           |
|     | .982 |           |           |                |        |        |        |        |           |

MACH ( 3 ) = 1.202 ALPHA ( 1 ) = 169.900 QIPSFL = 9.1600 PO = 22.010 P = 9.0500 RN/L = 6.6000

SECTION ( 1 ) SRB

DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .027 | .0268          | -.0113         | -.0050 | .0176  | .0271  |        |               |          |
|-----|------|----------------|----------------|--------|--------|--------|--------|---------------|----------|
|     | .050 | -.0312         | -.0722         | -.1067 | -.1026 | -.1743 |        |               |          |
|     | .074 | -.1560         | -.1698         | -.2478 | -.4644 | -.4148 |        |               |          |
|     | .098 | -.5367         | -.4570         | -.5642 | -.5440 | -.5255 |        |               |          |
|     | .111 | -.2142         | -.2373         | -.2119 | -.1151 | -.0803 | -.0526 | -.1542        |          |
|     | .139 | -.0422         | -.0344         | -.0053 | -.0367 | .0121  | .0323  | -.115999.9999 |          |
|     | .168 | -.0192         | -.0148999.9999 | -.0099 | -.0298 | -.0173 | .0172  | .0685         | -.0803   |
|     | .191 | -.0225         | -.0145         | -.0045 | -.0170 | .0030  | .0541  | .0481         | -.0369   |
|     | .255 | -.0532         | -.999.9999     |        |        |        | .0437  | .0446         |          |
|     | .344 | -.0285         | -.0312         | -.0838 | -.0963 | -.0692 | .0238  | .0290         |          |
|     | .392 |                |                |        |        |        |        |               |          |
|     | .667 | .999.9999      | .999.9999      | .0510  | .0556  | .0591  | .0591  | -.0425        |          |
|     | .702 | -.0359         | -.0326         | -.1333 | -.1354 | -.1701 | -.0255 | .0053         | -.0558   |
|     | .724 | -.2003         | -.2158         | -.2006 | -.3088 | -.3569 | -.4238 | -.1785        | -.2164   |
|     | .744 | -.0801         | -.0779         | .1627  | .2158  | .2729  | .5100  | .4834         | 999.9999 |
|     | .755 | -.1075999.9999 | -.0896         | .1263  | .1804  | .3832  | .5766  | .2736         |          |
|     | .869 | -.3283         | -.999.9999     | .2906  | .2906  | .0529  | .4432  | .2136         |          |
|     | .902 | .999.9999      | .999.9999      | .3616  | .3616  | .3892  | .0263  | -.3291        |          |
|     | .923 | -.3311         | -.3559         | .4078  | .4078  | .2290  | .2442  | -.2915        |          |
|     | .945 | -.3021         | -.3337         | .4135  | .4135  | .6138  | .6354  | -.4534        |          |
|     | .982 | -.1714         |                |        |        |        |        |               |          |

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA28F)

PAGE 251

MSFC TWT 603 (SA28F) SRF - ALL PROTUBERANCES  
 MACH (4) = 1.954 ALPHA (1) = 169.880 QPSF = 11.010 PO = 30.000 P = 4.1200 RNL = 7.6000

SECTION (1) SRF

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L | .027 | .0189    | .0224     | .0505    | .0294  | .0298  |
|-----|------|----------|-----------|----------|--------|--------|
|     | .050 | -.0863   | -.0886    | -.1190   | -.1305 | -.2040 |
|     | .074 | -.1707   | -.1292    | -.1663   | -.2135 | -.2178 |
|     | .098 | -.2008   | -.1344    | -.2199   | -.2337 | -.2080 |
|     | .111 | -.0154   | -.0344    | -.1391   | -.0463 | -.0116 |
|     | .139 | -.0182   | -.0196    | -.0154   | -.0330 | -.0140 |
|     | .168 | -.0091   | -.0108999 | .9999    | -.0010 | -.0442 |
|     | .191 | -.0013   | -.0017    | -.0130   | -.0337 | -.0389 |
|     | .255 | -.0136   | 999.9999  | 999.9999 | -.0477 | -.0154 |
|     | .344 | .0014    | -.0224    | -.0758   | -.0572 | -.0266 |
|     | .392 | 999.9999 | 999.9999  | 999.9999 | -.0013 | .0365  |
|     | .702 | -.1370   | -.0207    | -.1099   | -.1165 | -.0256 |
|     | .724 | -.1980   | -.1708    | -.2091   | -.1100 | -.0822 |
|     | .744 | -.0260   | .0045     | .1258    | -.2108 | -.2024 |
|     | .869 | -.1447   | 999.9999  | 999.9999 | .0650  | -.0632 |
|     | .902 | 999.9999 | 999.9999  | 999.9999 | -.0899 | -.0182 |
|     | .923 | -.1894   | -.2019    | -.2019   | -.1866 | -.2009 |
|     | .945 | -.1908   | -.2156    | -.2156   | -.1707 | -.0446 |
|     | .982 | .0871    |           |          | -.3009 | -.2235 |
|     |      |          |           |          | -.0115 | -.2222 |
|     |      |          |           |          |        | -.2441 |
|     |      |          |           |          |        | .1448  |

MACH (5) = 2.740 ALPHA (1) = 169.900 QPSF = 6.3700 PO = 30.020 P = 1.2100 RNL = 5.2000

SECTION (1) SRF

| X/L | .027 | -.0530   | -.0616   | -.0725   | -.0699 | -.0736 |
|-----|------|----------|----------|----------|--------|--------|
|     | .050 | -.0745   | -.0635   | -.0965   | -.0967 | -.1004 |
|     | .074 | -.0784   | -.0835   | -.0817   | -.1049 | -.1149 |
|     | .098 | -.0897   | -.0313   | -.0803   | -.1113 | -.1228 |
|     | .111 | -.0264   | -.0126   | -.0126   | -.0166 | -.0166 |
|     | .139 | -.0161   | -.0187   | -.0187   | -.0203 | -.0203 |
|     | .168 | -.0216   | -.0222   | -.0222   | -.0247 | -.0247 |
|     | .191 | -.0185   | 999.9999 | 999.9999 | -.0270 | -.0379 |
|     | .255 | -.0012   | -.0255   | -.0255   | -.0514 | -.0424 |
|     | .344 | -.0040   | .0034    | .0034    | -.0464 | -.0298 |
|     | .392 | .0034999 | .9999    | .9999    | -.0020 | -.0191 |
|     | .667 | 999.9999 | 999.9999 | 999.9999 | -.0020 | -.0099 |
|     | .702 | -.0518   | -.0227   | -.0691   | -.0645 | -.0463 |
|     | .724 | -.0954   | -.0870   | -.0971   | -.1058 | -.0392 |
|     | .744 | -.0040   | -.0034   | .0805    | .0686  | .1206  |
|     | .755 | .0034999 | .9999    | .0489    | .0265  | .0143  |

MSFC TWT 603 (SAZEF) SRB - ALL PROTUBERANCES

MACH ( 5 ) = 2.740 ALPHA ( 1 ) = 169.900

SECTION ( 1 ) 588

THETA .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000

| X/L  | .869     | -.0459   | 999.9999 | -.0342 | .0192  | .0582  |
|------|----------|----------|----------|--------|--------|--------|
| .902 | 999.9999 | 999.9999 | -.0931   | -.0894 | -.0697 |        |
| .923 | -.0971   | -.0808   | -.0811   | .0097  | .0038  | -.0463 |
| .945 | -.1131   | -.1186   | -.1307   | -.0810 | -.0701 | -.0998 |
| .982 | -.1698   | -.1242   |          |        | .2481  |        |

MACH ( 6 ) = 3.480 ALPHA ( 1 ) = 169.880 QIPSF(1) = 6.8600 P0 = 60.020 P = .01000 RN/L = 7.1000

SECTION ( 1 ) 588

THETA .0000 22.5000 45.0000 67.5000 90.0000 112.5000 135.0000 157.5000 180.0000 225.0000 270.0000 315.0000

| X/L  | .027          | .0345    | -.0441   | -.0486 | -.0464 | -.0446        |
|------|---------------|----------|----------|--------|--------|---------------|
| .050 | -.0463        | -.0463   | -.0463   | -.0599 | -.0604 |               |
| .074 | -.0458        | -.0520   | -.0632   | -.0649 | -.0649 | -.0599        |
| .098 | -.0514        | -.0514   | -.0661   | -.0711 | -.0627 | -.0700        |
| .111 | -.0182        | -.0210   | -.0322   | -.0215 | -.0299 | .0251         |
| .139 | -.0125        | -.0120   | -.0311   | -.0216 | -.0272 | .0325         |
| .168 | -.0142        | -.0142   | -.0222   | -.0216 | -.0299 | .0421999.9996 |
| .189 | -.0163        | -.0163   | -.0221   | -.024  | -.0359 | -.0508        |
| .201 | -.0154        | -.0154   | -.0221   | -.024  | -.0359 | -.0508        |
| .221 | -.0159        | -.0159   | -.0221   | -.024  | -.0359 | -.0508        |
| .244 | -.0169        | -.0169   | -.0221   | -.024  | -.0359 | -.0508        |
| .255 | -.0169        | -.0169   | -.0221   | -.024  | -.0359 | -.0508        |
| .344 | -.0069        | -.0170   | -.0278   | -.034  | -.0359 | -.0508        |
| .392 | -.0125        | 999.9999 | 999.9999 | -.0362 | -.0362 | -.0464        |
| .702 | -.0182        | -.0033   | -.0396   | -.0446 | -.0249 | .0325         |
| .724 | -.0520        | -.0446   | -.0559   | -.0605 | -.0542 | -.0435        |
| .744 | -.0263        | -.0251   | -.0521   | -.0521 | -.034  | .02021        |
| .755 | .0210999.9939 | .0426    | .0257    | .0235  | .0691  | .0912         |
| .859 | -.0125        | 999.9999 | 999.9999 | -.0035 | .0375  | .0697         |
| .902 | 999.9999      | 999.9999 | 999.9999 | -.0458 | -.0407 | -.0277        |
| .923 | -.0446        | -.0368   | -.0368   | -.0375 | .0318  | -.0063        |
| .945 | -.0689        | -.0644   | -.0706   | -.0306 | -.0170 | -.0464        |
| .982 | .2016         |          | .1610    |        | .2805  |               |



MSFC TWT 603 (SA28F) SRB - ALL PROTUBERANCES

(R110921)

MACH ( 2 ) = .904 ALPHA ( 1 ) = 179.900

## SECTION ( 1 ) SRB

## DEPENDENT VARIABLE CP

THTA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000225.0000270.0000315.0000

| X/L  | .344   | -.0185 | -.0341 | -.0780 | -.0802 | -.0748 | -.0746 | -.0736 | -.0937 |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| .392 | .999   | .9999  | .999   | .9999  | .1433  | .1489  | .1169  | .1252  | .1031  |
| .667 | .999   | .9999  | .999   | .9999  | .0497  | .0430  | .0363  | .1063  | .1052  |
| .702 | .1683  | .1643  | .1294  | .1294  | .1094  | .0996  | .1008  | .0931  | .1309  |
| .724 | .0604  | .0661  | .0497  | .0497  | .0734  | .0688  | .0701  | .0310  | .1025  |
| .744 | .1120  | .1125  | .1094  | .1094  | .0734  | .0688  | .0691  | .0168  | .9999  |
| .75  | .074   | .9999  | .9999  | .9999  | .0734  | .0734  | .0734  | .075   | .0781  |
| .869 | -.3390 | .9999  | .9999  | .9999  | .3423  | .3423  | .3032  | .0479  | .0492  |
| .902 | .999   | .9999  | .999   | .9999  | .3728  | .3728  | .4005  | .3510  | .3510  |
| .923 | -.4056 | -.3936 | -.4149 | -.4149 | .4397  | .4397  | .4154  | .3817  | .3817  |
| .945 | -.4039 | -.3883 | -.4133 | -.4133 | .5114  | .5114  | .4015  | .4154  | .4000  |
| .982 | -.6334 | -.6368 | -.6368 | -.6368 | .6705  | .6705  | .6705  | .3914  | .3914  |

MACH ( 3 ) = 1.204 ALPHA ( 1 ) = 179.900 O(PSF) = 9.1600 P0 = 22.010 P = 9.0300 RN/L = 6.8000

## SECTION ( 1 ) SRB

## DEPENDENT VARIABLE CP

THTA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000160.0000225.0000270.0000315.0000

| X/L  | .027     | .0296   | .0320   | .0257  | .0276  | .0269  | .0269  | .0487  | .0487  |
|------|----------|---------|---------|--------|--------|--------|--------|--------|--------|
| .050 | -.0396   | -.0555  | -.0555  | -.0880 | -.0621 | -.1959 | -.1959 | -.0487 | -.0487 |
| .074 | -.3514   | -.3502  | -.3502  | -.2158 | -.2082 | -.5388 | -.5388 | -.1510 | -.1510 |
| .098 | -.5410   | -.4380  | -.4380  | -.5521 | -.5407 | -.2132 | -.2132 | -.1557 | -.1557 |
| .111 | -.1124   | -.1475  | -.4075  | -.1597 | -.1515 | -.1923 | -.1923 | -.0424 | -.0424 |
| .139 | .0072    | .0083   | .0282   | -.0045 | -.0353 | -.0497 | -.0620 | -.0105 | -.0094 |
| .168 | .0039    | .002999 | .002999 | -.0107 | -.0143 | -.0159 | -.0285 | -.0429 | -.0429 |
| .191 | -.0017   | -.0034  | -.0034  | -.0178 | -.0216 | -.0244 | -.0306 | -.0214 | -.0214 |
| .255 | -.0216   | -.0309  | -.0309  | -.1653 | -.0588 | -.0577 | -.0624 | -.1199 | -.1199 |
| .344 | .0184    | -.0309  | -.0309  | -.0429 | -.060  | -.0713 | -.0495 | -.0429 | -.0429 |
| .392 | .999     | .9999   | .999    | .9999  | .1161  | .0997  | .0779  | .0633  | .0633  |
| .667 | .999     | .9999   | .999    | .9999  | .0205  | .0116  | .0120  | .0332  | .0255  |
| .702 | -.0323   | -.0111  | -.0111  | -.0233 | -.2138 | -.2166 | -.1944 | .999   | .9999  |
| .724 | -.1883   | -.1928  | -.1928  | -.2138 | .2644  | .2730  | .2666  | .2205  | .2205  |
| .744 | .3260    | .2737   | .2737   | .2804  | .1901  | .1879  | .1904  | .1606  | .1606  |
| .755 | -.193999 | .9999   | .9999   | .1901  | .2016  | .1759  | .1759  | .1365  | .1365  |
| .869 | -.1732   | .999    | .9999   | .1901  | .4042  | .4204  | .4172  | .2843  | .2843  |
| .902 | .999     | .9999   | .999    | .9999  | .5112  | .4298  | .4640  | .4704  | .4704  |
| .923 | -.4912   | -.4381  | -.4381  | -.6490 | .6011  | .3914  | .4965  | .4661  | .4661  |
| .945 | -.642    | -.6490  | -.6490  | -.2361 | -.2361 | -.2548 | -.2548 | -.2548 | -.2548 |

DATE 07 MAR 77

## TABULATED SOURCE DATA, MSFC TWT 603 (SA287)

PAGE 255

MSFC TWT 603 (SA287) SRB - ALL PROTUBERANCES

MACH 1 (4) = 1.942 ALPHA (1) = 179.900 QIPSF1 = 11.070 PO = 30.000 P = 4.1900 RN/L = 7.7000

SECTION 1 11SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027      | .0267     | .0204     | .0183     | .0166  | .0145       |
|------|-----------|-----------|-----------|-----------|--------|-------------|
| .050 | -.1207    | -.1217    | -.0746    | -.0507    | -.0451 |             |
| .074 | -.1718    | -.1611    | -.1586    | -.1275    | -.1127 |             |
| .098 | -.1913    | .0211     | -.1464    | -.1927    | -.1801 | -.1854      |
| .111 | .0559     | .0602     | -.0138    | .0075     | .0029  | -.0301      |
| .139 | .0665     | .0655     | .06189999 | .9999     | .0351  | .0200       |
| .168 | .0721     | .0560     | .0319     | .0296     | .0232  | .0149999999 |
| .191 | .0319     | .0555     | -.0054    | -.0363    | .0233  | .0205       |
| .255 | .044      | .392      |           |           | .0232  | .0190       |
| .667 | .999.9999 | .999.9999 | .999.9999 | .999.9999 | .0040  | .0201       |
| .702 | -.0468    | -.0112    | -.0134    | -.0061    | -.0081 | -.0137      |
| .724 | -.1609    | -.1791    | -.1942    | -.0490    | -.0388 | -.0297      |
| .744 | .3028     | .2228     | .1999     | .1840     | .1740  | .1760       |
| .755 | .20069999 | .9999     | .1462     | .1553     | .2817  | .2456       |
| .669 | -.0640    | .0640     | .999.9999 | .999.9999 | .1842  | .1741       |
| .902 | .999.9999 | .999.9999 | .999.9999 | .999.9999 | .0609  | .0672       |
| .923 | -.1592    | -.1459    | -.1459    | -.1459    | -.1842 | -.1901      |
| .945 | -.2688    | -.2845    | -.2845    | -.2845    | -.1694 | -.1496      |
| .982 | .0676     |           |           |           | .2770  | .2665       |
|      |           |           |           |           | .0700  | .0765       |

MACH 1 (5) = 2.740 ALPHA (1) = 179.900 QIPSF1 = 6.3700 PO = 30.020 P = 1.2100 RN/L = 5.2000

SECTION 1 11SRB DEPENDENT VARIABLE CP

THETA .0000 22.5000 45.0000 67.5000 90.0000112.5000135.0000157.5000180.0000225.0000270.0000315.0000

| X/L  | .027      | -.0153    | -.0128    | -.0026    | .0010  | .0022  |
|------|-----------|-----------|-----------|-----------|--------|--------|
| .050 | -.0554    | -.0541    | -.0500    | -.0492    | -.0480 |        |
| .074 | -.0651    | -.0749    | -.0755    | -.0749    | -.0743 |        |
| .098 | -.0736    | -.0755    | -.0661    | -.0913    | -.0961 |        |
| .111 | .0114     | .0167     | -.0724    | -.0105    | -.0135 | -.0129 |
| .139 | .0218     | .0210     | .0131     | .0058     | .0041  | .0052  |
| .168 | .016      | .01219999 | .9999     | .0046     | .0072  | .0064  |
| .191 | .0119     | .0054     | -.0006    | .0041     | .0003  | .0064  |
| .255 | .0604     | .999.9999 | -.0008    | .0028     | .0029  | .0095  |
| .344 | .0149     | -.0293    | -.0152    | .0028     | .0137  | .0181  |
| .392 |           |           |           | .0058     |        | .0006  |
| .667 | .999.9999 | .999.9999 | .999.9999 | .999.9999 |        |        |
| .702 | -.0147    | -.0099    | -.0123    | -.0120    | -.0117 | -.0222 |
| .724 | -.0551    | -.0864    | -.0907    | -.0925    | -.0846 | -.0068 |
| .755 | .1591     | .1752     | .1121     | .1418     | .1725  | .1473  |
|      |           |           |           | .0750     | .0611  | .0821  |

